



Shop Order

HME Ahrens-Fox
 Bill Doebler
 1950 Byron Center Ave.
 Wyoming, MI 49519
 616-534-1463
 616-534-1967

HME Ahrens-Fox
 Bill Doebler
 1950 Byron Center Ave.
 Wyoming, MI 49519
 616-534-1463
 616-534-1967

Exp. Date: 08/18/2018
Quote No: 23257-0001
Job/Order No: 23257
CHASSIS: AHRENS-FOX HME Ahrens-Fox Chassis
BODY: WALKRESDET Walk Around Rescue w/Pump Detroit Style
WARRANTY: WARRANTY Limited Warranty - Use For Contracts

09/05/2019

Page 1

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|----|---|----------|----------|------------|
| == HME Ahrens-Fox Chassis - 4.001 == | | | 1 | 1 | HMC |
| 00-00-0012 | | NFPA-1901, Current Edition - Complete Apparatus | 1 | 1 | HMC |
| 00-00-90SF | S | > Vocation and Basic Attributes - Apparatus | 1 | 1 | HMC |
| 00-00-92SF | S | > Paint Codes and Basic Attributes - Apparatus | 2 | 1 | HMC |
| CHASSIS | | | | 1 | HMC |
| 00-J0-0800 | | Ahrens-Fox Fire Engine Company Cab & Chassis | | 1 | HMC |
| 00-J0-2010 | | -- Custom Chassis - Vertically Integrated Builder | 2 | 1 | HMC |
| 01-A0-0100 | | 4x2 Chassis Vocation - Two Axle - Rear Wheel Drive - MFS Frt | | 1 | HMC |
| 01-G0-1100 | > | -- Single Frame Rails | 3 | 1 | HMC |
| 01-I0-1100 | | -- Frame Rail Finish - Galvanized, Single Rails | 3 | 1 | HMC |
| 01-J0-4000 | | -- Cab Main Frame Crossmember | 3 | 1 | HMC |
| 01-Z0-9802 | | -- No Chassis Lubrication System Required | | 1 | HMC |
| 07-A0-2018 | | -- Front Axle 18,740# - Meritor MFS | 3 | 1 | HMC |
| 07-A0-3000 | | -- Meritor Front Steer Axle Material Surcharge - May 1, 2011 | | 1 | HMC |
| 07-AC-5200 | > | -- 52° Cramp Angle | 4 | 1 | HMC |
| 07-B0-0100 | | -- Oil Seals - Front Axle - Factory Premium | 4 | 1 | HMC |
| 07-C0-0210 | | -- Disc Brakes - Front Axle - EX-225 | 4 | 1 | HMC |
| 07-R0-1018 | | -- Front Suspension 18,740# - Semi-Elliptical Spring | 4 | 1 | HMC |
| 07-RS-0100 | | -- Shock Absorbers - Front Axle | 4 | 1 | HMC |
| 07-Y0-0118 | | -- Steering - 18,740# - Sheppard Single Gear | 4 | 1 | HMC |
| 10-GF-2000 | > | -- Goodyear 385/65R22.5-18PR (J) Front - G296 - 18,740#-20,000# | 5 | 1 | HMC |
| 10-GG-0038 | | -- 18,740# - Std Load Rating G296/G178SS 385/65R22.5 J | 5 | 1 | HMC |
| 10-GV-0068 | | -- Tire Speed Rating - 68 MPH | 5 | 1 | HMC |
| 10-W0-1030 | | -- Front - Aluminum Wheels - 12.25 | 5 | 1 | HMC |
| 10-WP-0100 | | -- Wheel Bright Finish Protection | 5 | 2 | HMC |
| 10-X0-0100 | | -- Stainless 'Baby Moon' Caps & Nutcovers | 5 | 1 | HMC |
| 10-WS-0008 | | -- No Spare Front Wheel Required | | 1 | HMC |
| 10-WS-0018 | | -- No Spare Front Tire and Wheel Required | | 1 | HMC |
| 08-AS-1024 | -- | Single Rear Axle 24,000# - Meritor RS-24-160 | 5 | 1 | HMC |
| 08-AS-3000 | | -- Meritor Single Rear Axle Material Surcharge - May 1, 2011 | | 1 | HMC |
| 08-AV-F160 | | -- 160 Series Differential - Single Axle | 5 | 1 | HMC |
| 08-AV-S010 | | -- Axle Lube - Non Synthetic | 6 | 1 | HMC |
| 08-AV-T010 | | -- No Magnetic Drain Required - Rear Axles | | 1 | HMC |
| 08-AW-1000 | | -- No Driver Controlled Differential Lock Required | | 1 | HMC |
| 08-B0-0100 | | -- Oil Seals - Rear Axle - Factory Premium | 6 | 1 | HMC |
| 08-C0-0100 | | -- S-Cam Brakes - Single Rear Axle | 6 | 1 | HMC |
| 08-C0-0300 | | -- No Rear Axle Dust Shields Required | | 1 | HMC |
| 08-PA-0300 | -- | Vehicle Top Speed 65 - 68 MPH | 6 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|---|---|----|-----|-----|
| 08-PA-1100 | | -- NFPA Vehicle Top Speed Statement (Revised 6/25/2018) | 6 | 1 | HMC |
| 08-R0-0100 | | -- Single Axle Suspension - 27,000# - Spring | 7 | 1 | HMC |
| 08-RS-0100 | > | -- Shock Absorbers - Single Rear Axle | 7 | 1 | HMC |
| 08-T0-0100 | | -- No Automatic Tire Chains Required | | 1 | HMC |
| 08-Y0-0100 | | -- No Telma Retarder Required | | 1 | HMC |
| 09-A0-1000 | | -- Air System - Color Coded Nylon Air Lines - Single Axle | 7 | 1 | HMC |
| 09-A0-1208 | | -- Bendix AD SP Dryer | 8 | 1 | HMC |
| 09-B0-0210 | | -- No Accessory Air Reservoir Required | | 1 | HMC |
| 09-B0-0230 | | -- No Air Horn Air Reservoir Required | | 1 | HMC |
| 09-D0-0102 | | -- Air Tank Drains - Manual | 8 | 1 | HMC |
| 09-E0-0100 | | -- No Emergency Spring Brake Release System Required | | 1 | HMC |
| 09-E0-0200 | | -- No Front Axle Service Brake Locking System Required | | 1 | HMC |
| 09-F0-0100 | | -- No Air Inlet/Outlet Required | | 1 | HMC |
| 09-F0-0200 | | -- No Air Auto-Eject Required | | 1 | HMC |
| 09-F0-0300 | | -- No Air Horn Manual Shut-Off Required | | 1 | HMC |
| 09-X0-0100 | | -- No Onboard Air System Compressor Required | | 1 | HMC |
| 09-L0-0400 | | -- ABS Brake System - 4 Wheel - Meritor/Wabco | 8 | 1 | HMC |
| 09-LB-1002 | | -- No ABS Mud/Snow Selector Switch Required | | 1 | HMC |
| 09-RS-1010 | > | -- Stability Enhancement System - 4 Wheel - Meritor/Wabco | 9 | 1 | HMC |
| 09-SB-0010 | | -- No Forward Collision Warning System Required | | 1 | HMC |
| 10-GT-2400 | | -- Goodyear 11R22.5-16PR (H) Rear M&S - G182 - 24,000# | 9 | 1 | HMC |
| 10-GV-0075 | | -- Tire Speed Rating - 75 MPH | 9 | 1 | HMC |
| 10-W0-3010 | | -- Inner and Outer Rear - SA - Aluminum Wheels - 8.25 | 10 | 1 | HMC |
| 10-WP-0100 | | -- Wheel Bright Finish Protection | 10 | 4 | HMC |
| 10-X0-0300 | | -- Stainless "Lincoln Hat" Hub & Nut Covers | 10 | 1 | HMC |
| 10-WS-0028 | | -- No Spare Rear Wheel Required | | 1 | HMC |
| 10-WS-0038 | | -- No Spare Rear Tire and Wheel Required | | 1 | HMC |
| 10-Z0-0010 | | -- No Single Axle Crossfire System Required | | 1 | HMC |
| 10-GW-0122 | | -- Tire Pressure Monitoring Device - 2 Axles - LED Alert | 10 | 1 | HMC |
| 08-RS-0500 | | -- Axle & Chassis Laser Alignment | 10 | 1 | HMC |
| 13-EU-6425 | | Cummins L9 - 450 HP - MY 18 - 1400 Radiator | 11 | 1 | HMC |
| 13-A0-1400 | | -- Engine Cooling System Radiator - 1400 Sq. In. | 11 | 1 | HMC |
| 13-A0-1450 | | -- Engine Coolant Recovery System | 12 | 1 | HMC |
| 13-A0-1500 | | -- Charge Air Cooler - Engine Air Intake | 12 | 1 | HMC |
| 13-A0-1700 | | -- Radiator Coolant | 13 | 1 | HMC |
| 13-A0-1900 | | -- Premium Cooling System Hoses | 13 | 1 | HMC |
| 13-A0-1960 | | -- Constant Torque Cooling System Clamps - Entire System | 13 | 1 | HMC |
| 13-A0-1974 | | -- Heater Shut Off Valves | 13 | 1 | HMC |
| 13-A0-2002 | | -- No Radiator Skid Plate Required | | 1 | HMC |
| 13-I0-0004 | | -- Engine Air Intake Filter, K&N, Washable | 14 | 1 | HMC |
| 13-L0-0002 | | -- Engine Oil - First Fill | 14 | 1 | HMC |
| 13-LD-5002 | | -- No Engine Magnetic Drain Plug Required | | 1 | HMC |
| 13-N0-0210 | | -- Engine Brake - Cummins L9 Engine | 14 | 1 | HMC |
| 13-P0-2300 | | -- Fast (High) Idle - Manual Select - Auto Low Voltage | 14 | 1 | HMC |
| 13-R0-0010 | | -- No Engine Block Heater Required | | 1 | HMC |
| 13-S0-0040 | | -- Corrosion Inhibitor | 15 | 1 | HMC |
| 13-V0-0120 | | -- Auxiliary Engine Cooler - Sendure | 15 | 1 | HMC |
| 13-V0-0210 | | -- Spark Arrestor - Air Intake | 15 | 1 | HMC |
| 13-V0-0220 | | -- No Emergency Shutdown Required | | 1 | HMC |
| 13-V0-3020 | | -- Fan Clutch - Fully Variable Fan Drive | 15 | 1 | HMC |
| 13-Y0-0620 | | -- MY 18 Compliant Exhaust Treatment System - L9 | 15 | 1 | HMC |
| 13-Y0-1610 | > | -- Cummins Aftertreatment System - MY 18 - L9 | 15 | 1 | HMC |
| 13-Y0-3010 | | -- Stainless Tailpipe - Curb Side - 90° Exit - Straight Cut End | 15 | 1 | HMC |
| 13-Y0-6010 | | -- Exhaust Tailpipe Diffuser | 16 | 1 | HMC |
| 13-Z0-0017 | | -- DEF System - 5 Gallon Reservoir - MY 18 | 16 | 1 | HMC |
| 14-C0-3000 | | -- Allison 3000EVS Automatic Transmission | 16 | 1 | HMC |
| 14-C0-5002 | | -- No Transmission Magnetic Drain Plug Required | | 1 | HMC |
| 14-D0-0100 | | -- Transmission Fluid - Allison TES-389 | 16 | 1 | HMC |
| 14-ER-0100 | | -- Five Speed Allison Programming - 3000EVS | 16 | 1 | HMC |
| 14-ET-0100 | | -- Automatic Neutral Programming - 2500 EVS / 3000EVS / 4000EVS | 17 | 1 | HMC |
| 14-HF-0100 | | -- Drivertrain Fluid Monitoring System | 17 | 1 | HMC |
| 14-W0-1100 | | -- 1760 Series Drivelines | 18 | 1 | HMC |
| 14-X0-0010 | | -- No Driveline Guards Required | | 1 | HMC |
| 25-A0-2000 | > | -- Fuel Tank - 50 Gallon - Stainless Straps | 19 | 1 | HMC |
| 25-A0-3000 | | -- No Magnetic Drain Required - Fuel Tank | | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|-----|--|----|----------|------------|
| 25-U0-1000 | | -- No Fuel Re-Prime Pump Required | | 1 | HMC |
| 25-V0-0000 | | -- Reinforced Fuel Lines | 19 | 1 | HMC |
| 25-V0-1100 | | -- No Fuel Filter Shut-Off Required | | 1 | HMC |
| 25-F0-0200 | | -- Fuel Filter - Cummins - Factory | 19 | 1 | HMC |
| 45-D0-0200 | | -- 320 Amp Alternator - Leece-Neville - 4890JB | 19 | 1 | HMC |
| | | CAB MODEL | | 1 | HMC |
| 40-C0-0528 | S | > Ahrens-Fox - XLFD - 12" - 3/16" Aluminum Tilt Cab | 19 | 1 | HMC |
| 14-ES-0200 | | -- Transmission Selector - Push Button Type | 23 | 1 | HMC |
| 14-ES-0400 | | -- Transmission Fluid Check - Transmission Selector | 23 | 1 | HMC |
| 40-N0-1600 | | -- No Raised Roof Diamond Plate Covering | | 1 | HMC |
| 40-TU-4920 | S | -- Cab Exterior Side Storage Compartments -- XLFD - Transverse | 23 | 1 | HMC |
| 40-U0-0202 | | -- In-Dash Heater / Defroster with Floor Heat - Spectr - Raised Roof | 24 | 1 | HMC |
| 40-U0-0302 | | -- No Defroster Fans Required | | 1 | HMC |
| 40-U0-0470 | > | -- 45K BTU AC / 33.4K BTU Heat - Ceiling Mounted Evaporator - Single Condenser | 24 | 1 | HMC |
| 40-U0-0620 | | -- Cab Climate Control Insulation Package | 25 | 1 | HMC |
| 40-U0-0700 | | -- No Driver/Officer Floor Heater Required | | 1 | HMC |
| 40-U0-1002 | | -- No Crew Floor Supplemental Heater Required | | 1 | HMC |
| 40-U0-2002 | | -- No Roof Vents Required | | 1 | HMC |
| 40-U0-2502 | | -- No Heater Hose Insulation Required | | 1 | HMC |
| 45-E0-0100 | | -- EMI/RFI Noise Supression | 25 | 1 | HMC |
| 45-NS-0802 | | -- Stainless Steel Battery Tray | 25 | 1 | HMC |
| 45-NS-0803 | | -- No Battery Box Covers Required | | 1 | HMC |
| 45-NU-0600 | | -- No Battery Box Dri-Dek Required | | 1 | HMC |
| 45-NU-0304 | | -- Single Battery System - 4 Group 31 | 26 | 1 | HMC |
| 45-NU-0410 | | -- Battery Jumpers | 26 | 1 | HMC |
| 45-NU-0460 | | -- No Battery On Light Required | | 1 | HMC |
| 45-T0-0100 | | -- 40 Amp - Battery Charger - ProMariner | 26 | 1 | HMC |
| 45-T0-6110 | | -- No Remote Charge Indicator Panel Required | | 1 | HMC |
| 45-Z0-1200 | | -- Kussmaul 20 AMP - 120v - Super Auto Eject | 27 | 1 | HMC |
| 45-Z0-1304 | | -- Red Auto-Eject Cover | 27 | 1 | HMC |
| 45-Z0-1314 | | -- Plain Cover | 27 | 1 | HMC |
| 45-Z0-1320 | | -- Cab Exterior Mounted - Behind the Driver's Door | 27 | 1 | HMC |
| 45-NU-0510 | | -- Battery Jumper Studs | 28 | 1 | HMC |
| | | CAB INTERIOR | | 1 | HMC |
| 40-D0-5010 | | Cab Interior Appointments and Options - AF1 -- Apparatus | | 1 | HMC |
| 40-DE-0300 | < > | -- Engine Enclosure - Vinyl Covering - Acoustiblok - NO FLUID CHECK HATCH The underside insulation MUST extend completely to the bottom of the doghouse | 28 | 1 | HMC |
| 40-DE-1030 | | -- Painted Interior Door Panels | 28 | 1 | HMC |
| 40-DE-2010 | | -- Interior Padding - Standard Ceiling | 28 | 1 | HMC |
| 40-DE-2030 | | -- Interior Padding - Hushcloth Rugged Rear Wall | 29 | 1 | HMC |
| 40-DE-2060 | | -- Floor Material - Accoustical Wear Mat | 29 | 1 | HMC |
| 40-DE-2200 | | -- -No Rear Wall Gear Rack Required | | 1 | HMC |
| 40-DE-3050 | | -- Cab Door Reflective Material - Chevron | 29 | 1 | HMC |
| 40-DE-3430 | | -- Cab Door Interior Warning Lights - Foster Light | 29 | 1 | HMC |
| 40-DE-4010 | | -- Cab Step Well Trim - Step Tops and Toe Kick Area | 29 | 1 | HMC |
| 40-DE-7020 | | -- Steering Wheel and Column - Smart Wheel | 29 | 1 | HMC |
| 40-DH-0260 | | -- Grab Hndls - Inside - Driver's, Officer's A-Post and Both Crew Doors | 30 | 1 | HMC |
| 40-DH-1010 | | -- No Officer's Side Dash Grab Handle Required | | 1 | HMC |
| 40-DH-1220 | | -- Officer's Radio Compartment With Door | 30 | 1 | HMC |
| 40-DS-4120 | | -- Full Width Intermediate Front Step - 100" Cab | 30 | 1 | HMC |
| 40-DS-4210 | | -- Cab Crew Area Foot Rest - 100" Cab | 31 | 1 | HMC |
| 40-LC-2000 | | -- No Open Compartment Alarm Required | | 1 | HMC |
| 40-LC-3000 | | -- No Deck Gun Raised Light Required | | 1 | HMC |
| 40-LC-4000 | | -- No Light Tower Raised Light Required | | 1 | HMC |
| 40-LC-5000 | | -- No Tele-Lights Raised Light Required | | 1 | HMC |
| 40-LD-0010 | | -- Interior Lighting Group - Ahrens-Fox | 31 | 1 | HMC |
| 40-LD-0420 | | -- LED Strip Light Interior Light Packages | 31 | 1 | HMC |
| 40-LD-4010 | | -- Step Nose LED Lighting - WHITE/RED | 31 | 1 | HMC |
| 40-LD-5012 | | -- Driver and Officer Door Strip Lighting - WHITE/RED | 31 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 31 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|-----------------------------|-----|--|----|-----|-----|
| 40-LD-5186 | > | -- Red Lighting Driver Switch Controlled | 32 | 1 | HMC |
| 40-LD-5193 | > | -- White Lighting Driver Switch Controlled | 32 | 1 | HMC |
| 40-LD-5102 | | -- Forward Crew Area LED Strip Lighting - WHITE/RED | 32 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 32 | 1 | HMC |
| 40-LD-5104 | | -- Rear Crew Area (Full Width) LED Strip Lighting - WHITE/RED | 32 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 32 | 1 | HMC |
| 40-LD-5112 | | -- Crew Cab Door Area LED Strip Lighting - WHITE/RED | 32 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 32 | 1 | HMC |
| 40-LD-5188 | > | -- Crew Area Toggle Switch Controlled | 33 | 1 | HMC |
| 40-LD-5182 | | -- Interior Cab Light Color Control | 33 | 1 | HMC |
| 40-LG-1000 | | -- No Officer Computer Console Required | | 1 | HMC |
| 40-LM-1000 | | -- No Officer Maplight Required | | 1 | HMC |
| 40-V0-0010 | | -- Glass Cockpit Instrumentation and Controls with VirtualEngineer | 33 | 1 | HMC |
| 40-V0-0120 | | -- Audible Turn Signal Reminder | 34 | 1 | HMC |
| 40-V0-0122 | | -- Audible Lights On Reminder | 34 | 1 | HMC |
| 40-V0-0124 | | -- Audible Parking Brake Reminder | 34 | 1 | HMC |
| 40-V0-0148 | > | -- Odometer Activated While in Pump Mode | 34 | 1 | HMC |
| 40-V0-0162 | | -- Wiper Control, Intermittent | 35 | 1 | HMC |
| 40-V1-0100 | | -- Driver's Control Center | 35 | 1 | HMC |
| 40-V1-0200 | | -- Officer's Control Center | 35 | 1 | HMC |
| 40-X0-1300 | | -- No White Warning Light Cut-Out Switch Required | | 1 | HMC |
| 40-X0-1423 | | -- Outside Temperature Monitor | 36 | 1 | HMC |
| 45-NS-0300 | | -- Apparatus Base Digital Electrical System - Class1 EsKey | 36 | 1 | HMC |
| 45-NS-0210 | | -- Information Display Module - Driver's Position | 37 | 1 | HMC |
| 69-C0-0100 | | -- On Board USB Electronic Operator's Manual w/Parts List | 37 | 1 | HMC |
| 40-X1-0010 | | -- Control Center Console - Multiplexed - AF1 | 38 | 1 | HMC |
| 40-V0-0510 | | -- Parking Brake Control - Doghouse Switch Panel | 38 | 1 | HMC |
| 40-X0-6302 | | -- Recessed Cup Holders - Console Mounted | 38 | 1 | HMC |
| 40-X1-001A | > | -- Upper Left Upper Position - A | | 1 | HMC |
| 40-X1-0302 | > | -- Electronic Siren - 3" Console Mounting Plate | 38 | 1 | HMC |
| 40-X1-001B | > | -- Middle Left Upper Position - B | | 1 | HMC |
| 40-X1-0404 | | -- Pump Shift - 4" Console Mounting Plate | 38 | 1 | HMC |
| 40-X1-001C | > | -- Lower Left Upper Position - C | | 1 | HMC |
| 40-X1-0400 | | -- 4" Blank Panel | 38 | 1 | HMC |
| 40-X1-001D | > | -- Left Horizontal Forward Position - D | | 1 | HMC |
| 40-X1-0310 | S | -- Blank - 3" Console Mounting Plate | 38 | 1 | HMC |
| 40-X1-001E | > | -- Left Horizontal Middle Position - E | | 1 | HMC |
| 40-X1-0502 | | -- Storage Tray - 5" Console Mounting Plate | 39 | 1 | HMC |
| 40-X1-001F | > | -- Left Horizontal Rear Position - F | | 1 | HMC |
| 40-X1-0600 | | -- 6" Blank Panel | 39 | 1 | HMC |
| 40-X1-001G | > | -- Upper Right Upper Position - G | | 1 | HMC |
| 40-X1-0304 | | -- AM/FM Radio - 3" Console Mounting Plate | 39 | 1 | HMC |
| 40-X1-001H | > | -- Middle Right Upper Position - H | | 1 | HMC |
| 40-X1-0300 | | -- 3" Blank Plate | 39 | 1 | HMC |
| 40-X1-001I | > | -- Lower Right Upper Position - I | | 1 | HMC |
| 40-X1-0500 | | -- 5" Blank Panel | 39 | 1 | HMC |
| 40-X1-001J | > | -- Right Horizontal Forward Position - J | | 1 | HMC |
| 40-X1-0308 | | -- Heater Controls - 3" Console Mounting Plate | 39 | 1 | HMC |
| 40-X1-001K | > | -- Right Horizontal Middle Position - K | | 1 | HMC |
| 40-X1-0504 | | -- Dual Cup Holder - 5" Console Mounting Plate | 39 | 1 | HMC |
| 40-X1-001L | > | -- Right Horizontal Rear Position - L | | 1 | HMC |
| 40-X1-0600 | | -- 6" Blank Panel | 39 | 1 | HMC |
| 40-X1-001M | | -- Rear Position - M | | 1 | HMC |
| 40-X1-1002 | S | -- Two (2) 110 vac Outlets Rear Lower Panel | 39 | 1 | HMC |
| 40-X1-1004 | > | -- Outlets Wired to Shoreline Power | 39 | 1 | HMC |
| 40-X1-8010 | | -- Rear Facing Crew Doghouse Mounted Cupholders | 39 | 1 | HMC |
| 40-X1-9000 | | -- No Rear Seat Base Mounted Cupholder | 40 | 1 | HMC |
| 40-Y0-0010 | | -- No Intercom System Required | | 1 | HMC |
| 40-YC-3808 | | -- Back-Up Camera System - Ahrens-Fox Chassis | 40 | 1 | HMC |
| 40-YC-3819 | | -- Observation Monitor - Driver's Instrument Panel | 40 | 1 | HMC |
| 40-YC-3832 | S < | -- Camera - Color - Rear - High Performance | 40 | 1 | HMC |
| Note: changed specification | | | | | |
| 40-YC-4104 | | -- Operation - Transmission Reverse Powered | 40 | 1 | HMC |
| 40-YC-4200 | | -- Camera Mounting - Body Rear - Below Hosebed | 40 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|-----|--|----|----------|------------|
| 40-YC-4210 | | -- No Camera Guard Required | | 1 | HMC |
| 40-YS-0002 | | -- Cab Mounted Firefighter Handlights | | 1 | HMC |
| 40-YS-0008 | | -- No Doghouse Firefighter Handheld Lights Required | | 1 | HMC |
| 40-YS-0010 | | -- No Left Rear Facing Seat Handheld Light Required | | 1 | HMC |
| 40-YS-0012 | | -- No Right Rear Facing Seat Handheld Light Required | | 1 | HMC |
| 40-YS-0014 | | -- No Left Forward Facing Seat Handheld Light Required | | 1 | HMC |
| 40-YS-0016 | | -- No Right Forward Facing Seat Handheld Light Required | | 1 | HMC |
| 40-Z0-0001 | | -- 12 VDC Power Selections For Accessories, Radios and Chargers | | 1 | HMC |
| 40-Z0-0002 | | -- No 12 VDC Power Point Outlet Required | | 1 | HMC |
| 40-Z0-0202 | | -- No 12VDC Circuits For Radio or Accessories Required | | 1 | HMC |
| 40-Z0-0802 | | -- No NMO Antenna Mount and Coax Required | | 1 | HMC |
| 40-Z0-0402 | | -- No 120-volt AC Wiring Required | | 1 | HMC |
| 40-Z0-1202 | | -- No Map Box Required | | 1 | HMC |
| 40-Z0-3700 | | -- AM/FM Stereo CD/Weather Band Radio w/Four Speakers | 40 | 1 | HMC |
| 40-Z0-9910 | | -- Fire Extinguisher and Hazard Triangle Kit | 40 | 1 | HMC |
| | | CAB EXTERIOR | | 1 | HMC |
| 40-D0-6010 | | Cab Exterior Appointments and Options - AF1 - Chassis | | 1 | HMC |
| 40-D0-0900 | | -- Cab Crashworthiness Test | 41 | 1 | HMC |
| 40-DH-2100 | S < | -- Exterior Grab Handles - 24" Long | 41 | 1 | HMC |
| | | Black powder coated approved by Ken. Added \$250 | | | |
| 40-DH-4110 | | -- Warning Light / Turn Signal, Cab Handrails | 41 | 1 | HMC |
| 40-DH-2180 | | -- No Cab Front Grab Handles Required | | 1 | HMC |
| 40-DS-6010 | | -- No Rear Wall Cab Steps Required | | 1 | HMC |
| 40-DX-0300 | S < | -- Ahrens-Fox Stylized Cab Grille | 42 | 1 | HMC |
| | | Black finish on grille and headlight bezels approved per Ken. Added \$500 | | | |
| 40-G0-1010 | | -- Cab Front Mudflaps | 42 | 1 | HMC |
| 40-G0-1300 | | -- Cab Ground Lights - LED Strip Lights | 42 | 1 | HMC |
| 40-J0-2900 | | -- Mekra Lang - Black Finished Heated & Remote Control Mirrors | 42 | 1 | HMC |
| | | w/Convex | | | |
| 40-J0-2802 | | -- No Mirror Options | 42 | 1 | HMC |
| 40-J0-3000 | | -- No Crew Peeper Door Mirrors Required | | 1 | HMC |
| 40-K0-1000 | | -- Cab Side Windows - Fixed Glass | 42 | 1 | HMC |
| 40-K0-1200 | | -- No Rear Wall Windows Required | | 1 | HMC |
| 40-K0-2020 | | -- Electric Windows - Four Doors - Driver Additional Controls | 43 | 1 | HMC |
| 40-K0-3010 | | -- Powered Door Locks - Four Doors | 43 | 1 | HMC |
| 40-K0-3500 | | -- No Rear Door Safety Bars Required | | 1 | HMC |
| 40-KA-4022 | | -- Dark Gray-Lite Door Glass - Cab Side, Crew Doors and Rear (when spec'd) | 43 | 1 | HMC |
| 40-LE-1002 | | -- Engine Maintenance Lights LED - Custom | 43 | 1 | HMC |
| 40-LS-1000 | | -- No Cab Spotlights Required | | 1 | HMC |
| 40-LS-2000 | | -- No Handheld Spotlights Required | | 1 | HMC |
| 40-N0-0020 | | -- Cab Lower Side Bright Stainless Trim - 2 Inch | 43 | 1 | HMC |
| 40-N0-0110 | | -- No Cab Front Stainless Trim | | 1 | HMC |
| 40-N0-0805 | S < | -- Cab Stainless Fender | 44 | 1 | HMC |
| | | The fenderettes shall be black powder coated. Added \$250 to the option | | | |
| 40-N0-1400 | | -- Exterior Rear Wall - Diamondplate Overlay | 44 | 1 | HMC |
| 40-P0-0100 | | -- Cab Tilt - Electric Pump | 44 | 1 | HMC |
| 40-P0-0400 | | -- Cab Tilt Road Interlock | 45 | 1 | HMC |
| 40-P0-1700 | | -- No Aerial Cab Tilt Interlock Required | | 1 | HMC |
| | | CAB AND CHASSIS PAINT | | 1 | HMC |
| 40-Q0-1000 | | Cab & Chassis Paint - Ahrens-Fox Chassis | | 1 | HMC |
| 40-Q0-1212 | > | -- Black Interior Paint, Black Zolatone ABS Panels | 45 | 1 | HMC |
| 40-Q0-2010 | | -- Headliner - Black | 45 | 1 | HMC |
| 40-Q0-2110 | | -- Rear Wall Covering - Black | 45 | 1 | HMC |
| 40-Q0-2210 | | -- Floor Covering - Black | 46 | 1 | HMC |
| 40-Q0-2310 | | -- Doghouse Covering - Black | 46 | 1 | HMC |
| 40-Q0-2502 | | -- Dash Housing and Officer Console - Black | 46 | 1 | HMC |
| 40-Q0-3010 | | -- Single Color Cab Exterior Paint | 46 | 1 | HMC |
| 40-Q0-3080 | > | -- Cab Exterior Paint - PPG - Urethane | 48 | 1 | HMC |
| 40-Q0-4002 | | -- No Touch-Up Paint Required | | 1 | HMC |
| 40-Q0-4110 | | -- No Paint Spray Out Approval Sample Required | | 1 | HMC |
| | | SEATING | | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|--|-----|---|----|-----|-----|
| 40-RS-0010 | | Seat Logos by Truck Model | | 1 | HMC |
| 40-RS-2009 | > | AF1 / Spectr - LFD Only - 2 Rear Facing - 4 Fwd Face | | 1 | HMC |
| 40-S0-0010 | | -- Seat Position 1 - Driver's Seat | 48 | 1 | HMC |
| 40-S0-1350 | | -- Highback - Air Ride Suspension - HO Bostrom - Sierra 500 - ABTS | 48 | 1 | HMC |
| 40-S0-0020 | | -- Seat Position 2 - Officer's Seat | 48 | 1 | HMC |
| 40-S0-4310 | | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS | 48 | 1 | HMC |
| 40-S0-9162 | | -- Filler Pad for SCBA Seats | 48 | 1 | HMC |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 48 | 1 | HMC |
| 40-S0-0030 | | -- Seat Position 3 - Rear Facing Left Outboard - Behind Driver | 48 | 1 | HMC |
| 40-S0-5810 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS | 48 | 1 | HMC |
| 40-S0-9160 | | -- No Crew Seat Filler Pads | | 1 | HMC |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 49 | 1 | HMC |
| 40-S0-0060 | | -- Seat Position 6 - Rear Facing Rt Outboard - Behind Officer | 49 | 1 | HMC |
| 40-S0-5810 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS | 49 | 1 | HMC |
| 40-S0-9160 | | -- No Crew Seat Filler Pads | | 1 | HMC |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 49 | 1 | HMC |
| 40-S0-0072 | | -- Seat Position 7 - Fwd Facing Left Outboard - LFD Only | 49 | 1 | HMC |
| 40-S0-5700 | | -- No Flip Seat Required | | 1 | HMC |
| 40-S0-0080 | | -- Seat Position 8 - Fwd Facing - Left Inside | 49 | 1 | HMC |
| 40-S0-5810 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS | 49 | 1 | HMC |
| 40-S0-9160 | | -- No Crew Seat Filler Pads | | 1 | HMC |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 49 | 1 | HMC |
| 40-S0-0090 | | -- Seat Position 9 - Fwd Facing - Right Inside | 50 | 1 | HMC |
| 40-S0-5810 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS | 50 | 1 | HMC |
| 40-S0-9160 | | -- No Crew Seat Filler Pads | | 1 | HMC |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 50 | 1 | HMC |
| 40-S0-0102 | | -- Seat Position 10 - Fwd Facing Rt Outboard - LFD Only | 50 | 1 | HMC |
| 40-S0-5700 | | -- No Flip Seat Required | | 1 | HMC |
| 40-S0-6100 | | -- Forward Facing Seat Riser | 50 | 1 | HMC |
| 40-S0-7420 | | -- Gray / Black Durawear Seat Covering | 50 | 1 | HMC |
| 40-S0-7810 | | -- No Heated Seat Cushions | 50 | 1 | HMC |
| 40-S0-8002 | | -- Seat Belt Warning Labels | 50 | 1 | HMC |
| 40-SU-0900 | | -- No EMS Storage Cabinet Required | | 1 | HMC |
| 40-S0-8024 | | Vehicle Data Recorder and Seat Belt Warning System | 50 | 1 | HMC |
| 40-S0-8016 | | -- Seat Belt Warning System Monitor Panel | 51 | 1 | HMC |
| 40-S0-8510 | | Roll Over Occupant Protection - Drvr, Ofcr and 2 Out RR Facing, Seat Intrgrated | 51 | 1 | HMC |
| 40-S0-8522 | | -- No Roll Over Occupant Protection Diagnostic Kit Required | | 1 | HMC |
| FRONT BUMPER / AUDIBLE WARNING | | | | | |
| 42-A2-0160 | | Front Bumper - Painted Formed -- AF1 {Thru Suc - Ctr Hsewl - Thru Q2B - Jumpline} | 52 | 1 | HMC |
| 01-V0-2023 | | -- No Bumper Backer / Reinforcement Available | | 1 | HMC |
| 01-V0-2032 | | -- No Front License Plate Mounting Required | | 1 | HMC |
| 01-V1-0034 | | -- Front Bumper Extension - 24" - AF1 {Thru Suc - Ctr Hsewl - Thru Q2B - Jumpline} | 52 | 1 | HMC |
| 01-T0-1010 | | -- No Front Suction Required | | 1 | HMC |
| 01-T1-0020 | | -- No Jumpline Required | | 1 | HMC |
| 01-W0-1102 | | -- Tow Loops - Beneath the Bumper - AF1 | 52 | 1 | HMC |
| 01-W0-0920 | | -- Tow Loops - Painted | 53 | 1 | HMC |
| 01-Z0-4890 | | -- No Front Permanent Mount Winch Available | | 1 | HMC |
| 01-Z0-8024 | S < | -- Front Gravelshield - AF1 | 53 | 1 | HMC |
| Note: The gravelshield shall be sprayed with black Line-X material added durability and non slip material. Added \$800 in cost to cover the material and application | | | | | |
| 01-Z0-8206 | > | -- Center Hosewell - Medium - AF1 | 53 | 1 | HMC |
| 01-Z0-8740 | S < | -- Hosewell Cover, Center - Hinged Diamondplate | 53 | 1 | HMC |
| Note: The hosewell cover shall be sprayed with black Line-X material added durability and non slip material. Added \$150 in cost to cover the material and application | | | | | |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|-----|---|-----------|----------|------------|
| 01-Z0-8824 | | -- LED Lighting, Hosewell - AF1 | 53 | 1 | HMC |
| 01-Z0-8802 | | -- Open Grate Mat, Hosewell | 54 | 1 | HMC |
| 01-Z0-8209 | | -- No Left Hosewell Available - AF1 | | 1 | HMC |
| 01-Z0-8309 | | -- No Right Hosewell Available - AF1 | | 1 | HMC |
| 01-Z0-8092 | | -- No Bumper Top Guard Available - AF1 | | 1 | HMC |
| 40-G0-1420 | | -- Bumper Ground Lights - LED Strip Lights | 54 | 1 | HMC |
| 40-H0-1108 | | -- Dual Stutter Tone Air Horns - Bumper Recessed - AF1 | 54 | 1 | HMC |
| 40-H0-1201 | | -- Air Horn Circuit Powered - Battery and Ignition | 54 | 1 | HMC |
| 40-H0-1210 | | -- Air Horn Control - Lanyard | 54 | 1 | HMC |
| 40-H0-1302 | | -- Air/Elec Horn-Strg Wheel Cntrl - {Siren Switch Upgrade Here} | 54 | 1 | HMC |
| 40-H0-2130 | | -- Electronic Siren - Whelen - Model 295SLSA1 | 55 | 1 | HMC |
| 40-H0-5310 | | -- No Siren Switch Required | | 1 | HMC |
| 40-H0-5410 | | -- Siren Head Mounting - Doghouse Mounted | 55 | 1 | HMC |
| 40-HA-2100 | | -- No Whelen Howler Required | | 1 | HMC |
| 40-HA-2189 | | -- No Electronic Siren Rumbler Add-On Required | | 1 | HMC |
| 40-H0-3312 | | -- Q2B Mechanical Siren - Bumper Recess Mtd - Driver's Side - AF1 | 55 | 1 | HMC |
| 40-H0-5110 | | -- Siren Circuit Powered - Master Warning Light Switch | 55 | 1 | HMC |
| 40-H0-5230 | | -- Siren Brake Switch - Driver and Officer Control | 55 | 1 | HMC |
| 40-H0-5350 | | -- Siren Control - Driver & Officer Foot Switches | 55 | 1 | HMC |
| 40-H0-4001 | | -- No EQ2B Siren Available | | 1 | HMC |
| 40-HA-2062 | | -- Siren Speakers - Two - Cast Products - Inboard Mtd - AF1 | 55 | 1 | HMC |
| 40-Q0-1068 | S < | -- Color Painted Pocket Bumper - Cab Exterior Color - Line-X | 55 | 1 | HMC |
| | | Note: Red Line-X coating | | | |
| 69-C0-0200 | | -- Electronic Operator's Manual w/Parts List - One Set | 56 | 1 | HMC |
| 69-C0-0300 | | -- FAMA Fire Apparatus Safety Guide | 56 | 1 | HMC |
| 71-10-0002 | | Diagnostic Cables and Software | | 1 | HMC |
| 71-10-0030 | | -- No Cummins Diagnostic Software Required | | 1 | HMC |
| 71-10-0060 | | -- No ABS/ATC Diagnostic Software Required | | 1 | HMC |
| 71-10-0070 | | -- No Allison Diagnostic Software Required | | 1 | HMC |
| 71-10-0100 | | -- No EsKey Modem Required | | 1 | HMC |
| | | v4.001 - RELEASE DATE - 07/19/2018 | | 1 | HMC |
| | | == Walk Around Rescue w/Pump Detroit Style - 4.001 == | 56 | 1 | HME |
| 08-22-2001 | > | Apparatus Body Designation, Model Ahrens-Fox | | 1 | HME |
| | | Water / Foam Tanks and Equipment | | 1 | HME |
| 30-02-0307 | | Water Tank Cnstrctn, Poly w/Tnk Lid, FillTwr, Ovrflw - Rescue | 56 | 1 | HME |
| 30-18-0206 | > | -- Tank Mounting, Cradle Mtd, 8" x 8" x 4" x .250" Rescue | 57 | 1 | HME |
| 30-18-0700 | | -- Tank Cradle - Hot Dip Galvanized | 57 | 1 | HME |
| 30-21-0100 | | -- No Tank Drain Valve Required | | 1 | HME |
| | | APPARATUS BODY DESIGN AND CONSTRUCTION | | 1 | HME |
| 32-02-0800 | | Body Design and Construction, Walk Around Rescue, Stainless | 58 | 1 | HME |
| 32-02-9000 | | -- Compartment Interior Finish | 59 | 1 | HME |
| 32-05-0102 | | -- Brushed Stainless Compartment Roof - Safety Tape Walkway | 60 | 1 | HME |
| 46-18-0904 | | -- Rear Tailboard, 10", LaserGrip Stainless Steel - Rescue | 60 | 1 | HME |
| 46-22-0200 | | -- No Rear Lower Step/Platform Required | | 1 | HME |
| 46-24-3000 | | -- No Beverage Truck Step Required | | 1 | HME |
| | | EXTERIOR COMPARTMENTATION AND EQUIPMENT | | 1 | HME |
| 40-01-2110 | | Frame Extension, Rear | 60 | 1 | HME |
| 40-01-2210 | | -- Rear Frame Extension and Body Mounts Hot Dip Galvanized | 60 | 1 | HME |
| 40-02-0200 | | Ext Compartment Design and Construction, Modular, Bolted | 60 | 1 | HME |
| 40-02-0204 | | -- Compartment Ventilation w/Filtration | 60 | 1 | HME |
| 46-28-0710 | | -- No Exhaust Tailpipe Heatshield Required | | 1 | HME |
| 40-04-0700 | | 14' Rescue - 82"/82", Xverse Ext Cmpts, Full Height Rear | | 1 | HME |
| | | Compartment Pump - Wolf - Rodent - Rescue | | 1 | HME |
| 20-24-1020 | | -- Pump, Darley, 1-1/2 AG - 100 GPM, PTO - PIB | 61 | 1 | HME |
| 20-02-1100 | > | -- Pump Enclosure, PTO In RR1 Cmpt | 62 | 1 | HME |
| 20-14-0111 | | -- Pump Service Access Requirements - Cmpt PTO Pump | 62 | 1 | HME |
| 20-14-0316 | | -- Control Panel, Cmpt Mount - PTO Pump - Rescue | 62 | 1 | HME |
| 20-15-0110 | | -- Identification Labels - Metal Tags | 62 | 1 | HME |
| 20-15-0200 | | -- HME Standard Color Coding for Pump House Tags | | 1 | HME |
| 20-18-1034 | | -- Controls & Gauges, Compartment PTO Pump - Rescue | 63 | 1 | HME |
| 20-08-0804 | | -- Air Outlet Connection, Mtd RR1 Pump Panel - Rescue | 63 | 1 | HME |
| 20-18-1415 | | -- FRC Throttle X-Cel Engine Throittle and Engine Control | 63 | 1 | HME |
| 20-18-1550 | | -- 2-1/2" Pressure Gauges, 0-400 psig - English | 64 | 1 | HME |
| 20-18-1558 | | -- 2-1/2" Pressure Guage LED Lighting | 64 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|-----|--|----|----------|------------|
| 20-18-1572 | | -- Pump Compartment Lighting | 64 | 1 | HME |
| 20-18-2040 | | -- Drain Discharges - 90° Ports | 64 | 1 | HME |
| 30-26-0410 | | -- Gauge, (1) Water Tank Level - FRC Tank Vision | 65 | 1 | HME |
| 20-26-2150 | | -- Pump Rating, Darley, 100 GPM | 65 | 1 | HME |
| 20-27-0100 | | -- Altitude Requirements, 0' to 2000 Feet Above Sea Level | 65 | 1 | HME |
| 22-06-0906 | > | -- Primer, Air Primer, Trident, On PTO Pump - PIB | 65 | 1 | HME |
| 22-11-0200 | | -- Anode, Water Pump, Indicator Weep Hole | 65 | 1 | HME |
| 22-14-1000 | | -- Thermal Relief Valve, TRV-L, Automatic | 66 | 1 | HME |
| 22-14-1400 | | -- Intake Pressure Relief Valve, Suction, Akron #59, Automatic | 66 | 1 | HME |
| 22-20-0010 | | -- No Third Party Test Required | | 1 | HME |
| | | Rear Small Intake | | 1 | HME |
| 24-21-0120 | | -- Suction Inlet, Rear 2" Gated w/Drain - PTO - PIB | 66 | 1 | HME |
| 24-21-1055 | | -- Suction Valve Control, Swing Type, Side, Adj To Valve | 67 | 1 | HME |
| 30-40-1125 | | -- Intake Plug, (Qty) 2.5" w/Cap & Chain | 67 | 1 | HME |
| 26-06-3000 | | -- Discharge, 2" Rear - Booster Reel | 67 | 1 | HME |
| | | Ball Valves | | 1 | HME |
| 30-00-0300 | | -- Ball Valves, Elkhart, Brass | 67 | 1 | HME |
| 30-20-0520 | | -- Piping, Tank To Pump, 2" w/2" Air Op Vlv - PTO Pump - PIB | 67 | 1 | HME |
| 30-22-0415 | | -- Tank Refill, 2" Line w/1/4 Turn Ball Valve - PTO Pump - PIB | 67 | 1 | HME |
| 30-26-0410 | S < | -- Gauge, (1) Water Tank Level - FRC Tank Vision | 67 | 1 | HME |
| | | Note: install on pump operators panel | | | |
| | | Water / Foam Tanks and Equipment | | 1 | HME |
| 30-04-0477 | | -- Water Tank Capacity, 300 US Gallons - Rescue | 68 | 1 | HME |
| 30-02-1018 | | -- Tank Fill Tower, 10" x 14", w/4" Vent Rescue | 68 | 1 | HME |
| | | LEFT SIDE EXTERIOR COMPARTMENT DIMENSIONS | | 1 | HME |
| 40-12-2400 | > | -- 82"/82", Ext Compts, L/S, 56"/52"/51" W, FH/Transverse | 68 | 1 | HME |
| 40-14-1001 | | -- No Air Outlet Connection Required | | 1 | HME |
| 40-15-0310 | | -- Roll Up Doors, L/S, Painted - 14' Rescue | 69 | 1 | HME |
| 40-16-0400 | | -- Door Latches, L/S, Non-Locking Lift Bar w/Door Ajar Switch | 69 | 1 | HME |
| 40-18-0200 | | -- No L/S Rollup Door Straps Required At This Time | | 1 | HME |
| 46-08-1199 | | -- No Roll-Up Door Shields Required | | 1 | HME |
| | | FENDER CONFIGURATIONS | | 1 | HME |
| 41-00-0400 | | -- Wheel Area, Single Axle, - Rr SCBA Tubes - FFS | 69 | 1 | HME |
| 46-02-0200 | | -- Fuel Fill, L/S Rr Fndr w/Door, Label, Vent Line | 70 | 1 | HME |
| 46-06-0400 | S < | -- Fenderettes and Wheel Well Liners - Stainless | 70 | 1 | HME |
| | | The rear fenderettes shall be black powder coated. Added \$250 to the cost | | | |
| 46-08-0200 | | -- Mud Flaps, Rear | 70 | 1 | HME |
| 46-28-0407 | | -- SCBA Tubes, (7) Rear Wheelwell, (3) L/S - (4) R/S, Sngl Axle | 70 | 1 | HME |
| 46-28-0680 | | -- SCBA Bottle Retention Strap(s) | 70 | 1 | HME |
| | | RIGHT SIDE EXTERIOR COMPARTMENT DIMENSIONS | | 1 | HME |
| 42-02-2600 | | -- 82"/82", Ext Compts, R/S, 56"/52"/51" W, FH/Transverse | 71 | 1 | HME |
| 42-07-0310 | | -- Roll Up Doors, R/S, Painted - 14' Rescue | 71 | 1 | HME |
| 42-08-0400 | | -- Door Latches, R/S, Non-Locking Lift Bar w/Door Ajar Switch | 71 | 1 | HME |
| 42-10-0200 | | -- No R/S Rollup Door Straps Required | | 1 | HME |
| 46-08-1199 | | -- No Roll-Up Door Shields Required | | 1 | HME |
| | | REAR BODY EXTERIOR COMPARTMENT DIMENSIONS | | 1 | HME |
| 42-12-0600 | > | -- RR1, Ext Compt, Rear, 77 H x 48" W x 32" D, FH - Rescue | 72 | 1 | HME |
| 28-22-0954 | | -- Booster Reel, Hannay #EPFF30-23-24 - Mtg in RR1 | 72 | 1 | HME |
| 28-24-0500 | | -- Hose, Booster, 150'/1" Rbr Cvrdr, HP, 800 Lb Test w/Couplings | 72 | 1 | HME |
| 28-26-0500 | | -- Roller Assembly, Sngl, (1) Booster Reel, Stainless Steel | 72 | 1 | HME |
| 28-29-0400 | | -- Booster Reel Air Blow Out | 72 | 1 | HME |
| 42-23-0200 | > | -- Roll Up Door, Rear, Satin Anodized Finish, Full Height | 72 | 1 | HME |
| 42-26-0200 | | -- Door Latch, Rear, Non-Locking Lift Bar w/Door Ajar Switch | 73 | 1 | HME |
| 42-32-0200 | | -- No Rear Rollup Door Straps Required | | 1 | HME |
| 46-08-1199 | | -- No Roll-Up Door Shields Required | | 1 | HME |
| 46-26-0500 | | -- Handrails, (2) 24" Vertical - Aerial / Rescue | 73 | 1 | HME |
| 84-04-5310 | | -- Chevron, Rear Body NFPA, 6" - Rescue | 73 | 1 | HME |
| 84-04-8002 | | -- Chevron Color - Red and Yellow Reflective | 73 | 1 | HME |
| | | EXTERIOR BODY COMPONENTS | | 1 | HME |
| 46-05-0640 | | -- Rubrail, Body, LED Strip, Armor Guard, Warning/Ground - Long Body - 14' Rescue | 73 | 1 | HME |
| 46-05-1000 | | -- No Rub Rail Conspicuity Tape Required | | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|-----|--|----|-----|-----|
| 46-06-0464 | | -- Painted Apparatus Body - Rescue | 74 | 1 | HME |
| 46-06-0602 | | -- Painted Apparatus Body, Wheel Well Fender Panels | 74 | 1 | HME |
| 46-06-0604 | | -- Painted Apparatus Body, Front Body Corner Panels | 74 | 1 | HME |
| 46-06-0606 | | -- Painted Apparatus Body, Rear Body Corner Panels | 74 | 1 | HME |
| 46-06-0610 | > | -- Painted Hosebed / Coffin Cmpt Exterior Side Walls | 74 | 1 | HME |
| 46-06-0612 | > | -- Painted Hosebed / Coffin Cmpt Exterior Front Wall | 74 | 1 | HME |
| 46-06-0614 | | -- No Painted Area Between Doors Required | | 1 | HME |
| 46-06-0800 | | -- No Paint Spray Out Approval Sample Required | | 1 | HME |
| 46-10-0700 | | -- Lights, Compartment, LED Strip, Armor Protected - White/Red | 74 | 1 | HME |
| Exterior Body Equipment / Mounting Devices | | | | | |
| 58-04-5000 | S < | -- FRC (4) Spectra LED Scenelight, 120VAC 15k lm, Surface Mounted Note: changed specification | 74 | 1 | HME |
| SCENE LIGHTING - PUMPER / RESCUE | | | | | |
| 58-09-1010 | | -- No Cab Side Scene Lights Required | | 1 | HME |
| 58-09-2010 | | -- No PPanel Side Scene Lights Required | | 1 | HME |
| 58-09-3010 | | -- No Body Side Scene Lights Required | | 1 | HME |
| 58-09-4010 | | -- No Body Rear Scene Lights Required | | 1 | HME |
| 58-09-4610 | | -- No Apparatus Perimeter Enhancement Lights Required | | 1 | HME |
| CAB FRONT AND SIDE / QUARTZ AND LED LIGHTING | | | | | |
| 58-10-8004 | | -- No Forward Cab Quartz/LED Lighting Required | | 1 | HME |
| 58-10-8012 | > | -- Two (2) Side Facing Cab LED / Quartz Lights | 75 | 1 | HME |
| 58-10-8610 | | -- Dual Hi Output LED Cab Upper Side Scene Lights, HiViz 31" | 75 | 2 | HME |
| 58-10-8900 | | -- White Brow Light Housing | 75 | 2 | HME |
| 58-18-0322 | | -- Switching, Single Switch, 12 V, Driver Cab, HiViz Dual 31" Cab Side Lights | 75 | 2 | HME |
| BODY QUARTZ LIGHTING | | | | | |
| 58-13-0130 | | -- No Quartz Lighting - Lft Rr Body Corner Required | | 1 | HME |
| Rescue Roof Ladder Storage - Rescue | | | | | |
| 42-19-1001 | | No Ladder Storage Rescue Roof Required | | 1 | HME |
| COFFIN COMPARTMENTS | | | | | |
| 46-08-1830 | | L/S Full Length, Coffin Compartment - Rescue - 24" wide | 75 | 1 | HME |
| 46-08-1900 | | -- Aluminum Treadplate Compartment Lid, Body Roof, Left Coffin Cmpt | 75 | 1 | HME |
| 46-08-1912 | | -- LED Walkway Lights, (4), Walkway Side of L/S Coffin Cmpts | 76 | 1 | HME |
| 46-08-1920 | | -- Grab Handles, Coffin Compartments, Front and Rear | 76 | 1 | HME |
| 46-08-1940 | | -- No Left Side Quartz Lights Required | | 1 | HME |
| 46-08-2310 | > | -- Header Panel, Roof at Front of Body | 76 | 1 | HME |
| 46-08-2312 | | -- Coffin Compartment Doors, Lift Up Aluminum - Pair | 76 | 1 | HME |
| 46-08-2322 | | -- LED Coffin Compartment Lid Lighting | 76 | 1 | HME |
| 46-08-2324 | | -- Coffin Compartment Open Compartment Warning Light | 76 | 1 | HME |
| 46-08-2130 | | R/S Full Length, Coffin Compartment - Rescue - 24" wide | 77 | 1 | HME |
| 46-08-2200 | | -- Aluminum Treadplate Compartment Lid, Body Roof, Right Coffin Cmpt | 77 | 1 | HME |
| 46-08-2212 | | -- LED Walkway Lights, (4), Walkway Side of R/S Coffin Cmpts | 77 | 1 | HME |
| 46-08-2220 | | -- Grab Handles, Coffin Compartments, Front and Rear | 77 | 1 | HME |
| 46-08-2240 | | -- No Right Side Quartz Lights Required | | 1 | HME |
| 46-08-2312 | | -- Coffin Compartment Doors, Lift Up Aluminum - Pair | 77 | 1 | HME |
| 46-08-2322 | | -- LED Coffin Compartment Lid Lighting | 78 | 1 | HME |
| 46-08-2324 | | -- Coffin Compartment Open Compartment Warning Light | 78 | 1 | HME |
| 46-08-2402 | | -- No Oil Dry Hopper Required | | 1 | HME |
| 46-26-2500 | > | Out & Down Ladder, Body Roof Access, Mounted Rear Body | 78 | 1 | HME |
| RECEIVER HITCH / PORTABLE WINCH | | | | | |
| 46-36-1200 | | -- Receiver Hitch, Class III, Mtd Rear Subframe Blw Rr Step | 78 | 1 | HME |
| 46-36-1300 | | -- No Draw Bar Required | | 1 | HME |
| 46-38-1000 | | -- Receptacle, 12 Volt w/Weatherproof Cover, Mtd Rear Apparatus | 78 | 1 | HME |
| 46-38-1200 | | -- Receptacle, Trailer Lights, 7 Pole, w/Weatherproof Cover, Mt | 78 | 1 | HME |
| 46-36-0220 | | -- No Driver's Side - Receiver Hitch Required | | 1 | HME |
| 46-36-0230 | | -- No Officer's Side - Receiver Hitch Required | | 1 | HME |
| 46-36-0240 | | -- No Front - Receiver Hitch Required | | 1 | HME |
| 46-40-0100 | | -- No Portable Winch Required | | 1 | HME |
| SHELVES | | | | | |
| 48-02-0200 | | No DEEP 24" Adjustable Shel(ves) Required | | 1 | HME |
| TRAYS | | | | | |
| 48-04-1200 | | No Pullout Tray(s) Required - 250# | | 1 | HME |
| 48-04-2200 | | Tray, (Qty) HD, Pullout w/Slides & Gas Shck, .190" Alm, 500 | 78 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|---|--|----|----------|------------|
| 48-04-2210 | S | -- Heavy Duty Pullout Tray Location, Specify Ext Compt | 79 | 1 | HME |
| 48-08-0600 | | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt | 79 | 1 | HME |
| 48-08-1000 | S | -- Dri-Dek Mat Locations, Specify Ext Compts/Shelves/Trays | 79 | 1 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 79 | 1 | HME |
| SPECIAL USE TRAYS | | | | 1 | HME |
| 48-04-2272 | | No Special Use Trays Required | | 1 | HME |
| 48-04-2294 | | Tray, (Qty) HD, Pullout w/Rollers, 1000# - 1/2 Width-Rescue | 79 | 2 | HME |
| 48-04-2312 | S | -- Special Use Trays, Locations, Specify Ext Compts | 79 | 2 | HME |
| 48-08-0600 | | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt | 79 | 2 | HME |
| 48-08-1000 | S | -- Dri-Dek Mat Locations, Specify Ext Compts/Shelves/Trays | 79 | 2 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 80 | 2 | HME |
| 48-20-0400 | | -- Horizontal Floor Divider, (Qty), Strainless, Fixed Position | 80 | 2 | HME |
| 48-04-2300 | | Tray, (Qty) HD, Dual Pullout w/Rllrs & Ltch, 2000# - (xvers) | 80 | 1 | HME |
| 48-04-2210 | S | -- Heavy Duty Pullout Tray Location, Specify Ext Compt | 80 | 1 | HME |
| 48-08-0600 | | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt | 80 | 1 | HME |
| 48-08-1000 | S | -- Dri-Dek Mat Locations, Specify Ext Compts/Shelves/Trays | 80 | 1 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 80 | 1 | HME |
| AJUSTABLE TRAYS | | | | 1 | HME |
| 48-04-2399 | | No Adjustable Pullout Tray(s) Required | | 1 | HME |
| OUT AND DOWN SHELVES | | | | 1 | HME |
| 48-06-0600 | | Trays, (Qty) Pull Out & Down w/Slides, .190" Alum, 250# | 80 | 5 | HME |
| 48-06-1000 | S | -- Pullout & Down Trays, Locations, Specify Ext Compts | 81 | 5 | HME |
| 48-08-0600 | | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt | 81 | 5 | HME |
| 48-08-1000 | S | -- Dri-Dek Mat Locations, Specify Ext Compts/Shelves/Trays | 81 | 5 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 81 | 5 | HME |
| 48-06-0210 | | No Deep Pullout & Down Tray(s) Required - Rescue | | 1 | HME |
| FOXTRAX | | | | 1 | HME |
| 48-14-0200 | | No FoxTrax Alum Toolboard In Compts Required | | 1 | HME |
| VERTICAL DIVIDERS AND TOOLBOARDS | | | | 1 | HME |
| 48-16-0600 | S | Vertical Dividers, (Qty) Aluminum Ext Compts, Specify Placem | 81 | 1 | HME |
| 48-18-0200 | | Vertical Tool Board, FULL Height Pull Out | 81 | 3 | HME |
| 48-18-1000 | > | -- FoxTrax, {qty} Alum Tool Mounting Extrusions, Mtd Tool Brds | 81 | 3 | HME |
| 48-18-1200 | S | -- Vertical Toolboard Location, Specify Ext Compt | 82 | 3 | HME |
| 48-18-0110 | | No Swing Out Vertical Tool Boards Required | | 1 | HME |
| 48-18-0248 | | No Transverse Tool Boards Required | | 1 | HME |
| FLOOR DIVIDERS | | | | 1 | HME |
| 48-20-0200 | | No Compt Horiz Floor Divider(s) Required - Rescue | | 1 | HME |
| TOOL BOXES | | | | 1 | HME |
| 48-24-0100 | | No Tool Boxes Required | | 1 | HME |
| 12 VOLT ELECTRICAL SYSTEM | | | | 1 | HME |
| 50-02-0200 | | Electrical System, 12V, Body, Multiplexed w/Circuit Brkr Pnl | 82 | 1 | HME |
| DIESEL AND GAS GENERATORS AND COMPONENTS | | | | 1 | HME |
| 52-02-0200 | | No Diesel Generator Required | | 1 | HME |
| 52-04-0200 | | No Gas Generator Required | | 1 | HME |
| PTO GENERATORS AND COMPONENTS | | | | 1 | HME |
| 52-12-0200 | | No Hydraulic Generator Required | | 1 | HME |
| LIGHTING SELECTION | | | | 1 | HME |
| 55-01-0006 | | Ahrens-Fox Custom Cab - Cab & Chassis Headlights, ICC Lighting | | 1 | HME |
| 55-01-0114 | | -- AF1 Cab - Walk Around Rescue Body | | 1 | HME |
| 55-02-1002 | | -- Custom Cab - Cab - LED - ICC Lighting - Whelen OS Series | 82 | 1 | HME |
| 55-02-2000 | | -- Body - LED - ICC Lighting with Body Side Clearance LED & Reflector | 83 | 1 | HME |
| 55-03-0106 | S | -- AF1 Headlights - Halogen - Daytime Running - Custom Cab | 83 | 1 | HME |
| 55-03-0137 | | -- LED Driving Lights mounted in the cab face | 83 | 1 | HME |
| 55-03-0175 | | -- Alternating Driving Lights | 83 | 1 | HME |
| 55-03-0200 | | -- No 'Rookie Rods' with Light Required | | 1 | HME |
| 55-05-0120 | S | -- Cab Side Turn Signal, Whelen LED, Wheelwell Mounted | 83 | 1 | HME |
| 55-05-0124 | | -- Rear Stop/Tail/Turn/Reverse with NFPA Lower Zone C Warning - Techniq ICC Lights | 84 | 1 | HME |
| 55-05-0220 | | -- Body Side Turn Signal, Whelen LED, Wheelwell Mounted | 84 | 1 | HME |
| 55-06-0480 | | -- Back Up Alarm | 84 | 1 | HME |
| 55-06-0500 | | -- No Center Rear Brake Light Required | | 1 | HME |
| 55-06-0600 | | -- No Backup Light Remote Switching Required | | 1 | HME |
| 55-06-1000 | | -- License Plate Bracket w/LED Light | 84 | 1 | HME |
| 57-01-0332 | | Whelen - LED - CUSTOM Pumper/Tanker/Rescue | | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|-----|--|----|----------|------------|
| 55-05-0310 | | -- Body Corner - LED - Combination ICC / Warning Lights - Pumper | 84 | 1 | HME |
| 57-04-4444 | | -- Lightbar, Frt, Ahrens-Fox Bar - 90" Dual Stack - Dual 27" Brow Lights | 85 | 1 | HME |
| 57-04-7914 | | -- Mini Brow Alternating Flasher, Forward Lights | 85 | 1 | HME |
| 57-04-7924 | | -- Mini Brow Scene Light Switch | 85 | 1 | HME |
| 57-10-0000 | | -- No Opticon Option Required - Separate Roof Mounted | | 1 | HME |
| 57-20-2310 | S < | -- Cab, Lwr, Frt, TechNiq LED | 85 | 1 | HME |
| | | Note: Changed quantity | | | |
| 57-03-1000 | | -- Lens Color - Both Red | 86 | 1 | HME |
| 57-30-2304 | > | -- Bumper Side, TecNiq - LED | 86 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 86 | 1 | HME |
| 57-32-0000 | | -- No Cab Over Front Tire Area Warning Lights Required | | 1 | HME |
| 57-50-0000 | | -- No Cab Roof Top, Side Facing Lightbar Required | | 1 | HME |
| 57-70-0000 | | -- No Cab Center Front Above Grille Warning Lights Required | | 1 | HME |
| 57-80-0000 | | -- No High Beam Alternating Headlight Warning Lights Required | | 1 | HME |
| 57-02-0334 | | Whelen - LED - Walk Around Rescue Body | | 1 | HME |
| 57-34-3304 | | -- Body, Side Over Wheel, Whelen - C6 SurfaceMax Series - Super LED | 86 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 86 | 1 | HME |
| 57-40-3310 | | -- Upper Rear, Whelen - C9 SurfaceMax Series - Super LED | 87 | 1 | HME |
| 57-03-6000 | | -- Lens Color - All Red | 87 | 1 | HME |
| 57-44-1010 | > | -- Ahrens-Fox - LED - Traffic Advisor | 87 | 1 | HME |
| 58-21-0010 | | No Light Tower Required | | 1 | HME |
| 58-22-0200 | | No Apparatus Light Tower Required | | 1 | HME |
| | | COMMUNICATION, MISC EQUIPMENT, LADDERS | | 1 | HME |
| 70-02-0425 | | Labels, Identification & Safety, Mtd Drvr's Compt | 87 | 1 | HME |
| 70-04-0200 | | No Fire Extinguisher(s) Required | | 1 | HME |
| 70-06-0200 | | No Portable Handlight(s) Required | | 1 | HME |
| 70-12-0200 | | No Flathead Axe(s) Required | | 1 | HME |
| 70-12-1200 | | No Pickhead Axe(s) Required | | 1 | HME |
| 70-20-0200 | | No Salvage Cover(s) Required | | 1 | HME |
| 70-22-0200 | | No Backboard(s) Required | | 1 | HME |
| 70-24-0400 | > | Wheel Chocks, (2) Zico #SAC-44, Folding, w/Sld-Out Brkt L/S | 88 | 1 | HME |
| | | SCBA BRACKETS AND STORAGE | | 1 | HME |
| 70-26-0200 | | No SCBA Bracket(s) Required | | 1 | HME |
| 70-28-1000 | S > | SCBA Storage Rack, (Qty) Air Cyl, Mtd Flr Ext Cmpt | 88 | 6 | HME |
| 70-28-1002 | S > | -- Specify SCBA Storage Rack Location | 88 | 6 | HME |
| | | GROUND LADDER GROUP | | 1 | HME |
| 72-02-0200 | | No Combo Ladder(s) Required | | 1 | HME |
| 72-04-0200 | | No Roof Ladders Required | | 1 | HME |
| 72-06-0200 | | No Folding Attic Ladder(s) Required | | 1 | HME |
| 72-08-0200 | | No Extension Ladder Required | | 1 | HME |
| | | ELECTRIC CORD REELS AND COMPONENTS | | 1 | HME |
| 74-02-0200 | | No Electric Cable Reel Required | | 1 | HME |
| | | HYDRAULIC HOSE REELS | | 1 | HME |
| 74-12-0200 | | No Hydraulic Hose Reel Required | | 1 | HME |
| | | UTILITY AIR REELS | | 1 | HME |
| 74-22-0200 | | No Utility Air Hose Reel Required | | 1 | HME |
| | | CASCADE BREATHING AIR SYSTEMS | | 1 | HME |
| 76-08-0100 | | No Cascade System Required | | 1 | HME |
| | | REFLECTIVE STRIPING | | 1 | HME |
| 84-02-2000 | | Striping, 1"x4"x1" Scotchlite, Reflective, Vhcl Prmtr | 89 | 1 | HME |
| 84-04-1224 | | -- Body Stripe Flare, "Ribbon" Pattern - Body Forward Door | 89 | 1 | HME |
| 84-04-3010 | | -- Base Stripe Color, White Reflective | 89 | 1 | HME |
| 84-04-3110 | | -- Accent Stripe Color, White Reflective | 89 | 1 | HME |
| 84-04-2900 | | Striping, 3M, Conspicuity Florescent Yellow-Green/Red, Shelves/Trays - Face Only | 89 | 1 | HME |
| 84-04-7352 | | Chevron, Front Bumper, 6" | 89 | 1 | HME |
| 84-04-8001 | | -- Chevron Color - Reflective - Match Rear Chevron Colors | 89 | 1 | HME |
| 84-05-0013 | > | Lettering Is Required - Order Process | | 1 | HME |
| 84-08-1300 | S | -- Emblems, (2) Ahrens-Fox Fire Engine Company Logos | 90 | 1 | HME |
| 84-05-0120 | S > | -- Logo - Crew Doors | 92 | 1 | HME |
| 84-05-0490 | S | -- Logo, Compartment RR1Door | 93 | 1 | HME |
| 84-13-5020 | S | -- Logo Size - Best Fit | 93 | 1 | HME |
| 84-14-0200 | S | -- Colored Logo | 94 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|---|---|-----------|----------|------------|
| 84-05-0602 | S | -- Lettering, Coffin Compartment Sides | 94 | 1 | HME |
| 84-12-1502 | | -- Quantity Of Letters Required For This Option | 94 | 40 | HME |
| 84-13-0200 | S | -- Lettering Font To Match Logo Font | 94 | 1 | HME |
| 84-13-5060 | S | -- Lettering Size - Best Fit | 95 | 1 | HME |
| 84-14-0200 | | -- Lettering Color, White Reflective | 95 | 1 | HME |
| 84-15-0200 | | -- Lettering Trim, None | 95 | 1 | HME |
| MISC. ITEMS | | | | 1 | HME |
| 86-02-0001 | | No Miscellaneous Fastener Kit Required | | 1 | HME |
| WARRANTIES, MANUALS, MISCELLANEOUS DOCUMENTS | | | | 1 | HME |
| v4.001 - RELEASE DATE - 07/19/2018 | | | | 1 | HME |
| == Limited Warranty - Use For Contracts - 4.001 == | | | 95 | 1 | HM |
| 10-00-0030 | | Limited Warranty | 95 | 1 | HM |
| 20-02-0030 | | -- General Warranty Period - 3 Years Total | 102 | 1 | HM |
| 40-00-0005 | | -- Cab & Body Paint Warranty Period - 5 Years | 102 | 1 | HM |
| v5.001 - RELEASE DATE - 03/04/2019 | | | | 1 | HM |