



## Shop Order

HME, Inc  
Bill Doeblar  
1950 Byron Center Ave  
Wyoming, MI 49519  
bdoebler@hmetruck.com

HME, Inc  
Bill Doeblar  
1950 Byron Center Ave  
Wyoming, MI 49519  
bdoebler@hmetruck.com

**Exp. Date:** 09/12/2007  
**Quote No:** 23281-0001  
**Job/Order No:** 23281  
**CHASSIS:** -SFO AF96 HME Ahrens-Fox SFO 96" Custom - EPA17 23010  
**PUMP:** PUMP OES Pump Module - OES  
**BODY:** OES OES Apparatus Body  
**WARRANTY:** WARRANTY Limited Warranty - Use For Contracts

07/03/2019

Page 1

| PART NO    | S   | DESCRIPTION                                                  | PG | QTY | ID  |
|------------|-----|--------------------------------------------------------------|----|-----|-----|
|            | S   | == HME Ahrens-Fox SFO 96" Custom - EPA13 - 2.004 ==          | 1  | 1   | HMC |
| 00-00-90SF | S   | > Vocation and Basic Attributes - Apparatus                  | 1  | 1   | HMC |
| 00-00-92SF | S   | > Paint Codes and Basic Attributes - Apparatus               | 2  | 1   | HMC |
| 00-00-940C |     | Details of Construction - Order Confirmation                 | 2  | 1   | HMC |
|            |     | CHASSIS                                                      |    | 1   | HMC |
| 00-J0-10AF |     | HME Ahrens-Fox 1871-SFO Custom Chassis                       |    | 1   | HMC |
| 00-J0-2010 |     | -- Custom Chassis - Vertically Integrated Builder            | 2  | 1   | HMC |
| 01-A0-0100 |     | 4x2 Chassis Vocation - Two Axle - Rear Wheel Drive - MFS Frt |    | 1   | HMC |
| 01-G0-1100 | >   | -- Single Frame Rails                                        | 3  | 1   | HMC |
| 01-J0-4000 |     | -- Cab Main Frame Crossmember                                | 3  | 1   | HMC |
| 01-Z0-9802 |     | -- No Chassis Lubrication System Required                    |    | 1   | HMC |
| 07-A0-2018 |     | -- Front Axle 18,740# - Meritor MFS                          | 3  | 1   | HMC |
| 07-AC-4500 |     | -- 45° Cramp Angle                                           | 3  | 1   | HMC |
| 07-B0-0100 |     | -- Oil Seals - Front Axle - Factory Premium                  | 4  | 1   | HMC |
| 07-C0-0100 |     | -- S-Cam Brakes - Front Axle                                 | 4  | 1   | HMC |
| 07-C0-2229 |     | -- No Front Axle Dust Shields Required                       |    | 1   | HMC |
| 07-R0-1018 |     | -- Front Suspension 18,740# - Semi-Elliptical Spring         | 4  | 1   | HMC |
| 07-RS-0100 |     | -- Shock Absorbers - Front Axle                              | 4  | 1   | HMC |
| 07-Y0-0118 | S < | -- Steering - 18,740# - Sheppard Single Gear                 | 4  | 1   | HMC |
|            |     | Note: Power steering cooler required                         |    |     |     |
| 10-GF-1600 | >   | -- Goodyear 315/80R22.5-18PR (J) Front - G291 - 16,540#      | 5  | 1   | HMC |
| 10-W0-1020 |     | -- Front - Aluminum Wheels - 9.00                            | 5  | 1   | HMC |
| 10-WP-0100 |     | -- Wheel Bright Finish Protection                            | 5  | 2   | HMC |
| 10-X0-0100 |     | -- Stainless 'Baby Moon' Caps & Nutcovers                    | 5  | 1   | HMC |
| 10-WS-0008 |     | -- No Spare Front Wheel Required                             |    | 1   | HMC |
| 10-WS-0018 |     | -- No Spare Front Tire and Wheel Required                    |    | 1   | HMC |
| 08-AS-1024 |     | -- Single Rear Axle 24,000# - Meritor RS-24-160              | 5  | 1   | HMC |
| 08-AV-F160 |     | -- 160 Series Differential - Single Axle                     | 5  | 1   | HMC |
| 08-AV-S010 |     | -- Axle Lube - Non Synthetic                                 | 6  | 1   | HMC |
| 08-AV-T010 |     | -- No Magnetic Drain Required - Rear Axles                   |    | 1   | HMC |
| 08-AW-1000 |     | -- No Driver Controlled Differential Lock Required           |    | 1   | HMC |
| 08-B0-0100 |     | -- Oil Seals - Rear Axle - Factory Premium                   | 6  | 1   | HMC |
| 08-C0-0100 |     | -- S-Cam Brakes - Single Rear Axle                           | 6  | 1   | HMC |
| 08-C0-0300 |     | -- No Rear Axle Dust Shields Required                        |    | 1   | HMC |
| 08-PA-0500 | S   | -- Special Vehicle Top Speed 69 MPH - 4.89:1                 | 6  | 1   | HMC |
| 08-R0-0100 |     | -- Single Axle Suspension - 27,000# - Spring                 | 6  | 1   | HMC |
| 08-RS-0010 |     | -- No Shock Absorbers - Rear Axle Required                   |    | 1   | HMC |

| PART NO               | S   | DESCRIPTION                                                            | PG        | QTY      | ID         |
|-----------------------|-----|------------------------------------------------------------------------|-----------|----------|------------|
| 08-T0-0100            |     | -- No Automatic Tire Chains Required                                   |           | 1        | HMC        |
| 08-Y0-0100            |     | -- No Telma Retarder Required                                          |           | 1        | HMC        |
| 09-A0-1000            |     | -- Air System - Color Coded Nylon Air Lines - Single Axle              | 7         | 1        | HMC        |
| <b>09-A0-1206</b>     |     | -- <b>Bendix AD IP Dryer</b>                                           | <b>7</b>  | <b>1</b> | <b>HMC</b> |
| 09-B0-0210            |     | -- No Accessory Air Reservoir Required                                 |           | 1        | HMC        |
| 09-B0-0230            |     | -- No Air Horn Air Reservoir Required                                  |           | 1        | HMC        |
| 09-D0-0102            |     | -- Air Tank Drains - Manual                                            | 8         | 1        | HMC        |
| 09-E0-0100            |     | -- No Emergency Spring Brake Release System Required                   |           | 1        | HMC        |
| 09-E0-0200            |     | -- No Front Axle Service Brake Locking System Required                 |           | 1        | HMC        |
| 09-F0-0100            |     | -- No Air Inlet/Outlet Required                                        |           | 1        | HMC        |
| 09-F0-0200            |     | -- No Air Auto-Eject Required                                          |           | 1        | HMC        |
| 09-F0-0300            |     | -- No Air Horn Manual Shut-Off Required                                |           | 1        | HMC        |
| 09-X0-0100            |     | -- No Onboard Air System Compressor Required                           |           | 1        | HMC        |
| <b>09-A0-1145</b>     |     | -- <b>Fire Wrap Lagging - Air System</b>                               | <b>8</b>  | <b>1</b> | <b>HMC</b> |
| <b>09-L0-4400</b>     |     | -- <b>ABS Brake System - 4 Wheel - Bendix</b>                          | <b>8</b>  | <b>1</b> | <b>HMC</b> |
| <b>09-RS-1002</b>     |     | -- <b>No Stability Enhancement System Required</b>                     |           | <b>1</b> | <b>HMC</b> |
| 10-GT-2400            |     | -- Goodyear 11R22.5-16PR (H) Rear M&S - G182 - 24,000#                 | 9         | 1        | HMC        |
| <b>10-GV-0075</b>     |     | -- <b>Tire Speed Rating - 75 MPH</b>                                   | <b>9</b>  | <b>1</b> | <b>HMC</b> |
| <b>10-W0-3010</b>     |     | -- <b>Inner and Outer Rear - SA - Aluminum Wheels - 8.25</b>           | <b>9</b>  | <b>1</b> | <b>HMC</b> |
| <b>10-WP-0100</b>     |     | -- <b>Wheel Bright Finish Protection</b>                               | <b>9</b>  | <b>4</b> | <b>HMC</b> |
| <b>10-X0-0300</b>     |     | -- <b>Stainless "Lincoln Hat" Hub &amp; Nut Covers</b>                 | <b>9</b>  | <b>1</b> | <b>HMC</b> |
| <b>10-WS-0028</b>     |     | -- <b>No Spare Rear Wheel Required</b>                                 |           | <b>1</b> | <b>HMC</b> |
| <b>10-WS-0038</b>     |     | -- <b>No Spare Rear Tire and Wheel Required</b>                        |           | <b>1</b> | <b>HMC</b> |
| <b>10-Z0-0100</b>     |     | -- <b>Single Axle Crossfire Tire Equalization System</b>               | <b>9</b>  | <b>1</b> | <b>HMC</b> |
| <b>10-GW-0122</b>     | S < | -- <b>Tire Pressure Monitoring Device - 1 Axles - LED Alert</b>        | <b>9</b>  | <b>1</b> | <b>HMC</b> |
| Note: Front axle only |     |                                                                        |           |          |            |
| 08-RS-0500            |     | -- Axle & Chassis Laser Alignment                                      | 10        | 1        | HMC        |
| <b>13-EU-5437</b>     |     | <b>Cummins L9 - 370 HP - MY 18 - 989 Radiator</b>                      | <b>10</b> | <b>1</b> | <b>HMC</b> |
| <b>13-A0-0989</b>     |     | -- <b>Engine Cooling System Radiator - 989 Sq. In.</b>                 | <b>11</b> | <b>1</b> | <b>HMC</b> |
| <b>13-A0-1450</b>     |     | -- <b>Engine Coolant Recovery System</b>                               | <b>12</b> | <b>1</b> | <b>HMC</b> |
| <b>13-A0-1500</b>     |     | -- <b>Charge Air Cooler - Engine Air Intake</b>                        | <b>12</b> | <b>1</b> | <b>HMC</b> |
| <b>13-A0-1700</b>     |     | -- <b>Radiator Coolant</b>                                             | <b>12</b> | <b>1</b> | <b>HMC</b> |
| <b>13-A0-1910</b>     |     | -- <b>Silicone Cooling System Hoses</b>                                | <b>13</b> | <b>1</b> | <b>HMC</b> |
| <b>13-A0-1960</b>     |     | -- <b>Constant Torque Cooling System Clamps - Entire System</b>        | <b>13</b> | <b>1</b> | <b>HMC</b> |
| <b>13-A0-1974</b>     |     | -- <b>Heater Shut Off Valves</b>                                       | <b>13</b> | <b>1</b> | <b>HMC</b> |
| <b>13-A0-2002</b>     |     | -- <b>No Radiator Skid Plate Required</b>                              |           | <b>1</b> | <b>HMC</b> |
| <b>13-I0-0004</b>     |     | -- <b>Engine Air Intake Filter, K&amp;N, Washable</b>                  | <b>13</b> | <b>1</b> | <b>HMC</b> |
| <b>13-L0-0002</b>     |     | -- <b>Engine Oil - First Fill</b>                                      | <b>13</b> | <b>1</b> | <b>HMC</b> |
| <b>13-LD-5002</b>     |     | -- <b>No Engine Magnetic Drain Plug Required</b>                       |           | <b>1</b> | <b>HMC</b> |
| <b>13-N0-0210</b>     |     | -- <b>Engine Brake - Cummins L9 Engine</b>                             | <b>13</b> | <b>1</b> | <b>HMC</b> |
| <b>13-P0-2300</b>     |     | -- <b>Fast (High) Idle - Manual Select - Auto Low Voltage</b>          | <b>14</b> | <b>1</b> | <b>HMC</b> |
| <b>13-R0-0100</b>     |     | -- <b>Block Heater, 1000W, 120V - ISC / ISL</b>                        | <b>14</b> | <b>1</b> | <b>HMC</b> |
| <b>13-R0-0220</b>     | >   | -- <b>Block Heater - Wired to AutoEject</b>                            | <b>14</b> | <b>1</b> | <b>HMC</b> |
| <b>13-S0-0040</b>     |     | -- <b>Corrosion Inhibitor</b>                                          | <b>14</b> | <b>1</b> | <b>HMC</b> |
| <b>13-V0-0120</b>     |     | -- <b>Auxiliary Engine Cooler - Sendure</b>                            | <b>14</b> | <b>1</b> | <b>HMC</b> |
| <b>13-V0-0210</b>     |     | -- <b>Spark Arrestor - Air Intake</b>                                  | <b>15</b> | <b>1</b> | <b>HMC</b> |
| <b>13-V0-0220</b>     |     | -- <b>No Emergency Shutdown Required</b>                               |           | <b>1</b> | <b>HMC</b> |
| <b>13-V0-3020</b>     |     | -- <b>Fan Clutch - Fully Variable Fan Drive</b>                        | <b>15</b> | <b>1</b> | <b>HMC</b> |
| <b>13-Y0-0620</b>     |     | -- <b>MY 18 Compliant Exhaust Treatment System - L9</b>                | <b>15</b> | <b>1</b> | <b>HMC</b> |
| <b>13-Y0-1610</b>     | >   | -- <b>Cummins Aftertreatment System - MY 18 - L9</b>                   | <b>15</b> | <b>1</b> | <b>HMC</b> |
| <b>13-Y0-3010</b>     |     | -- <b>Stainless Tailpipe - Curb Side - 90° Exit - Straight Cut End</b> | <b>15</b> | <b>1</b> | <b>HMC</b> |
| <b>13-Y0-6010</b>     |     | -- <b>Exhaust Tailpipe Diffuser</b>                                    | <b>15</b> | <b>1</b> | <b>HMC</b> |
| <b>13-Z0-0017</b>     |     | -- <b>DEF System - 5 Gallon Reservoir - MY 18</b>                      | <b>16</b> | <b>1</b> | <b>HMC</b> |
| <b>14-C0-3000</b>     |     | -- <b>Allison 3000EVS Automatic Transmission</b>                       | <b>16</b> | <b>1</b> | <b>HMC</b> |
| <b>14-C0-5002</b>     |     | -- <b>No Transmission Magnetic Drain Plug Required</b>                 |           | <b>1</b> | <b>HMC</b> |
| <b>14-D0-0200</b>     |     | -- <b>Synthetic Transmission Fluid - Allison TES-295</b>               | <b>16</b> | <b>1</b> | <b>HMC</b> |
| <b>14-ER-0100</b>     |     | -- <b>Five Speed Allison Programming - 3000EVS</b>                     | <b>16</b> | <b>1</b> | <b>HMC</b> |
| <b>14-ET-0100</b>     |     | -- <b>Automatic Neutral Programming - 2500 EVS / 3000EVS / 4000EVS</b> | <b>17</b> | <b>1</b> | <b>HMC</b> |
| <b>14-HF-0100</b>     |     | -- <b>Drivertrain Fluid Monitoring System</b>                          | <b>17</b> | <b>1</b> | <b>HMC</b> |
| <b>14-W0-1100</b>     |     | -- <b>1760 Series Drivelines</b>                                       | <b>18</b> | <b>1</b> | <b>HMC</b> |
| <b>14-X0-0010</b>     |     | -- <b>No Driveline Guards Required</b>                                 |           | <b>1</b> | <b>HMC</b> |
| <b>25-A0-2400</b>     | >   | -- <b>Fuel Tank - 65.5 Gallon Draw - Stainless Straps</b>              | <b>18</b> | <b>1</b> | <b>HMC</b> |
| <b>25-A0-3000</b>     |     | -- <b>No Magnetic Drain Required - Fuel Tank</b>                       |           | <b>1</b> | <b>HMC</b> |

| PART NO    | S | DESCRIPTION                                                       | PG | QTY | ID  |
|------------|---|-------------------------------------------------------------------|----|-----|-----|
| 25-U0-1000 |   | -- No Fuel Re-Prime Pump Required                                 |    | 1   | HMC |
| 25-V0-0000 |   | -- Reinforced Fuel Lines                                          | 19 | 1   | HMC |
| 25-V0-1100 |   | -- No Fuel Filter Shut-Off Required                               |    | 1   | HMC |
| 25-F0-0200 |   | -- Fuel Filter - Cummins - Factory                                | 19 | 1   | HMC |
| 45-D0-0100 |   | -- 270 Amp Alternator - Leece-Neville - LN4867J                   | 19 | 1   | HMC |
|            |   | CAB MODEL                                                         |    | 1   | HMC |
| 40-D0-0600 |   | SFO-sMFD - Aluminum 96" Wide Cab - Flat Roof                      | 19 | 1   | HMC |
| 14-ES-0200 |   | -- Transmission Selector - Push Button Type                       | 22 | 1   | HMC |
| 14-ES-0400 |   | -- Transmission Fluid Check - Transmission Selector               | 22 | 1   | HMC |
| 40-N0-0810 |   | -- Cab Stainless Fender / Stainless Wheel Well Liner              | 22 | 1   | HMC |
| 45-E0-0100 |   | -- EMI/RFI Noise Supression                                       | 22 | 1   | HMC |
| 45-NS-0802 |   | -- Stainless Steel Battery Tray                                   | 23 | 1   | HMC |
| 45-NS-0803 |   | -- No Battery Box Covers Required                                 |    | 1   | HMC |
| 45-NU-0600 |   | -- No Battery Box Dri-Dek Required                                |    | 1   | HMC |
| 45-NU-0304 |   | -- Single Battery System - 4 Group 31                             | 23 | 1   | HMC |
| 45-T0-0100 | S | -- 40 Amp - Battery Charger - NewMar EV-40                        | 23 | 1   | HMC |
| 45-T0-6110 |   | -- No Remote Charge Indicator Panel Required                      |    | 1   | HMC |
| 45-Z0-1200 |   | -- Kusssmaul 20 AMP - 120v - Super Auto Eject                     | 24 | 1   | HMC |
| 45-Z0-1302 |   | -- Yellow Auto-Eject Cover                                        | 24 | 1   | HMC |
| 45-Z0-1320 |   | -- Cab Exterior Mounted - Behind the Driver's Door                | 24 | 1   | HMC |
| 45-NU-0510 |   | -- Battery Jumper Studs                                           | 24 | 1   | HMC |
|            |   | CAB INTERIOR                                                      |    | 1   | HMC |
| 40-D0-5130 |   | Cab Interior Appointments and Options - 1871SFO -- Apparatus      |    | 1   | HMC |
| 40-DE-0100 |   | -- Engine Enclosure - Vinyl Covering - NO FLUID CHECK HATCH       | 24 | 1   | HMC |
| 40-DE-1040 |   | -- Brushed Stainless Interior Door Panels                         | 25 | 1   | HMC |
| 40-DE-2010 |   | -- Interior Padding - Standard Ceiling                            | 25 | 1   | HMC |
| 40-DE-2020 |   | -- Interior Padding - Standard Rear Wall                          | 25 | 1   | HMC |
| 40-DE-2060 |   | -- Floor Material - Accoustical Wear Mat                          | 25 | 1   | HMC |
| 40-DE-2262 |   | -- Rear Wall Gear Rack                                            | 25 | 1   | HMC |
| 40-DE-3022 |   | -- Cab Door Reflective Material - White w/Red Chevron Overlay     | 25 | 1   | HMC |
| 40-DE-3410 |   | -- No Door Interior Lighting Required                             |    | 1   | HMC |
| 40-DE-4002 |   | -- Cab Step Well Trim - Step Tops Only                            | 26 | 1   | HMC |
| 40-DE-5002 | X | -- Helmet Restraints - Cab Mounted                                | 26 | 4   |     |
| 40-DH-0260 |   | -- Grab Hndls - Inside - Driver's, Officer's A-Post and Both Crew | 26 | 1   | HMC |
|            |   | Doors                                                             |    |     |     |
| 40-DS-4210 | S | -- Cab Crew Area Foot Rest                                        | 26 | 1   | HMC |
| 40-LC-0114 |   | -- Open Compartment Light - Red Flashing - Whelen OS LED          | 26 | 1   | HMC |
| 40-LC-2010 |   | -- Audible Alarm for Open Compartment Circuit                     | 27 | 1   | HMC |
| 40-LC-3000 |   | -- No Deck Gun Raised Light Required                              |    | 1   | HMC |
| 40-LC-4000 |   | -- No Light Tower Raised Light Required                           |    | 1   | HMC |
| 40-LC-5024 |   | -- Tele-Lights Raised Light - Amber Flashing - Whelen OS LED      | 27 | 1   | HMC |
| 40-LD-0100 |   | -- Interior Lighting Group - 1871W - 1871SFO                      | 27 | 1   | HMC |
| 40-LD-0420 |   | -- LED Strip Light Interior Light Packages                        | 27 | 1   | HMC |
| 40-LD-4010 |   | -- Step Nose LED Lighting - WHITE/RED                             | 27 | 1   | HMC |
| 40-LD-5012 |   | -- Driver and Officer Door Strip Lighting - WHITE/RED             | 27 | 1   | HMC |
| 40-LD-5184 |   | -- Cab Door Controlled                                            | 27 | 1   | HMC |
| 40-LD-5051 |   | -- No Driver and Officer Cab Door LED Strip Lighting - RED        |    | 1   | HMC |
| 40-LD-5101 |   | -- No Forward Crew LED Strip Lighting                             |    | 1   | HMC |
| 40-LD-5104 |   | -- Rear Crew Area (Full Width) LED Strip Lighting - WHITE/RED     | 28 | 1   | HMC |
| 40-LD-5184 |   | -- Cab Door Controlled                                            | 28 | 1   | HMC |
| 40-LD-5112 |   | -- Crew Cab Door Area LED Strip Lighting - WHITE/RED              | 28 | 1   | HMC |
| 40-LD-5184 |   | -- Cab Door Controlled                                            | 28 | 1   | HMC |
| 40-LD-5141 |   | -- No Forward Crew LED Strip Lighting - RED                       |    | 1   | HMC |
| 40-LD-5143 |   | -- No Rear Crew LED Strip Lighting - RED                          |    | 1   | HMC |
| 40-LD-5151 |   | -- No Crew Cab Door LED Strip Lighting - RED                      |    | 1   | HMC |
| 40-LG-1000 |   | -- No Officer Computer Console Required                           |    | 1   | HMC |
| 40-LH-1010 |   | -- Storage Compartment - Officer Stepwell - OES                   | 28 | 1   | HMC |
| 40-LM-1000 |   | -- No Officer Maplight Required                                   |    | 1   | HMC |
| 40-LM-2002 | S | -- Ceiling Mounted Reading / Map Lights -LED (4) - OES            | 28 | 1   | HMC |
| 40-U0-0100 |   | -- Overhead Heater / Defroster - 1871W                            | 29 | 1   | HMC |
| 40-U0-0310 |   | -- Defroster Fans - Overhead Mounted                              | 29 | 1   | HMC |
| 40-U0-0450 | > | -- 45,000 BTU Air Conditioning with Heater - Single Condenser     | 29 | 1   | HMC |
| 40-U0-0610 |   | -- 36,000 BTU Supplemental Heater                                 | 29 | 1   | HMC |
| 40-U0-0620 |   | -- Cab Climate Control Insulation Package                         | 29 | 1   | HMC |

| PART NO    | S | DESCRIPTION                                                         | PG | QTY | ID  |
|------------|---|---------------------------------------------------------------------|----|-----|-----|
| 40-U0-1002 |   | -- No Crew Floor Supplemental Heater Required                       |    | 1   | HMC |
| 40-U0-2002 |   | -- No Roof Vents Required                                           |    | 1   | HMC |
| 40-U0-2502 |   | -- No Heater Hose Insulation Required                               |    | 1   | HMC |
| 40-V0-0100 |   | -- Driver Instrumentation (J1939) and Controls                      | 30 | 1   | HMC |
| 40-V0-0148 | > | -- Odometer Activated While in Pump Mode                            | 30 | 1   | HMC |
| 40-V0-0150 |   | -- Low Fuel Warning Light and Alarm                                 | 31 | 1   | HMC |
| 40-V0-0152 |   | -- Transmission Temperature Warning Light and Alarm                 | 31 | 1   | HMC |
| 40-V0-0154 |   | -- Low Voltage Warning Light                                        | 31 | 1   | HMC |
| 40-V0-0157 |   | -- <b>Air Restriction Gauge Pop-Up</b>                              | 31 | 1   | HMC |
| 40-V0-0160 |   | -- Low Coolant Warning                                              | 31 | 1   | HMC |
| 40-V0-0162 |   | -- Wiper Control, Intermittent                                      | 31 | 1   | HMC |
| 40-V0-0202 |   | -- No Officer's Side Speedometer Required                           |    | 1   | HMC |
| 40-V0-0302 |   | -- No Digital Clock Required                                        |    | 1   | HMC |
| 40-V0-0402 |   | -- No Ammeter Required                                              |    | 1   | HMC |
| 40-X0-1100 |   | -- <b>Overhead SPS Panel - EsKey</b>                                | 32 | 1   | HMC |
| 40-V0-0502 |   | -- <b>Parking Brake Control - Driver's Dash</b>                     | 32 | 1   | HMC |
| 40-X0-1302 |   | -- <b>White Warning Light Cut-Out Switch</b>                        | 32 | 1   | HMC |
| 45-NS-0200 |   | -- <b>Apparatus Base Digital Electrical System - Class1 EsKey</b>   | 32 | 1   | HMC |
| 45-NS-0210 |   | -- <b>Information Display Module - Driver's Position</b>            | 33 | 1   | HMC |
| 72-AA-0010 |   | -- <b>No Multiplex System Interface Required</b>                    |    | 1   | HMC |
| 40-Y0-4100 | S | -- <b>Central Supply International Intercom System</b>              | 33 | 1   | HMC |
| 40-Y0-3994 |   | -- <b>Intercom Control Mounting - Doghouse Mounted</b>              | 34 | 1   | HMC |
| 40-YC-3801 |   | -- No Back-Up Camera Required                                       |    | 1   | HMC |
| 40-YS-0002 |   | -- Cab Mounted Firefighter Handlights                               |    | 1   | HMC |
| 40-YS-0108 | S | -- <b>Handheld Light Mounting - Rear Doghouse Area</b>              | 34 | 1   | HMC |
| 40-YS-2116 |   | -- <b>Fire Vulcan Light - LED - Orange</b>                          | 35 | 4   | HMC |
| 40-YS-9010 |   | -- <b>Wiring - 12VDC</b>                                            | 35 | 4   | HMC |
| 40-YS-2210 |   | -- <b>No Fire Box Lights Required</b>                               |    | 1   | HMC |
| 40-YS-3210 |   | -- <b>No Survivor Lights Required</b>                               |    | 1   | HMC |
| 40-YS-0010 |   | -- No Left Rear Facing Seat Handheld Light Required                 |    | 1   | HMC |
| 40-YS-0012 |   | -- No Right Rear Facing Seat Handheld Light Required                |    | 1   | HMC |
| 40-YS-0014 |   | -- No Left Forward Facing Seat Handheld Light Required              |    | 1   | HMC |
| 40-YS-0016 |   | -- No Right Forward Facing Seat Handheld Light Required             |    | 1   | HMC |
| 40-Z0-0001 |   | -- 12 VDC Power Selections For Accessories, Radios and Chargers     |    | 1   | HMC |
| 40-Z0-0004 |   | -- <b>12 VDC Power Point Triple Outlet</b>                          | 35 | 1   | HMC |
| 40-Z0-0014 |   | -- <b>Battery Switched Power</b>                                    | 36 | 1   | HMC |
| 40-Z0-0150 |   | -- <b>Location - Top of AC Unit</b>                                 | 36 | 1   | HMC |
| 40-Z0-0180 |   | -- <b>No Additional 12 VDC Power Point Outlet Required</b>          |    | 1   | HMC |
| 40-Z0-0202 |   | -- No 12VDC Circuits For Radio or Accessories Required              |    | 1   | HMC |
| 40-Z0-0810 |   | -- <b>NMO Mount - Radio Antenna Wiring - Officer's Side Forward</b> | 36 | 1   | HMC |
| 40-Z0-0857 |   | -- <b>Location - Officer's Seat Area</b>                            | 36 | 1   | HMC |
| 40-Z0-0820 |   | -- <b>NMO Mount - Radio Antenna Wiring - Officer's Side Rear</b>    | 36 | 1   | HMC |
| 40-Z0-0857 |   | -- <b>Location - Officer's Seat Area</b>                            | 36 | 1   | HMC |
| 40-Z0-0830 |   | -- <b>NMO Mount - Radio Antenna Wiring - Driver's Side Forward</b>  | 36 | 1   | HMC |
| 40-Z0-0857 |   | -- <b>Location - Officer's Seat Area</b>                            | 37 | 1   | HMC |
| 40-Z0-0840 |   | -- <b>NMO Mount - Radio Antenna Wiring - Driver's Side Rear</b>     | 37 | 1   | HMC |
| 40-Z0-0857 |   | -- <b>Location - Officer's Seat Area</b>                            | 37 | 1   | HMC |
| 40-Z0-0860 |   | -- <b>No Additional NMO Antenna Mount and Coax Required</b>         |    | 1   | HMC |
| 40-Z0-0900 | < | -- <b>-Antenex NMO Weatherproof Cap</b><br>www.antennex.com         | 37 | 3   | HMC |
| 40-Z0-0910 | < | -- <b>-Antenex AB150 1/4 wave antenna</b><br>www.antennex.com       | 37 | 1   | HMC |
| 40-Z0-0402 |   | -- No 120-volt AC Wiring Required                                   |    | 1   | HMC |
| 40-Z0-1202 |   | -- No Map Box Required                                              |    | 1   | HMC |
| 40-Z0-3200 |   | -- <b>AM/FM Stereo CD, Bluetooth Radio w/Four Speakers - JVC</b>    | 37 | 1   | HMC |
|            |   | <b>KD-R975BTS</b>                                                   |    |     |     |
| 40-Z0-9910 |   | -- Fire Extinguisher and Hazard Triangle Kit                        | 38 | 1   | HMC |
|            |   | <b>CAB EXTERIOR</b>                                                 |    | 1   | HMC |
| 40-D0-6130 |   | Cab Exterior Appointments and Options - 1871SFO -- Apparatus        |    | 1   | HMC |
| 40-DH-2100 |   | -- Exterior Grab Handles - 24" Long                                 | 38 | 1   | HMC |
| 40-DH-2180 |   | -- No Cab Front Grab Handles Required                               |    | 1   | HMC |
| 40-DZ-0102 |   | -- <b>Flat Stainless Front Grille - SFO</b>                         | 38 | 1   | HMC |

| PART NO    | S | DESCRIPTION                                                     | PG | QTY | ID  |
|------------|---|-----------------------------------------------------------------|----|-----|-----|
| 40-G0-1002 |   | -- --->No Cab Mudflaps Required                                 | 38 | 1   | HMC |
| 40-G0-1300 |   | -- Cab Ground Lights - LED Strip Lights                         | 38 | 1   | HMC |
| 40-J0-1500 |   | -- Heated and Remote Controlled Moto-Mirror with Lower Convex   | 38 | 1   | HMC |
| 40-J0-3000 |   | -- No Crew Peeper Door Mirrors Required                         |    | 1   | HMC |
| 40-K0-1200 |   | -- No Rear Wall Windows Required                                |    | 1   | HMC |
| 40-K0-2000 |   | -- No Door Electric Windows Required                            |    | 1   | HMC |
| 40-K0-3000 |   | -- No Powered Door Locks Required                               |    | 1   | HMC |
| 40-K0-3500 |   | -- No Rear Door Safety Bars Required                            |    | 1   | HMC |
| 40-K0-4000 |   | -- No Dark Gray Light Door Window Tint Required                 |    | 1   | HMC |
| 40-LE-1002 |   | -- Engine Maintenance Lights LED - Custom                       | 39 | 1   | HMC |
| 40-LS-1000 |   | -- No Cab Spotlights Required                                   |    | 1   | HMC |
| 40-LS-2022 |   | -- LED NovaTech Handheld Spotlight                              | 39 | 1   | HMC |
| 40-N0-0010 |   | -- No Cab Side Stainless Trim                                   |    | 1   | HMC |
| 40-N0-0110 |   | -- No Cab Front Stainless Trim                                  |    | 1   | HMC |
| 40-N0-1400 |   | -- Exterior Rear Wall - Diamondplate Overlay                    | 39 | 1   | HMC |
| 40-P0-0120 |   | -- Cab Tilt - Elec Pump w/Man Back Up w/Lght Swtch Box-OES      | 39 | 1   | HMC |
| 40-P0-0400 |   | -- Cab Tilt Road Interlock                                      | 40 | 1   | HMC |
| 40-P0-1700 |   | -- No Aerial Cab Tilt Interlock Required                        |    | 1   | HMC |
|            |   | CAB AND CHASSIS PAINT                                           |    | 1   | HMC |
| 40-Q0-1001 |   | Cab & Chassis Paint - 1871W                                     |    | 1   | HMC |
| 40-Q0-1010 |   | -- Black Gloss Enamel Painted Frame                             | 40 | 1   | HMC |
| 40-Q0-1202 |   | -- Gray Interior Paint                                          | 40 | 1   | HMC |
| 40-Q0-2012 |   | -- Headliner - Gray                                             | 41 | 1   | HMC |
| 40-Q0-2112 |   | -- Rear Wall Covering - Gray                                    | 41 | 1   | HMC |
| 40-Q0-2212 |   | -- Floor Covering - Gray                                        | 41 | 1   | HMC |
| 40-Q0-2304 |   | -- Door Panels - Gray                                           | 41 | 1   | HMC |
| 40-Q0-2312 |   | -- Doghouse Covering - Gray                                     | 41 | 1   | HMC |
| 40-Q0-2504 |   | -- Dash Housing and Officer Console - Gray - SFO Only           | 41 | 1   | HMC |
| 40-Q0-3010 |   | -- Single Color Cab Exterior Paint                              | 41 | 1   | HMC |
| 40-Q0-3080 | > | -- Cab Exterior Paint - PPG - Urethane                          | 43 | 1   | HMC |
| 40-Q0-4002 |   | -- No Touch-Up Paint Required                                   |    | 1   | HMC |
| 40-Q0-4110 |   | -- No Paint Spray Out Approval Sample Required                  |    | 1   | HMC |
|            |   | SEATING                                                         |    | 1   | HMC |
| 40-RS-4008 |   | SFO - 96" - 2 Rear Facing - 2 Center Fwd Facing                 |    | 1   | HMC |
| 40-S0-0010 |   | -- Seat Position 1 - Driver's Seat                              | 43 | 1   | HMC |
| 40-S0-1250 |   | -- Highback - Air Ride Suspension - HO Bostrom - Sierra-50 -    | 43 | 1   | HMC |
|            |   | ABTS                                                            |    |     |     |
| 40-S0-0020 |   | -- Seat Position 2 - Officer's Seat                             | 43 | 1   | HMC |
| 40-S0-4220 |   | -- SCBA Fixed Bottom Cush - Air Susp - HO Bostrom - Tanker      | 43 | 1   | HMC |
|            |   | 300 Series - ABTS                                               |    |     |     |
| 40-S0-9162 |   | -- Filler Pad for SCBA Seats                                    | 43 | 1   | HMC |
| 40-S0-9210 |   | -- Zico SCBA Bottle Bracket                                     | 44 | 1   | HMC |
| 40-S0-0030 |   | -- Seat Position 3 - Rear Facing Left Outboard - Behind Driver  | 44 | 1   | HMC |
| 40-S0-5610 |   | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker     | 44 | 1   | HMC |
|            |   | 300CT - ABTS                                                    |    |     |     |
| 40-S0-9162 |   | -- Filler Pad for SCBA Seats                                    | 44 | 1   | HMC |
| 40-S0-9210 |   | -- Zico SCBA Bottle Bracket                                     | 44 | 1   | HMC |
| 40-S0-0060 |   | -- Seat Position 6 - Rear Facing Rt Outboard - Behind Officer   | 44 | 1   | HMC |
| 40-S0-5610 |   | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker     | 44 | 1   | HMC |
|            |   | 300CT - ABTS                                                    |    |     |     |
| 40-S0-9162 |   | -- Filler Pad for SCBA Seats                                    | 44 | 1   | HMC |
| 40-S0-9210 |   | -- Zico SCBA Bottle Bracket                                     | 45 | 1   | HMC |
| 40-S0-008B |   | -- Seat Position 8 - Fwd Facing - Left Inside - SFOMFD-12 Only  | 45 | 1   | HMC |
| 40-S0-5710 |   | -- Flip Down Seat Cushion - No SCBA - No Back Cushion           | 45 | 1   | HMC |
| 40-S0-8110 |   | -- Red - Shoulder Harness - Seat Belt                           | 45 | 1   | HMC |
| 40-S0-009B |   | -- Seat Position 9 - Fwd Facing - Right Inside - SFOMFD-12 Only | 45 | 1   | HMC |
| 40-S0-5710 |   | -- Flip Down Seat Cushion - No SCBA - No Back Cushion           | 45 | 1   | HMC |
| 40-S0-8110 |   | -- Red - Shoulder Harness - Seat Belt                           | 45 | 1   | HMC |
| 40-S0-7420 |   | -- Gray / Black Durawear Seat Covering                          | 45 | 1   | HMC |
| 40-S0-8002 |   | -- Seat Belt Warning Labels                                     | 46 | 1   | HMC |
| 40-S0-8014 |   | -- Vehicle Data Recorder and Seat Belt Warning System           | 46 | 1   | HMC |
| 40-S0-8016 |   | -- Seat Belt Warning System Monitor Panel                       | 46 | 1   | HMC |
| 40-SU-0900 |   | -- No EMS Storage Cabinet Required                              |    | 1   | HMC |
|            |   | FRONT BUMPER / AUDIBLE WARNING                                  |    | 1   | HMC |
| 42-A0-3010 |   | Front Bumper - 10" High - Polished Stainless -- Apparatus       | 46 | 1   | HMC |

| PART NO    | S     | DESCRIPTION                                                               | PG | QTY | ID  |
|------------|-------|---------------------------------------------------------------------------|----|-----|-----|
| 01-V0-2022 |       | -- No Bumper Backer / Reinforcement Required                              |    | 1   | HMC |
| 01-V0-2034 |       | -- <b>Front Bumper License Plate Mounting</b>                             | 46 | 1   | HMC |
| 01-V0-3006 | S     | -- <b>Front Bumper Extension - 10 Inches</b>                              | 47 | 1   | HMC |
| 01-T0-1010 |       | -- <b>No Front Suction Required</b>                                       |    | 1   | HMC |
| 01-W0-0700 |       | -- <b>Chromed Tow Hooks Beneath Bumper</b>                                | 47 | 1   | HMC |
| 01-Z0-8012 |       | -- <b>Front Gravelshield</b>                                              | 47 | 1   | HMC |
| 01-Z0-8202 | S < > | -- <b>Center Hosewell</b>                                                 | 47 | 1   | HMC |
|            |       | 35' of 1-1/2 single jacket hose                                           |    |     |     |
| 01-Z0-8710 | S     | -- <b>Hosewell Cover - Hinged Diamondplate</b>                            | 47 | 1   | HMC |
| 01-Z0-8802 |       | -- <b>Open Grate Mat, Hosewell</b>                                        | 48 | 1   | HMC |
| 40-H0-1110 | S >   | -- <b>ONE Grover Air Horn - Bumper Recessed</b>                           | 48 | 1   | HMC |
| 40-H0-1201 |       | -- Air Horn Circuit Powered - Battery and Ignition                        | 48 | 1   | HMC |
| 40-H0-1250 |       | -- <b>Air Horn Control - Driver &amp; Officer Foot Switches</b>           | 48 | 1   | HMC |
| 40-H0-1302 |       | -- Air/Elec Horn-Strg Wheel Cntrl - {Siren Switch Upgrade Here}           | 48 | 1   | HMC |
| 40-H0-2102 |       | -- <b>No Electronic Siren</b>                                             |    | 1   | HMC |
| 40-H0-3002 |       | -- No Q2B/Super Chief Siren Required                                      |    | 1   | HMC |
| 40-H0-4021 |       | -- <b>-EQ2B Siren - Bumper Recessed - Officer's Side - OES</b>            | 48 | 1   | HMC |
| 40-H0-5110 |       | -- <b>Siren Circuit Powered - Master Warning Light Switch</b>             | 48 | 1   | HMC |
| 40-H0-5202 | >     | -- <b>No EQ2B Brake Switch Required</b>                                   |    | 1   | HMC |
| 40-H0-5360 |       | -- <b>Siren Control - Driver Foot &amp; Officer Button Switches</b>       | 49 | 1   | HMC |
| 40-H0-5410 |       | -- <b>Siren Head Mounting - Doghouse Mounted</b>                          | 49 | 1   | HMC |
| 40-HA-2002 |       | -- <b>No Electronic Siren Speakers Required</b>                           |    | 1   | HMC |
| 69-C0-0200 |       | -- Electronic Operator's Manual w/Parts List - One Set                    | 49 | 1   | HMC |
| 71-10-0002 |       | Diagnostic Cables and Software                                            |    | 1   | HMC |
| 71-10-0010 |       | -- <b>No Diagnostic Software Cables Required</b>                          |    | 1   | HMC |
| 71-10-0020 |       | -- <b>No Bluetooth Devices Required</b>                                   |    | 1   | HMC |
| 71-10-0030 |       | -- No Cummins Diagnostic Software Required                                |    | 1   | HMC |
| 71-10-0040 |       | -- <b>No Caterpillar Diagnostic Software Required</b>                     |    | 1   | HMC |
| 71-10-0050 |       | -- <b>No Detroit Diesel Diagnostic Software Required</b>                  |    | 1   | HMC |
| 71-10-0060 |       | -- No ABS/ATC Diagnostic Software Required                                |    | 1   | HMC |
| 71-10-0070 |       | -- No Allison Diagnostic Software Required                                |    | 1   | HMC |
| 71-10-0100 |       | -- No EsKey Modem Required                                                |    | 1   | HMC |
|            |       | v4.001 - RELEASE DATE - 10/01/2018                                        |    | 1   | HMC |
|            |       | <b>== Pump Module - OES - 2.006 ==</b>                                    | 49 | 1   | HME |
| 18-02-0310 |       | -Cross Body Compartment - OES                                             | 50 | 1   | HME |
| 18-02-1000 |       | -- No Painted Transverse Compartment Required                             |    | 1   | HME |
| 40-18-0200 |       | -- No L/S Rollup Door Straps Required At This Time                        |    | 1   | HME |
| 42-10-0200 |       | -- No R/S Rollup Door Straps Required                                     |    | 1   | HME |
| 46-08-1199 |       | -- No Roll-Up Door Shields Required                                       |    | 2   | HME |
| 48-04-2310 | S     | -- <b>-Tray, (Qty) HD, Dual Pullout w/Rllrs &amp; Ltch, 1000#-(xvers)</b> | 50 | 1   | HME |
| 48-04-2210 | S     | -- <b>Heavy Duty Pullout Tray Location, Specify Ext Compt</b>             | 50 | 1   | HME |
| 48-08-0602 |       | -- <b>Turtle Tile Mat, Installed (Qty) Shelves/Trays, Ext Compt</b>       | 50 | 1   | HME |
| 20-02-0100 | >     | HydraTechnology, Pump House Design Requirement                            | 50 | 1   | HME |
| 20-02-0310 |       | -Pump Enclosure, 36" Side Mount, Q-Flo Plus - Gen III - OES               | 51 | 1   | HME |
| 20-04-0202 |       | -- <b>-Running Boards, L/S, R/S w/Laser Grip - OES</b>                    | 52 | 1   | HME |
| 20-04-0335 |       | -- <b>-Left Running Board Hosewell - OES</b>                              | 52 | 1   | HME |
| 20-04-0664 |       | -- <b>Straps, Running Board Hosewell</b>                                  | 52 | 1   | HME |
| 20-04-0728 |       | -- <b>Turtle Tile Mat, Installed, Running Board Hosewell</b>              | 52 | 1   | HME |
| 20-04-0337 |       | -- <b>-Right Running Board Hosewell - OES</b>                             | 53 | 1   | HME |
| 20-04-0664 |       | -- <b>Straps, Running Board Hosewell</b>                                  | 53 | 1   | HME |
| 20-04-0728 |       | -- <b>Turtle Tile Mat, Installed, Running Board Hosewell</b>              | 53 | 1   | HME |
| 20-04-1110 |       | -- <b>No Running Board Sliding Step Required</b>                          |    | 1   | HME |
| 20-06-0800 |       | -- Dunnage Compt, w/Floor                                                 | 53 | 1   | HME |
| 20-06-1000 |       | -- No Dunnage Compt Cover Required                                        |    | 1   | HME |
| 20-06-1610 |       | -- Grabrails, (2) Access Dunnage Compt, Mtd L/ R Side of Compt            | 53 | 1   | HME |
| 20-08-0800 |       | -- Inlet/Outlet Connection, Outside Air, Mtd L/S PPanel                   | 53 | 1   | HME |
| 20-08-0601 |       | -- No Additional Outside Air Inlet/Outlet Connection Required             |    | 1   | HME |
| 20-08-1200 |       | -- No Inlet/Outlet Hose Required                                          |    | 1   | HME |
| 20-10-1225 |       | -- <b>Work Light, (1) LED, Strip Light, Mtd Pump Compt w/Switch</b>       | 53 | 1   | HME |
| 20-14-0100 |       | -- Pump Service Access Requirements                                       | 54 | 1   | HME |
| 20-14-0310 |       | -- Control Panel, Q-Flo Plus Side Mount - OES                             | 54 | 1   | HME |
| 20-15-0110 |       | -- <b>Identification Labels - Metal Tags</b>                              | 54 | 1   | HME |
| 20-15-0200 |       | -- <b>HME Standard Color Coding for Pump House Tags</b>                   |    | 1   | HME |
| 20-16-0600 |       | -- <b>Pump Panel Finish, Powder Coat, Black</b>                           | 55 | 1   | HME |

| PART NO           | S                | DESCRIPTION                                                                                 | PG        | QTY      | ID         |
|-------------------|------------------|---------------------------------------------------------------------------------------------|-----------|----------|------------|
| 20-18-1022        |                  | -- Controls & Gauges, Side Mount - OES                                                      | 55        | 1        | HME        |
| <b>20-18-1420</b> |                  | -- <b>FRC In Control 400 Pressure Governor, Engine Monitor and Pressure Display</b>         | <b>55</b> | <b>1</b> | <b>HME</b> |
| 20-18-1550        |                  | -- 2-1/2" Pressure Gauges, 0-400 psig - English                                             | 56        | 1        | HME        |
| <b>20-18-1570</b> | <b>S</b>         | -- <b>Pump Panel LED Lighting</b>                                                           | <b>57</b> | <b>1</b> | <b>HME</b> |
| 20-18-2042        |                  | -- Drain Discharges - 90° Ports with Drain Tubing                                           | 57        | 1        | HME        |
| 20-18-2404        |                  | -- Switch, Air Horn Activation, Mtd PPanel, Push Button w/Lbl                               | 57        | 1        | HME        |
| 20-18-2660        |                  | -- No Pump Panel Air Pressure Gauge Required                                                |           | 1        | HME        |
| 20-18-2670        |                  | -- No Pump Panel Trans Temp Gauge Required                                                  |           | 1        | HME        |
| 20-18-2680        |                  | -- No Pump Panel Fuel Tank Gauge Required                                                   |           | 1        | HME        |
| 20-18-8000        |                  | -- No Pump Air Blow Out Required                                                            |           | 1        | HME        |
| 20-19-0002        |                  | -- No Pump Panel Radio Compt Required                                                       |           | 1        | HME        |
| 20-19-0098        |                  | -- No PPanel Radio Speaker Required                                                         |           | 1        | HME        |
| 30-26-0402        |                  | -- Gauge, (1) Water Tank Level, Class 1 w/LED Display - OES                                 | 57        | 1        | HME        |
| <b>30-26-0850</b> |                  | -- <b>Gauge, (1) Water Tank Gauge, Class 1 Mini, Cab Dash</b>                               | <b>57</b> | <b>1</b> | <b>HME</b> |
| <b>30-26-0600</b> |                  | -- <b>No Add'l Water Tank Level Gauge Required</b>                                          |           | <b>1</b> | <b>HME</b> |
|                   |                  | <b>Side Mount Pumps</b>                                                                     |           | <b>1</b> | <b>HME</b> |
| 20-21-0610        |                  | -- Pump, Midship, Hale "Q-Flo Plus", 1000-1250 GPM - OES                                    | 58        | 1        | HME        |
| 20-26-0800        |                  | -- Pump Rating, Hale, 1250 GPM                                                              | 59        | 1        | HME        |
| 20-27-0100        |                  | -- Altitude Requirements, 0' to 2000 Feet Above Sea Level                                   | 59        | 1        | HME        |
| 22-06-0400        |                  | -- Primer, Oil-less, Hale ESP                                                               | 59        | 1        | HME        |
| 22-08-0200        |                  | -- Pump Shift, Pneumatic w/Label, Indicator Lgts, Mtd Cab/PPnl                              | 59        | 1        | HME        |
| 22-08-0500        |                  | -- No Pump Shift Override Required At This Time                                             |           | 1        | HME        |
| 22-10-0825        |                  | -- Mechanical Seal, Inboard Side, Spring Loaded, Self Adjusting                             | 60        | 1        | HME        |
| <b>22-11-0202</b> |                  | -- <b>-Anode, Water Pump, Indicator Weep Hole - OES</b>                                     | <b>60</b> | <b>1</b> | <b>HME</b> |
| <b>22-14-1000</b> |                  | -- <b>Thermal Relief Valve, TRV-L, Automatic</b>                                            | <b>60</b> | <b>1</b> | <b>HME</b> |
| 22-14-1810        |                  | -- Intake Pressure Relief Valve, Class 1 SS with Discharge Hose                             | 61        | 1        | HME        |
|                   |                  | Adapter End                                                                                 |           |          |            |
| 22-18-0400        |                  | -- Master Drain, Class 1, Manual Mtd Pump Panel                                             | 61        | 1        | HME        |
| 22-20-0100        |                  | -- Certified NFPA Pump Test, Completed Apparatus Certificate                                | 61        | 1        | HME        |
| 22-24-0200        |                  | -- Pump Warranty, Hale, Five Year                                                           | 61        | 1        | HME        |
| 22-30-0200        |                  | -- Electronic Manuals, Pump Service and Operation                                           | 61        | 1        | HME        |
|                   |                  | <b>Steamer Inlets</b>                                                                       |           | <b>1</b> | <b>HME</b> |
| 24-02-1000        |                  | -- Steamer Inlet, 6" NST Thread, L/S w/Strainer - Hale                                      | 61        | 1        | HME        |
| 24-08-0200        |                  | -- No L/S Master Intake Valve Required                                                      |           | 1        | HME        |
| 30-40-1060        |                  | -- Cap, 6" Long Handle - HME Logo                                                           | 62        | 1        | HME        |
| 30-40-2002        |                  | -- No Storz Adapter Required                                                                |           | 1        | HME        |
| 24-02-1200        |                  | -- Steamer Inlet, 6" NST Thread, R/S w/Strainer - Hale                                      | 62        | 1        | HME        |
| 24-08-0800        |                  | -- No R/S Master Intake Valve Required                                                      |           | 1        | HME        |
| 30-40-1060        |                  | -- Cap, 6" Long Handle - HME Logo                                                           | 62        | 1        | HME        |
| 30-40-2002        |                  | -- No Storz Adapter Required                                                                |           | 1        | HME        |
|                   |                  | <b>Front Suction</b>                                                                        |           | <b>1</b> | <b>HME</b> |
| <b>24-12-0200</b> |                  | -- <b>No 5" Front Suction Required</b>                                                      |           | <b>1</b> | <b>HME</b> |
|                   |                  | <b>Left Side Small Intake</b>                                                               |           | <b>1</b> | <b>HME</b> |
| 24-21-0030        |                  | -- Pump Side Intake, Left Side - Rear - Side Operated                                       | 62        | 1        | HME        |
| 24-21-0425        |                  | -- Suction Inlet, Side 2.5" - Side Operated Module                                          | 62        | 1        | HME        |
| <b>24-21-1025</b> | <b>S &lt;</b>    | -- <b>Suction Valve Control, Swing Type, Side, Adj To Valve</b>                             | <b>62</b> | <b>1</b> | <b>HME</b> |
|                   |                  | Note: Swing type lever control                                                              |           |          |            |
| 30-40-1125        |                  | -- Intake Plug, (Qty) 2.5" w/Cap & Chain                                                    | 62        | 1        | HME        |
| 24-21-2000        |                  | -- No Left Forward Intake Required - Pump Side                                              |           | 1        | HME        |
|                   |                  | <b>Right Side Small Intake</b>                                                              |           | <b>1</b> | <b>HME</b> |
| 24-21-0230        | <b>&lt; &gt;</b> | -- Pump Side Intake, Right Side - Rear - Side Operated                                      | 63        | 1        | HME        |
|                   |                  | Will be to the rear unless there is a MIV then the valve will be to the front on this panel |           |          |            |
| 24-21-0425        |                  | -- Suction Inlet, Side 2.5" - Side Operated Module                                          | 63        | 1        | HME        |
| <b>24-21-1025</b> | <b>S &lt;</b>    | -- <b>Suction Valve Control, Push-Pull Type, Side, Adj To Valve</b>                         | <b>63</b> | <b>1</b> | <b>HME</b> |
|                   |                  | Note: Swing type lever control                                                              |           |          |            |
| 30-40-1125        |                  | -- Intake Plug, (Qty) 2.5" w/Cap & Chain                                                    | 63        | 1        | HME        |
| 24-21-2001        |                  | -- No Right Forward Intake Required - Pump Side                                             |           | 1        | HME        |
|                   |                  | <b>Left Side Pump Panel Discharges</b>                                                      |           | <b>1</b> | <b>HME</b> |
| 26-03-0020        |                  | -- #1 Discharge, Left Side - Side Operated                                                  | 63        | 1        | HME        |

| PART NO           | S     | DESCRIPTION                                                          | PG        | QTY      | ID         |
|-------------------|-------|----------------------------------------------------------------------|-----------|----------|------------|
| <b>26-03-0410</b> |       | <b>-- No Discharge Required</b>                                      |           | <b>1</b> | <b>HME</b> |
| 26-03-0030        |       | -- #2 Discharge, Left Side - Side Operated                           | 63        | 1        | HME        |
| 26-03-0425        |       | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control          | 63        | 1        | HME        |
| 30-41-5025        |       | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug                | 63        | 1        | HME        |
|                   |       | w/Chain                                                              |           |          |            |
|                   |       | <b>Right Side Pump Panel Discharges</b>                              |           | <b>1</b> | <b>HME</b> |
| 26-03-0220        |       | -- #3 Discharge, Right Side - Side or Top Operated                   | 64        | 1        | HME        |
| 26-03-0425        |       | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control          | 64        | 1        | HME        |
| 30-41-5025        |       | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug                | 64        | 1        | HME        |
|                   |       | w/Chain                                                              |           |          |            |
| 26-03-0230        |       | -- #4 Discharge, Right Side - Side or Top Operated                   | 64        | 1        | HME        |
| 26-03-0425        |       | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control          | 64        | 1        | HME        |
| 30-41-5025        |       | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug                | 64        | 1        | HME        |
|                   |       | w/Chain                                                              |           |          |            |
|                   |       | <b>Rear Discharges</b>                                               |           | <b>1</b> | <b>HME</b> |
| <b>26-06-0400</b> |       | <b>-- Discharge, 2.5" R/S Rear w/1/4Trn, SwngOut Vlv &amp; 30Deg</b> | <b>64</b> | <b>1</b> | <b>HME</b> |
|                   |       | Elbw                                                                 |           |          |            |
| <b>26-06-0500</b> |       | <b>-- No L/S Rear Discharge Required</b>                             |           | <b>1</b> | <b>HME</b> |
| <b>30-24-0400</b> | >     | <b>-- Water Tank Sleeve, (1) 4" Rear Intake/Discharge</b>            | <b>64</b> | <b>1</b> | <b>HME</b> |
| <b>30-41-5025</b> |       | <b>-- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug</b>         | <b>65</b> | <b>1</b> | <b>HME</b> |
|                   |       | w/Chain                                                              |           |          |            |
| <b>30-41-6002</b> |       | <b>-- No Discharge Reducer Required</b>                              |           | <b>1</b> | <b>HME</b> |
|                   |       | <b>Front Bumper Jumplines</b>                                        |           | <b>1</b> | <b>HME</b> |
| <b>26-08-0602</b> |       | <b>-- -Frt Jumpline, 1.5" w/2" Plmbg, 1/4TrnVlv w/90 Dg Swvl -</b>   | <b>65</b> | <b>1</b> | <b>HME</b> |
| <b>26-09-0200</b> | OES   | <b>-- No Jumpline Blow Out Required</b>                              |           | <b>1</b> | <b>HME</b> |
| <b>26-09-0510</b> |       | <b>-- Swivel On Gravelshield Next to Hosewell</b>                    | <b>65</b> | <b>1</b> | <b>HME</b> |
| <b>26-10-0802</b> |       | <b>-- Valve Control, 2" Bumper Mounted Manual, Locking - OES</b>     | <b>65</b> | <b>1</b> | <b>HME</b> |
| <b>26-12-0100</b> |       | <b>-- No Drain Valve Required</b>                                    |           | <b>1</b> | <b>HME</b> |
| <b>30-41-5002</b> |       | <b>-- No Discharge Cap Required</b>                                  |           | <b>1</b> | <b>HME</b> |
|                   |       | <b>Deluge (Deck Gun) Piping</b>                                      |           | <b>1</b> | <b>HME</b> |
| <b>28-02-0402</b> | >     | <b>-- -Piping, 3" Deluge Riser, AbvPmp 3" - OES</b>                  | <b>65</b> | <b>1</b> | <b>HME</b> |
| <b>26-12-0400</b> |       | <b>-- Drain Valve - Manual - Manual 1/4 Turn</b>                     | <b>65</b> | <b>1</b> | <b>HME</b> |
| <b>28-02-0555</b> |       | <b>-- Fixed Riser Piping, NPT Termination</b>                        | <b>66</b> | <b>1</b> | <b>HME</b> |
| <b>28-02-0802</b> |       | <b>-- Deck Gun Cntrl, 3" Manual Slow Close - OES</b>                 | <b>66</b> | <b>1</b> | <b>HME</b> |
| <b>28-04-0430</b> |       | <b>-- Monitor, Akron #3433, Hi-Riser, w/Dual Inlet Base - 1250</b>   | <b>66</b> | <b>1</b> | <b>HME</b> |
|                   |       | GPM                                                                  |           |          |            |
| <b>28-06-0600</b> |       | <b>-- Nozzle, Turbomaster, Akron #1755 w/2.5" Swvl, 500 -</b>        | <b>66</b> | <b>1</b> | <b>HME</b> |
|                   |       | <del>GPM</del>                                                       |           |          |            |
| <b>28-08-0230</b> |       | <b>-- Stacked Tips, Akron #2499, Quad w/2.5" Inlet w/Stream</b>      | <b>66</b> | <b>1</b> | <b>HME</b> |
|                   |       | Shaper                                                               |           |          |            |
|                   |       | <b>Crosslay Assemblies</b>                                           |           | <b>1</b> | <b>HME</b> |
| <b>28-11-1110</b> |       | <b>-- -Crosslay, (2) Beds, 1.5" NST / 1.5" NST - OES</b>             | <b>66</b> | <b>1</b> | <b>HME</b> |
| <b>28-11-5102</b> |       | <b>-- #1 Crosslay, 1-1/2" NST w/2" Piping and Valve - OES</b>        | <b>67</b> | <b>1</b> | <b>HME</b> |
| <b>26-12-0400</b> |       | <b>-- Drain Valve - Manual - Manual 1/4 Turn</b>                     | <b>67</b> | <b>1</b> | <b>HME</b> |
| <b>28-11-6102</b> |       | <b>-- #2 Crosslay, 1-1/2" NST w/2" Piping and Valve - OES</b>        | <b>67</b> | <b>1</b> | <b>HME</b> |
| <b>26-12-0400</b> |       | <b>-- Drain Valve - Manual - Manual 1/4 Turn</b>                     | <b>68</b> | <b>1</b> | <b>HME</b> |
| <b>28-11-7810</b> |       | <b>-- Crosslay Hose Guides</b>                                       | <b>68</b> | <b>1</b> | <b>HME</b> |
| <b>28-12-2802</b> |       | <b>-- Cover, Crosslay, Aluminum w/Vinyl Flaps - OES</b>              | <b>68</b> | <b>1</b> | <b>HME</b> |
| <b>28-14-1002</b> | S     | <b>-- SPL Vinyl End Flap Color, Crosslay, Vinyl, Black - OES</b>     | <b>68</b> | <b>1</b> | <b>HME</b> |
|                   |       | <b>Left Dunnage Equipment - Generator, Hose Reel, Cord Reels</b>     |           | <b>1</b> | <b>HME</b> |
| <b>28-22-0540</b> | S < > | <b>-- Booster Reel, Hannay, 200'/1" - OES</b>                        | <b>69</b> | <b>1</b> | <b>HME</b> |
|                   |       | Note: 1" swing out ball valve.                                       |           |          |            |
| <b>28-24-1400</b> | S     | <b>-- -Hose, Booster, 200'/1" Neidner Reeltex - OES</b>              | <b>70</b> | <b>1</b> | <b>HME</b> |
| <b>28-26-0600</b> |       | <b>-- Roller Assemblies, Dble, (1) Booster Reel, Stainless Steel</b> | <b>70</b> | <b>1</b> | <b>HME</b> |
| <b>28-28-0200</b> |       | <b>-- No Additional Switch for Booster Reel Required</b>             |           | <b>1</b> | <b>HME</b> |
| <b>28-29-0200</b> |       | <b>-- No Booster Reel Air Blow Out Required</b>                      |           | <b>1</b> | <b>HME</b> |
|                   |       | <b>Booster Reels</b>                                                 |           | <b>1</b> | <b>HME</b> |
| 28-22-0200        |       | -- No Compartment Mounted Booster Reel Required                      |           | 1        | HME        |
|                   |       | <b>Hosebed Preconnects</b>                                           |           | <b>1</b> | <b>HME</b> |
| 28-30-0700        |       | -- Hosebed Preconnect, (1) L/S 1-1/2" NST, w/Cntrls                  | 70        | 1        | HME        |
| <b>28-30-0200</b> |       | <b>-- No Hosebed Preconnects Required</b>                            |           | <b>1</b> | <b>HME</b> |
|                   |       | <b>Ball Valves</b>                                                   |           | <b>1</b> | <b>HME</b> |
| 30-00-0200        |       | -- Ball Valves, Akron Heavy Duty                                     | 70        | 1        | HME        |
|                   |       | <b>Tank Plumbing and Indicators / Gauges</b>                         |           | <b>1</b> | <b>HME</b> |



| PART NO    | S   | DESCRIPTION                                                              | PG | QTY | ID  |
|------------|-----|--------------------------------------------------------------------------|----|-----|-----|
| 30-20-0600 |     | -- Piping, Tank To Pump, 3" w/3" Air Operated Ball Valve                 | 70 | 1   | HME |
| 30-20-2500 |     | -- No Additional Tank To Pump Valve Control Required                     |    | 1   | HME |
| 30-22-0200 |     | -- Tank Refill, 1.5" Line w/ 1/4 Trn Bll Vlv                             | 71 | 1   | HME |
| 30-22-0720 |     | -- - <b>Midship Pump Cooling Line, 1/2" Line - 1/4 Turn</b>              | 71 | 1   | HME |
|            |     | <b>Diesel / Portable Pumps</b>                                           |    | 1   | HME |
| 20-38-1150 |     | -- - <b>Portable Pump, Darley 1-1/2AGE, 150 GPM w/Diesel Engine</b>      | 71 | 1   | HME |
| 20-38-9010 |     | -- - <b>Portable Pump Maintenance Features</b>                           | 71 | 1   | HME |
| 20-39-1000 |     | -- - <b>Auxiliary Pump Control Panel - Pumphouse - OES</b>               | 72 | 1   | HME |
| 20-39-1100 |     | -- - <b>Auxiliary Pump Control Panel - In Cab - OES</b>                  | 72 | 1   | HME |
| 20-39-2100 |     | -- - <b>Portable Pump Directional Primer</b>                             | 72 | 1   | HME |
| 20-40-0275 |     | -- - <b>Mounting Location, Portable Pump, Dunnage Compt</b>              | 73 | 1   | HME |
| 20-42-0400 |     | -- - <b>Wiring, Portable Pump, To Apparatus 12V Elec System</b>          | 73 | 1   | HME |
| 20-42-5000 |     | -- - <b>Portable Pump Intake Plumbed To Water Tank</b>                   | 73 | 1   | HME |
| 20-43-5000 |     | -- - <b>Portable Pump Discharge Plumbed To Foam Manifold</b>             | 73 | 1   | HME |
| 22-11-0202 | S < | -- - <b>Anode, Water Pump, Indicator Weep Hole - OES</b>                 | 73 | 1   | HME |
|            |     | Note: Bronze anodes                                                      |    |     |     |
| 30-20-0110 |     | -- - <b>Piping, Tank To Pump, 2-1/2" w/2-1/2" Ball Valve and Check</b>   | 73 | 1   | HME |
| 30-22-0710 |     | -- - <b>Auxiliary Pump Cooling Line, 1/2" Line w/check valve</b>         | 74 | 1   | HME |
| 70-16-0010 |     | -- No Spanner/Hydrant Wrenches Required                                  |    | 1   | HME |
|            |     | <b>Foam Systems</b>                                                      |    | 1   | HME |
| 20-32-4701 | S > | - <b>Foam System, Hale "FoamLogix" 2.1A - OES</b>                        | 74 | 1   | HME |
| 20-32-5052 |     | -- <b>Class 'A' Foam Operation Only</b>                                  | 76 | 1   | HME |
| 20-32-7075 |     | -- <b>Foam Tank Refill System, HME Ahrens-Fox System</b>                 | 76 | 1   | HME |
| 20-34-0198 | >   | -- - <b>Foam Syst Outlets - OES</b>                                      | 77 | 1   | HME |
| 20-34-0405 | >   | -- <b>Foam Outlets, (2) 1-1/2" Crosslays</b>                             | 77 | 1   | HME |
| 20-34-0525 | >   | -- <b>Foam Outlet, Jumpline</b>                                          | 77 | 1   | HME |
| 20-34-0825 | >   | -- <b>Foam Outlet, Booster Hose Reel</b>                                 | 77 | 1   | HME |
| 20-34-0880 |     | -- - <b>Foam Outlet, (1) Hosebed 1.5" Discharge - OES</b>                | 77 | 1   | HME |
| 20-36-0650 |     | -- - <b>Controls, Foam System, Hale - OES In Cab</b>                     | 78 | 1   | HME |
| 22-02-0410 |     | - <b>Pump Cooling Line, 3/8" w/Class 1 Valve - OES</b>                   | 78 | 1   | HME |
| 22-02-0800 | >   | <b>Heat Exchanger Line, Gated, Custom</b>                                | 78 | 1   | HME |
|            |     | <b>== OES Apparatus Body - 2.006 ==</b>                                  | 78 | 1   | HME |
| 08-22-2001 | >   | <b>Apparatus Body Designation, Model Ahrens-Fox</b>                      |    | 1   | HME |
|            |     | <b>Water / Foam Tanks and Equipment</b>                                  |    | 1   | HME |
| 30-02-0310 |     | - <b>Water Tank Cnstrctn, Poly w/Tnk Lid, FillTwr, Ovrflw - OES</b>      | 78 | 1   | HME |
| 30-14-3008 |     | -- - <b>Foam Tank, (1) 20 Glns, CIs A, Tank Internal - OES</b>           | 79 | 1   | HME |
| 30-18-0200 |     | -- <b>Tank Mounting, Cradle Mtd, 8" x 8" x 4" x .250"</b>                | 79 | 1   | HME |
| 30-21-0100 |     | -- <b>No Tank Drain Valve Required</b>                                   |    | 1   | HME |
|            |     | <b>APPARATUS BODY DESIGN AND CONSTRUCTION</b>                            |    | 1   | HME |
| 32-02-0200 |     | <b>Body Design and Construction, Pumper, Stainless Steel</b>             | 80 | 1   | HME |
| 32-05-0100 |     | -- <b>Brushed Stainless Compartment Roof - Not a Stepping Surface</b>    | 82 | 1   | HME |
| 46-18-1000 |     | -- <b>Rear Tailboard, 12", LaserGrip Stainless Steel</b>                 | 82 | 1   | HME |
| 46-22-0200 |     | -- <b>No Rear Lower Step/Platform Required</b>                           |    | 1   | HME |
|            |     | <b>EXTERIOR COMPARTMENTATION AND EQUIPMENT</b>                           |    | 1   | HME |
| 40-01-2110 |     | <b>Frame Extension, Rear</b>                                             | 82 | 1   | HME |
| 40-02-0200 |     | <b>Ext Compartment Design and Construction, Modular, Bolted</b>          | 82 | 1   | HME |
| 40-02-0204 |     | -- <b>Compartment Ventilation w/Filtration</b>                           | 82 | 1   | HME |
| 46-28-0710 |     | -- <b>No Exhaust Tailpipe Heatshield Required</b>                        |    | 1   | HME |
| 40-02-0310 |     | - <b>OES) 58"/72", FH/RD Ext Cmpts w/ThruTank, T-Tank</b>                |    | 1   | HME |
| 30-08-0810 |     | -- <b>Water Tank Capacity, T-Tank, 850 US Gallons - TT - OES</b>         | 83 | 1   | HME |
| 30-02-1000 |     | -- <b>Tank Fill Tower, 10" x 14", w/4" Vent</b>                          | 83 | 1   | HME |
| 30-12-4110 |     | -- - <b>Cubic Ft, Body 117/Hsbd 80, Hosebed Ht, 56", 130" OAL - OES</b>  | 83 | 1   | HME |
| 30-23-0012 | >   | -- <b>No Left Rear Direct Tank Fill Required</b>                         |    | 1   | HME |
| 30-23-1022 | >   | -- <b>No Right Rear Direct Tank Fill Required</b>                        |    | 1   | HME |
| 42-14-0110 | >   | -- - <b>RR2, Ladder Stg Compt, Rear - Thru The Tank - OES</b>            | 84 | 1   | HME |
| 42-16-0200 |     | -- <b>No Ladder Cover In Pump House Required</b>                         |    | 1   | HME |
| 42-18-0300 |     | -- <b>RR1a, Backboard Stg Compt, Inside Tank Compt, Rear</b>             | 84 | 1   | HME |
| 42-28-0200 | S   | -- <b>Hinged Door, Rear, Ladder Storage</b>                              | 84 | 1   | HME |
| 72-00-0010 |     | -- <b>Thru The Tank Ladder Group - 10-Fold, 14-Roof, 24-2 Sec</b>        | 84 | 1   | HME |
| 72-04-0400 |     | -- <b>Ladder, 14' Roof, Duo-Safety, Channel Rail, Aluminum</b>           | 84 | 1   | HME |
| 72-06-0400 |     | -- <b>Ladder, 10' Fldng Attic, Duo-Safety, Aluminum</b>                  | 84 | 1   | HME |
| 72-08-0400 | <   | -- <b>Ladder, 24' Two-Sect Ext, Duo-Safety, Solid Beam</b>               | 85 | 1   | HME |
|            |     | <b>Aluminum</b>                                                          |    |     |     |
|            |     | <b>Halyard to be Wellington Puritan 1/2" Ladderline</b>                  |    |     |     |
|            |     | <b>The halyard rope is to be a climbing type rope, not nylon and not</b> |    |     |     |

| PART NO    | S | DESCRIPTION                                                                                                                    | PG | QTY | ID  |
|------------|---|--------------------------------------------------------------------------------------------------------------------------------|----|-----|-----|
|            |   | hemp type fabric. The objective is to have little or no stretch. A photo was provided of the existing rope used in the ladder. |    |     |     |
| 72-18-0100 |   | -- No Pike Pole(s) w/Fiberglass Handles Required                                                                               |    | 1   | HME |
| 72-18-0110 |   | -- No Pike Pole(s) w/Fiberglass Handles Required                                                                               |    | 1   | HME |
| 72-18-0200 |   | -- No Pike Pole(s) w/Fiberglass Handles Required                                                                               |    | 1   | HME |
| 72-18-0210 |   | -- No Pike Pole(s) w/Fiberglass Handles Required                                                                               |    | 1   | HME |
| 72-18-0300 |   | -- No Pike Pole(s) w/Fiberglass Handles Required                                                                               |    | 1   | HME |
| 34-02-0458 |   | -- Hosebed, S/S w/21.75" Sds/Rmvbl Alm Flrbrds - OES                                                                           | 85 | 1   | HME |
| 34-04-0510 |   | -- Divider, (1) Hosebed, Smth Alum w/Hinged Shelf - OES                                                                        | 85 | 1   | HME |
| 34-04-0600 | > | -- Dividers, (Qty) Hosebed, Adjustable, Smth Alum w/Radius Crnr                                                                | 85 | 2   | HME |
| 34-06-1010 | > | -- Hosebed Covers, Alum, Dual, Two-Piece, Hinged, - OES                                                                        | 86 | 1   | HME |
| 34-04-0500 |   | -- Divider, (1) Hosebed, Fixed, Smth Alum w/Radius Crnr Rr                                                                     | 86 | 1   | HME |
| 34-06-1402 | S | -- SPL Vinyl Flaps, Black, Mtd Each Alum Hsbd Cvr - OES                                                                        | 86 | 1   | HME |
| 34-08-0199 |   | -- No Rescue Litter Storage Compartment Required                                                                               |    | 1   | HME |
| 34-08-0399 |   | -- No Backboard Storage Compartment Required                                                                                   |    | 1   | HME |
| 46-10-0900 |   | -- No Hosebed Cover Underside Lights Required                                                                                  |    | 1   | HME |
|            |   | LEFT SIDE EXTERIOR COMPARTMENT DIMENSIONS                                                                                      |    | 1   | HME |
| 40-12-0310 |   | -- -58"/72", Ext Compts, L/S, 32"/52"/41" W x 12"/24" D - OES                                                                  | 87 | 1   | HME |
| 40-15-0130 |   | -- Roll Up Doors, L/S, Painted - Shrt Bdy - LSL                                                                                | 87 | 1   | HME |
| 40-16-0425 |   | -- Door Latches, L/S, Locking Lift Bar w/Door Ajar Switch                                                                      | 88 | 1   | HME |
| 40-18-0200 |   | -- No L/S Rollup Door Straps Required At This Time                                                                             |    | 1   | HME |
| 46-08-1199 |   | -- No Roll-Up Door Shields Required                                                                                            |    | 1   | HME |
|            |   | FENDER CONFIGURATIONS                                                                                                          |    | 1   | HME |
| 41-00-0400 |   | -- Wheel Area, Single Axle, - Rr SCBA Tubes - FFS                                                                              | 88 | 1   | HME |
| 46-02-0200 |   | -- Fuel Fill, L/S Rr Fndr w/Door, Label, Vent Line                                                                             | 88 | 1   | HME |
| 46-06-0400 |   | -- Fenderettes and Wheel Well Liners - Stainless                                                                               | 88 | 1   | HME |
| 46-08-0200 |   | -- Mud Flaps, Rear                                                                                                             | 88 | 1   | HME |
| 46-28-0400 |   | -- SCBA Tubes, (4) Rear Wheelwell, (2) L/S - (2) R/S, Sngl Axle                                                                | 88 | 1   | HME |
|            |   | RIGHT SIDE EXTERIOR COMPARTMENT DIMENSIONS                                                                                     |    | 1   | HME |
| 42-02-0310 |   | -- -58"/72", Ext Compts, R/S, 32"/52"/41" W x 12"/24" D - OES                                                                  | 89 | 1   | HME |
| 42-07-0130 |   | -- Roll Up Doors, R/S, Painted - Shrt Bdy - LSL                                                                                | 89 | 1   | HME |
| 42-08-0425 |   | -- Door Latches, R/S, Locking Lift Bar w/Door Ajar Switch                                                                      | 89 | 1   | HME |
| 42-10-0200 |   | -- No R/S Rollup Door Straps Required                                                                                          |    | 1   | HME |
| 46-08-1199 |   | -- No Roll-Up Door Shields Required                                                                                            |    | 1   | HME |
|            |   | REAR BODY EXTERIOR COMPARTMENT DIMENSIONS                                                                                      |    | 1   | HME |
| 42-12-0310 | > | -- RR1, Ext Compt, Rear, - OES design - FOR Chevrons                                                                           | 90 | 1   | HME |
| 42-25-0202 | S | -- Hinged Doors, Fish Mnt, Dbl Pan Smooth Stainless Steel - OES                                                                | 90 | 1   | HME |
| 42-08-0300 |   | -- Door Latches, R/S, Hansen, Slam w/"D" Ring, Locking                                                                         | 90 | 1   | HME |
| 84-04-5010 |   | -- Chevron, Rear Body NFPA, 6" - Pumper Low Rear Door                                                                          | 90 | 1   | HME |
| 84-04-8002 |   | -- Chevron Color - Red and Yellow Reflective                                                                                   | 90 | 1   | HME |
|            |   | EXTERIOR BODY COMPONENTS                                                                                                       |    | 1   | HME |
| 46-04-0720 |   | -- Rubrail, Body, Aluminum w/conspicuity marking - Medium Body                                                                 | 90 | 1   | HME |
| 46-06-0460 |   | -- No Painted Apparatus Body Required                                                                                          |    | 1   | HME |
| 46-10-0200 |   | -- Lights, Compartment, LED Strip, Armor Protected - OES - White/Red                                                           | 91 | 1   | HME |
| 46-10-0100 |   | -- No Additional Compartments Lights Required                                                                                  |    | 1   | HME |
| 46-12-0250 |   | -- Lights, Rear Body, LED Strip Intermediate Step, Activate w/Parking Brk                                                      | 91 | 1   | HME |
| 46-14-0225 |   | -- Lights, Underbody, LED Strip, Armor Protected                                                                               | 91 | 1   | HME |
| 46-16-0302 |   | -- Steps, Folding, 2-Extra Front / Std Rear of Body per NFPA                                                                   | 91 | 1   | HME |
| 46-20-0200 |   | -- Step, Intermediate, (1) Upper, Laser Grip, 8" Deep x Full Width                                                             | 91 | 1   | HME |
| 46-20-0400 |   | -- Steps, Intermediate, (2) Lower, Corners, Laser Grip, 8" Deep                                                                | 92 | 1   | HME |
| 46-26-0400 |   | -- Handrails, (3) Rear, (2) 24" Vertical/(1) 69" Horizontal                                                                    | 92 | 1   | HME |
|            |   | Exterior Body Equipment / Mounting Devices                                                                                     |    | 1   | HME |
| 46-29-0100 |   | -- Tray, (1) 10' Suction, L/S, Abv Cmpts - High Side                                                                           | 92 | 1   | HME |
| 46-29-1100 |   | -- Tray, (1) 10' Suction, R/S, Abv Cmpts - High Side                                                                           | 92 | 1   | HME |
| 58-02-0100 |   | -- Floodlight, Maxxima, (1) MWL-36, 2100 Lumens, Mnt Frt R/S Hsbd                                                              | 92 | 1   | HME |
| 58-02-0104 |   | -- No Front Hosebed Light Remote Switch Required At This Time                                                                  |    | 1   | HME |
|            |   | SCENE LIGHTING - PUMPER / RESCUE                                                                                               |    | 1   | HME |
| 58-09-1013 | > | -- Flat Roof Cab Side Scene Lights Required - SFO                                                                              | 93 | 1   | HME |
| 58-09-5060 |   | -- Scene Lights, FRC LED Scene Light w/Chrome Trim                                                                             | 93 | 2   | HME |
| 58-09-7002 | S | -- Driver's Scene Light Switch                                                                                                 | 93 | 2   | HME |
| 58-09-7010 |   | -- No Cab Door Scene Light Switching Required                                                                                  |    | 1   | HME |

| PART NO    | S   | DESCRIPTION                                                                                        | PG | QTY | ID  |
|------------|-----|----------------------------------------------------------------------------------------------------|----|-----|-----|
| 58-09-7100 |     | -- No PPanel Scene Light Switching Required                                                        |    | 1   | HME |
| 58-09-2010 |     | -- No PPanel Side Scene Lights Required                                                            |    | 1   | HME |
| 58-09-3012 | S   | -- Body Side Scene Lights Required - Pumper / Rescue                                               | 93 | 1   | HME |
| 58-09-5060 |     | -- Scene Lights, FRC LED Scene Light w/Chrome Trim                                                 | 93 | 2   | HME |
| 58-09-7002 | S   | -- Driver's Scene Light Switch                                                                     | 93 | 2   | HME |
| 58-09-7100 |     | -- No PPanel Scene Light Switching Required                                                        |    | 1   | HME |
| 58-09-4012 |     | -- Body Rear Scene Lights Required                                                                 | 93 | 1   | HME |
| 58-09-5060 |     | -- Scene Lights, FRC LED Scene Light w/Chrome Trim                                                 | 94 | 2   | HME |
| 58-09-6020 |     | -- Rear Scene Light Switch w/Pkg Brk Over-Ride                                                     | 94 | 1   | HME |
| 58-09-7110 | S   | -- Rear Body Scene Light Switch                                                                    | 94 | 1   | HME |
|            |     | <b>CAB FRONT AND SIDE / QUARTZ AND LED LIGHTING</b>                                                |    | 1   | HME |
| 58-10-8004 |     | -- No Forward Cab Quartz/LED Lighting Required                                                     |    | 1   | HME |
| 58-10-8006 |     | -- No Side Quartz/LED Lighting - Custom Cab Roof - Required                                        |    | 1   | HME |
|            |     | <b>CAB REAR QUARTZ LIGHTING</b>                                                                    |    | 1   | HME |
| 58-12-9060 |     | -- No Quartz Lighting - Custom Cab Left Rear Wall - Required                                       |    | 1   | HME |
| 58-12-9070 |     | -- No Quartz Lighting - Custom Cab Right Rear Wall - Required                                      |    | 1   | HME |
|            |     | <b>BODY QUARTZ LIGHTING</b>                                                                        |    | 1   | HME |
| 58-14-0100 |     | -- FRC - LF Corner - High Side                                                                     | 94 | 1   | HME |
| 58-15-1030 |     | -- FRC, Focus, 300W, 12VDC                                                                         | 94 | 1   | HME |
| 58-15-8004 |     | -- Lamphead ON / OFF Switch                                                                        | 94 | 1   | HME |
| 58-15-8006 |     | -- No Lamp Wire Guard Required                                                                     |    | 1   | HME |
| 58-18-0100 |     | -- No Remote Switch for Quartz / LED Light Required - Cab                                          |    | 1   | HME |
| 58-18-0202 |     | -- No Remote Switch for Quartz / LED Light Required - Pump                                         |    | 1   | HME |
|            |     | <b>Panel</b>                                                                                       |    |     |     |
| 58-15-8010 |     | -- FRC, Bottom Raise Pole - 530                                                                    | 94 | 1   | HME |
| 58-14-0110 |     | -- FRC - RF Corner - High Side                                                                     | 95 | 1   | HME |
| 58-15-1030 |     | -- FRC, Focus, 300W, 12VDC                                                                         | 95 | 1   | HME |
| 58-15-8004 |     | -- Lamphead ON / OFF Switch                                                                        | 95 | 1   | HME |
| 58-15-8006 |     | -- No Lamp Wire Guard Required                                                                     |    | 1   | HME |
| 58-18-0100 |     | -- No Remote Switch for Quartz / LED Light Required - Cab                                          |    | 1   | HME |
| 58-18-0202 |     | -- No Remote Switch for Quartz / LED Light Required - Pump                                         |    | 1   | HME |
|            |     | <b>Panel</b>                                                                                       |    |     |     |
| 58-15-8010 |     | -- FRC, Bottom Raise Pole - 530                                                                    | 95 | 1   | HME |
| 58-13-0130 |     | -- No Quartz Lighting - Lft Rr Body Corner Required                                                |    | 1   | HME |
| 58-13-0140 |     | -- No Quartz Lighting - Rt Rr Body Corner Required                                                 |    | 1   | HME |
| 46-08-1010 |     | -Interface (I-Zone) Brackets, Mounted Rear Body - OES                                              | 95 | 1   | HME |
| 46-24-1850 |     | Step, Rear, Flip Down SS Laser Grip, Tailboard                                                     | 96 | 1   | HME |
|            |     | <b>RECEIVER HITCH / PORTABLE WINCH</b>                                                             |    | 1   | HME |
| 46-36-0210 |     | -- No Rear - Receiver Hitch Required                                                               |    | 1   | HME |
| 46-36-0220 |     | -- No Driver's Side - Receiver Hitch Required                                                      |    | 1   | HME |
| 46-36-0230 |     | -- No Officer's Side - Receiver Hitch Required                                                     |    | 1   | HME |
| 46-36-0240 |     | -- No Front - Receiver Hitch Required                                                              |    | 1   | HME |
| 46-40-0100 |     | -- No Portable Winch Required                                                                      |    | 1   | HME |
|            |     | <b>SHELVES</b>                                                                                     |    | 1   | HME |
| 48-02-0200 |     | No DEEP 24" Adjustable Shel(ves) Required                                                          |    | 1   | HME |
| 48-03-0200 |     | No SHALLOW 12" Adjustable Shel(ves) Required                                                       |    | 1   | HME |
| 48-03-0610 | S < | -Shelves, Adjustable w/2" Flange, w/conspicuity - OES<br>Note: Special cutout for the upper shelf. | 96 | 1   | HME |
| 48-08-0602 |     | -- Turtle Tile Mat, Installed (Qty) Shelves/Trays, Ext Compt                                       | 96 | 10  | HME |
|            |     | <b>TRAYS</b>                                                                                       |    | 1   | HME |
| 48-04-1200 |     | No Pullout Tray(s) Required - 250#                                                                 |    | 1   | HME |
| 48-04-2190 |     | No Heavy Duty Pullout Tray(s) Required - 500#                                                      |    | 1   | HME |
|            |     | <b>ADJUSTABLE TRAYS</b>                                                                            |    | 1   | HME |
| 48-04-2399 |     | No Adjustable Pullout Tray(s) Required                                                             |    | 1   | HME |
| 48-04-2610 |     | -Trays, HD, Adj, Pullout w/Slides & Gas Shock, - OES                                               | 97 | 1   | HME |
| 48-08-0602 |     | -- Turtle Tile Mat, Installed (Qty) Shelves/Trays, Ext Compt                                       | 97 | 3   | HME |
|            |     | <b>OUT AND DOWN SHELVES</b>                                                                        |    | 1   | HME |
| 48-06-0200 |     | No Pullout & Down Tray(s) Required                                                                 |    | 1   | HME |
| 48-10-0200 |     | No Dri-Dek on Compartment Floors Required                                                          |    | 1   | HME |
| 48-10-0610 |     | -Turtle Tile Mats, Installed Compt Floors - OES                                                    | 97 | 1   | HME |
|            |     | <b>FOXTRAX</b>                                                                                     |    | 1   | HME |
| 48-14-0200 |     | No FoxTrax Alum Toolboard In Compts Required                                                       |    | 1   | HME |
|            |     | <b>VERTICAL DIVIDERS AND TOOLBOARDS</b>                                                            |    | 1   | HME |
| 48-16-0200 |     | No Ext Compt Vertical Divider(s) Required                                                          |    | 1   | HME |

| PART NO    | S | DESCRIPTION                                                    | PG  | QTY | ID  |
|------------|---|----------------------------------------------------------------|-----|-----|-----|
| 48-18-0100 |   | No Slide Out Vertical Tool Boards Required                     |     | 1   | HME |
| 48-18-0110 |   | No Swing Out Vertical Tool Boards Required                     |     | 1   | HME |
|            |   | POLY BINS                                                      |     | 1   | HME |
|            |   | TOOL BOXES                                                     |     | 1   | HME |
| 48-24-0100 |   | No Tool Boxes Required                                         |     | 1   | HME |
|            |   | 12 VOLT ELECTRICAL SYSTEM                                      |     | 1   | HME |
| 50-02-0200 |   | Electrical System, 12V, Body, Multiplexed w/Circuit Brkr Pnl   | 97  | 1   | HME |
|            |   | DIESEL AND GAS GENERATORS AND COMPONENTS                       |     | 1   | HME |
| 52-02-0200 |   | No Diesel Generator Required                                   |     | 1   | HME |
| 52-04-0200 |   | No Gas Generator Required                                      |     | 1   | HME |
| 52-11-0210 |   | -Generator, Gas, Honda, 2000 Watt w/Tnk, Recoil Strt           | 98  | 1   | HME |
| 52-11-0310 |   | -- -Light, 500 Watt, Generator Mount                           | 98  | 1   | HME |
|            |   | AUDIO WARNING DEVICES                                          |     | 1   | HME |
| 54-02-0400 |   | Buzzer System, Rear Body/Cab                                   | 99  | 1   | HME |
|            |   | LIGHTING SELECTION                                             |     | 1   | HME |
| 54-90-0100 |   | MAKE ICC AND WARNING LIGHT SELECTIONS HERE                     |     | 1   | HME |
| 55-01-0010 |   | -- Custom Cab - Double Hi Side Body                            |     | 1   | HME |
| 55-02-1002 |   | -- Custom Cab - Cab - LED - ICC Lighting - Whelen OS Series    | 99  | 1   | HME |
| 55-02-2000 |   | -- Body - LED - ICC Lighting with Body Side Clearance LED &    | 99  | 1   | HME |
|            |   | Reflector                                                      |     |     |     |
| 55-03-0155 |   | -- Headlights - HIVIZ LED - Daytime Running Halo Ring - Custom | 99  | 1   | HME |
|            |   | Cab                                                            |     |     |     |
| 55-04-0700 |   | -- Frt Turn Signal - FedSig - LED - Outside Hdlts - Custom Cab | 100 | 1   | HME |
| 55-03-0140 | S | -- Maxxima #MFL-100W LED Rectangular Driving Lights Bumper     | 100 | 1   | HME |
|            |   | Mounted                                                        |     |     |     |
| 55-03-0200 |   | -- No 'Rookie Rods' with Light Required                        |     | 1   | HME |
| 55-05-0100 |   | -- No Cab Side Turn Signal Required                            |     | 1   | HME |
| 55-05-0132 |   | -- Rear Stop/Tail/Turn - Whelen                                | 100 | 1   | HME |
| 55-05-0144 |   | -- LED Backup Lights - Whelen                                  | 100 | 1   | HME |
| 55-05-0200 |   | -- No Body Side Turn Signal Required                           |     | 1   | HME |
| 55-06-0480 |   | -- Back Up Alarm                                               | 100 | 1   | HME |
| 55-06-0500 |   | -- No Center Rear Brake Light Required                         |     | 1   | HME |
| 55-06-0600 |   | -- No Backup Light Remote Switching Required                   |     | 1   | HME |
| 55-06-1000 |   | -- License Plate Bracket w/LED Light                           | 100 | 1   | HME |
| 57-01-0332 |   | -- Whelen - LED - CUSTOM Pumper/Tanker/Rescue                  |     | 1   | HME |
| 55-05-0300 |   | -- No Body Corner Marker / Warning Light Required              |     | 1   | HME |
| 57-04-4334 |   | -- Lightbar, Frt, Ahrens-Fox Bar - 77" Single Stack - Dual 23" | 100 | 1   | HME |
|            |   | Brow Lights                                                    |     |     |     |
| 57-04-7914 |   | -- Mini Brow Alternating Flasher, Forward Lights               | 101 | 1   | HME |
| 57-04-7924 |   | -- Mini Brow Scene Light Switch                                | 101 | 1   | HME |
| 57-10-0000 |   | -- No Opticon Option Required - Separate Roof Mounted          |     | 1   | HME |
| 57-20-3302 |   | -- Cab, Lwr, Frt, Whelen - C6 SurfaceMax - Super LED           | 101 | 1   | HME |
| 57-03-1000 |   | -- Lens Color - Both Red                                       | 101 | 1   | HME |
| 57-30-0000 |   | -- No Front Bumper Intersection Lights Required                |     | 1   | HME |
| 57-32-3304 |   | -- Cab Side Over Wheel, Whelen - C6 SurfaceMax Series - Super  | 101 | 1   | HME |
|            |   | LED                                                            |     |     |     |
| 57-03-1000 |   | -- Lens Color - Both Red                                       | 102 | 1   | HME |
| 57-50-0000 |   | -- No Cab Roof Top, Side Facing Lightbar Required              |     | 1   | HME |
| 57-70-0000 |   | -- No Cab Center Front Above Grille Warning Lights Required    |     | 1   | HME |
| 57-80-0000 |   | -- No High Beam Alternating Headlight Warning Lights Required  |     | 1   | HME |
| 57-02-0326 |   | -- Whelen - LED - Double Hi Side Body                          |     | 1   | HME |
| 57-34-3304 |   | -- Body, Side Over Wheel, Whelen - C6 SurfaceMax Series -      | 102 | 1   | HME |
|            |   | Super LED                                                      |     |     |     |
| 57-03-1000 |   | -- Lens Color - Both Red                                       | 102 | 1   | HME |
| 57-40-2306 |   | -- Upper Rear, AF Upper Warn Lts - Stancions - 2 Tier LED      | 102 | 1   | HME |
| 57-42-3304 |   | -- Lower Rear, Whelen - C6 SurfaceMax Series - Super LED       | 102 | 1   | HME |
| 57-03-1000 |   | -- Lens Color - Both Red                                       | 103 | 1   | HME |
| 57-44-0000 | > | -- No Rear Body Traffic Advisor Light Required                 |     | 1   | HME |
| 58-24-0200 |   | No Rear Hosebed Mtd Spot/Flood Lights Required                 |     | 1   | HME |
|            |   | COMMUNICATION, MISC EQUIPMENT, LADDERS                         |     | 1   | HME |
| 70-02-0400 |   | Labels, Identification & Safety, Mtd Drvr's Compt/Pump Panel   | 103 | 1   | HME |
| 70-04-0200 |   | No Fire Extinguisher(s) Required                               |     | 1   | HME |
| 70-06-0200 |   | No Portable Handlight(s) Required                              |     | 1   | HME |
| 70-12-0200 |   | No Flathead Axe(s) Required                                    |     | 1   | HME |
| 70-12-1200 |   | No Pickhead Axe(s) Required                                    |     | 1   | HME |

| PART NO           | S | DESCRIPTION                                                  | PG         | QTY      | ID         |
|-------------------|---|--------------------------------------------------------------|------------|----------|------------|
| 70-20-0200        |   | No Salvage Cover(s) Required                                 |            | 1        | HME        |
| 70-22-0200        |   | No Backboard(s) Required                                     |            | 1        | HME        |
| <b>70-24-1010</b> |   | <b>Wheel Chocks, (2) Worden 7HY HD, Yellow Alum - OES</b>    | <b>103</b> | <b>1</b> | <b>HME</b> |
| 70-26-0200        |   | No SCBA Bracket(s) Required                                  |            | 1        | HME        |
| 70-28-0200        |   | No SCBA Storage Rack Required                                |            | 1        | HME        |
|                   |   | <b>Pike Poles</b>                                            |            | <b>1</b> | <b>HME</b> |
| 72-18-0100        |   | No Pike Pole(s) w/Fiberglass Handles Required                |            | 1        | HME        |
| 72-18-0200        |   | No Pike Pole(s) w/Fiberglass Handles Required                |            | 1        | HME        |
| 72-18-0300        |   | No Pike Pole(s) w/Fiberglass Handles Required                |            | 1        | HME        |
| 72-22-0100        |   | No Pike Pole(s) w/Wood Handles Required                      |            | 1        | HME        |
| 72-22-0200        |   | No Pike Pole(s) w/Wood Handles Required                      |            | 1        | HME        |
| 72-22-0300        |   | No Pike Pole(s) w/Wood Handles Required                      |            | 1        | HME        |
|                   |   | <b>ELECTRIC CORD REELS AND COMPONENTS</b>                    |            | <b>1</b> | <b>HME</b> |
| 74-02-0200        |   | No Electric Cable Reel Required                              |            | 1        | HME        |
|                   |   | <b>HYDRAULIC HOSE REELS</b>                                  |            | <b>1</b> | <b>HME</b> |
| 74-12-0200        |   | No Hydraulic Hose Reel Required                              |            | 1        | HME        |
|                   |   | <b>UTILITY AIR REELS</b>                                     |            | <b>1</b> | <b>HME</b> |
| 74-22-0200        |   | No Utility Air Hose Reel Required                            |            | 1        | HME        |
|                   |   | <b>HARD SUCTION HOSE</b>                                     |            | <b>1</b> | <b>HME</b> |
| 76-02-0201        |   | No Additional Hard Suction Hose Required                     |            | 1        | HME        |
| <b>76-02-6200</b> |   | <b>Hard Suction, 10' x 6", Lightweight PVC w/NH Cplng</b>    | <b>104</b> | <b>2</b> | <b>HME</b> |
|                   |   | <b>SUCTION STRAINERS</b>                                     |            | <b>1</b> | <b>HME</b> |
| 76-06-0200        |   | No Suction Strainer Required At This Time                    |            | 1        | HME        |
| 76-06-0201        |   | No Additional Suction Strainer Required                      |            | 1        | HME        |
|                   |   | <b>REFLECTIVE STRIPING</b>                                   |            | <b>1</b> | <b>HME</b> |
| <b>84-02-0800</b> |   | <b>Striping, 4" Scotchlite, Reflective, Vehicle Perimetr</b> | <b>104</b> | <b>1</b> | <b>HME</b> |
| <b>84-04-1202</b> |   | <b>-- No Stripe Flare Required</b>                           |            | <b>1</b> | <b>HME</b> |
| <b>84-04-3010</b> |   | <b>-- Base Stripe Color, White Reflective</b>                | <b>104</b> | <b>1</b> | <b>HME</b> |
| <b>84-04-4002</b> |   | <b>-- No Stripe Outline Required</b>                         |            | <b>1</b> | <b>HME</b> |
| 84-05-0011        |   | No Lettering Required                                        |            | 1        | HME        |
| 84-06-4000        |   | No "Keep Back" Warning Sign Required                         |            | 1        | HME        |
|                   |   | <b>MISC. ITEMS</b>                                           |            | <b>1</b> | <b>HME</b> |
| 86-02-0001        |   | No Miscellaneous Fastener Kit Required                       |            | 1        | HME        |
|                   |   | <b>WARRANTIES, MANUALS, MISCELLANEOUS DOCUMENTS</b>          |            | <b>1</b> | <b>HME</b> |
| 90-03-1000        |   | Water Tank Warranty - Service Life                           | 104        | 1        | HME        |
|                   |   | <b>v4.001 - RELEASE DATE - 10/08/2018</b>                    |            | <b>1</b> | <b>HME</b> |
|                   |   | <b>== Limited Warranty - Use For Contracts - 4.001 ==</b>    | <b>104</b> | <b>1</b> | <b>HM</b>  |
| 10-00-0010        |   | Limited Warranty                                             | 105        | 1        | HM         |
| 20-00-0010        |   | -- General Warranty Period - 1 Year                          | 112        | 1        | HM         |
| 40-00-0005        |   | -- Cab & Body Paint Warranty Period - 5 Years                | 112        | 1        | HM         |
|                   |   | <b>v3.001 - RELEASE DATE - 04/13/2018</b>                    |            | <b>1</b> | <b>HM</b>  |