



## QUOTATION

HME, Inc  
 Bill Doebler  
 1950 Byron Center Ave  
 Wyoming, MI 49519  
 bdoebler@hmetruck.com

HME, Inc  
 Bill Doebler  
 1950 Byron Center Ave  
 Wyoming, MI 49519  
 bdoebler@hmetruck.com

**Exp. Date:** 03/23/2019  
**Quote No:** 23355-0003  
**Job/Order No:** 23355  
**CHASSIS:** -SFO AF96 HME Ahrens-Fox - SFO 96" Custom  
**PUMP:** SIDE MNTV Pump Module, 47" Side Mnt, Gen IV, Volute Pump  
**BODY:** PUMPER Pumper Components & Equipment  
**WARRANTY:** WARRANTY Limited Warranty - Use For Contracts

09/14/2020

| PART NO           | S           | DESCRIPTION   | QTY      | ID         |
|-------------------|-------------|---|----------|------------|
|                   |             | <b>== HME Ahrens-Fox - SFO 96" Custom - 4.001 ==</b>                    | <b>1</b> | <b>HMC</b> |
| 00-00-0012        |             | NFPA-1901, Current Edition - Complete Apparatus                         | 1        | HMC        |
| <b>00-00-90SF</b> | <b>S</b>    | <b>&gt; Vocation and Basic Attributes - Apparatus</b>                   | <b>1</b> | <b>HMC</b> |
| <b>00-00-92SF</b> | <b>S</b>    | <b>&gt; Paint Codes and Basic Attributes - Apparatus</b>                | <b>1</b> | <b>HMC</b> |
| <b>00-00-940C</b> |             | <b>Details of Construction - Order Confirmation</b>                     | <b>1</b> | <b>HMC</b> |
|                   |             | <b>CHASSIS</b>  | <b>1</b> | <b>HMC</b> |
| 00-J0-10AF        |             | HME Ahrens-Fox 1871-SFO Custom Chassis                                  | 1        | HMC        |
| 00-J0-2010        |             | -- Custom Chassis - Vertically Integrated Builder                       | 1        | HMC        |
| 01-A0-0104        |             | 4x2 Chassis - Two Axle - Rear Wheel Drive - MFS Frt - SFO               | 1        | HMC        |
| 01-G0-1102        | >           | -- Single Frame Rails - SFO   | 1        | HMC        |
| <b>01-I0-1100</b> |             | <b> -- Frame Rail Finish - Galvanized, Single Rails</b>                 | <b>1</b> | <b>HMC</b> |
| <b>01-I0-1500</b> |             | <b> -- Fastner Finish - ArmorGalv®</b>                                  | <b>1</b> | <b>HMC</b> |
| 07-A0-2016        |             | -- Front Axle 18,740# - Meritor MFS                                     | 1        | HMC        |
| 07-AC-4500        |             | -- 45° Cramp Angle  | 1        | HMC        |
| 07-B0-0100        |             | -- Oil Seals - Front Axle - Factory Premium                             | 1        | HMC        |
| <b>07-C0-0210</b> |             | <b> -- Disc Brakes - Front Axle - EX-225</b>                            | <b>1</b> | <b>HMC</b> |
| 07-R0-1018        |             | -- Front Suspension 18,740# - Semi-Elliptical Spring                    | 1        | HMC        |
| 07-RS-0100        |             | -- Shock Absorbers - Front Axle   | 1        | HMC        |
| 07-Y0-0117        |             | -- Steering - 18,740# - Sheppard Single Gear                            | 1        | HMC        |
| <b>10-GF-1810</b> | <b>&gt;</b> | <b> -- Goodyear 315/80R22.5-20PR (L) Front - G751 - 18,180#-19,450#</b> | <b>1</b> | <b>HMC</b> |
| <b>10-GG-0032</b> |             | <b> -- 18,180# - Std Load Rating 315/80R22.5 L</b>                      | <b>1</b> | <b>HMC</b> |
| <b>10-GV-0068</b> |             | <b> -- Tire Speed Rating - 68 MPH</b>                                   | <b>1</b> | <b>HMC</b> |
| <b>10-W0-1020</b> |             | <b> -- Front - Aluminum Wheels - 9.00</b>                               | <b>1</b> | <b>HMC</b> |
| <b>10-WP-0100</b> |             | <b> -- Wheel Bright Finish Protection</b>                               | <b>2</b> | <b>HMC</b> |
| <b>10-X0-0100</b> |             | <b> -- Stainless 'Baby Moon' Caps &amp; Nutcovers</b>                   | <b>1</b> | <b>HMC</b> |
| 08-AS-1024        |             | -- Single Rear Axle 24,000# - Meritor RS-24-160                         | 1        | HMC        |
| 08-AV-F160        |             | -- 160 Series Differential - Single Axle                                | 1        | HMC        |
| 08-AV-S010        |             | -- Axle Lube - Non Synthetic  | 1        | HMC        |
| 08-B0-0100        |             | -- Oil Seals - Rear Axle - Factory Premium                              | 1        | HMC        |
| <b>08-C0-0110</b> | <b>&gt;</b> | <b> -- Disc Brakes - Single Rear Axle - EX225</b>                       | <b>1</b> | <b>HMC</b> |
| <b>08-PA-0300</b> |             | <b> -- Vehicle Top Speed 65 - 68 MPH</b>                                | <b>1</b> | <b>HMC</b> |
| <b>08-PA-1100</b> |             | <b> -- NFPA Vehicle Top Speed Statement (Revised 6/25/2018)</b>         | <b>1</b> | <b>HMC</b> |
| 08-R0-0100        |             | -- Single Axle Suspension - 27,000# - Spring                            | 1        | HMC        |
| 09-A0-1000        |             | -- Air System - Color Coded Nylon Air Lines - Single Axle               | 1        | HMC        |
| 09-A0-1208        |             | -- Bendix AD SP Dryer   | 1        | HMC        |
| <b>09-B0-0240</b> |             | <b> -- Dedicated Air Horn Reservoir</b>                                 | <b>1</b> | <b>HMC</b> |
| 09-D0-0102        |             | -- Air Tank Drains - Manual   | 1        | HMC        |
| <b>09-F0-0102</b> |             | <b> -- Air Inlet/Outlet in Driver's Step Well</b>                       | <b>1</b> | <b>HMC</b> |

| PART NO    | S | DESCRIPTION   | QTY | ID  |
|------------|---|---|-----|-----|
| 09-L0-0400 |   | -- ABS Brake System - 4 Wheel - Meritor/Wabco                       | 1   | HMC |
| 09-RS-1010 | > | -- Stability Enhancement System - 4 Wheel - Meritor/Wabco           | 1   | HMC |
| 10-GT-2400 |   | -- Goodyear 11R22.5-16PR (H) Rear M&S - G182 - 24,000#              | 1   | HMC |
| 10-GV-0075 |   | -- Tire Speed Rating - 75 MPH                                       | 1   | HMC |
| 10-W0-3010 |   | -- Inner and Outer Rear - SA - Aluminum Wheels - 8.25               | 1   | HMC |
| 10-WP-0100 |   | -- Wheel Bright Finish Protection                                   | 4   | HMC |
| 10-X0-0300 |   | -- Stainless "Lincoln Hat" Hub & Nut Covers                         | 1   | HMC |
| 10-GW-0122 |   | -- Tire Pressure Monitoring Device - 2 Axles - LED Alert            | 1   | HMC |
| 08-RS-0500 |   | -- Axle & Chassis Laser Alignment                                   | 1   | HMC |
| 13-EU-5437 | < | Cummins L9 - 370 HP - MY 18 - 989 Radiator<br>SOR approved by Ken L | 1   | HMC |
| 13-A0-0989 |   | -- Engine Cooling System Radiator - 989 Sq. In.                     | 1   | HMC |
| 13-A0-1450 |   | -- Engine Coolant Recovery System                                   | 1   | HMC |
| 13-A0-1500 |   | -- Charge Air Cooler - Engine Air Intake                            | 1   | HMC |
| 13-A0-1700 |   | -- Radiator Coolant   | 1   | HMC |
| 13-A0-1900 |   | -- Premium Cooling System Hoses                                     | 1   | HMC |
| 13-A0-1960 |   | -- Constant Torque Cooling System Clamps - Entire System            | 1   | HMC |
| 13-A0-1974 |   | -- Heater Shut Off Valves   | 1   | HMC |
| 13-EU-9000 |   | -- Cummins Tariff Surcharge - January 1, 2019 (ISB - ISL)           | 1   | HMC |
| 13-I0-0004 |   | -- Engine Air Intake Filter, K&N, Washable                          | 1   | HMC |
| 13-L0-0002 |   | -- Engine Oil - First Fill  | 1   | HMC |
| 13-LD-5100 |   | -- Engine Magnetic Drain Plug                                       | 1   | HMC |
| 13-N0-0210 |   | -- Engine Brake - Cummins L9 Engine                                 | 1   | HMC |
| 13-P0-2300 |   | -- Fast (High) Idle - Manual Select - Auto Low Voltage              | 1   | HMC |
| 13-S0-0040 |   | -- Corrosion Inhibitor  | 1   | HMC |
| 13-V0-0120 |   | -- Auxiliary Engine Cooler - Sendure                                | 1   | HMC |
| 13-V0-0210 |   | -- Spark Arrestor - Air Intake                                      | 1   | HMC |
| 13-V0-3020 |   | -- Fan Clutch - Fully Variable Fan Drive                            | 1   | HMC |
| 13-Y0-0620 |   | -- MY 18 Compliant Exhaust Treatment System - L9                    | 1   | HMC |
| 13-Y0-1610 | > | -- Cummins Aftertreatment System - MY 18 - L9                       | 1   | HMC |
| 13-Y0-3010 |   | -- Stainless Tailpipe - Curb Side - 90° Exit - Straight Cut End     | 1   | HMC |
| 13-Y0-6010 |   | -- Exhaust Tailpipe Diffuser  | 1   | HMC |
| 13-Z0-0017 |   | -- DEF System - 5 Gallon Reservoir - MY 18                          | 1   | HMC |
| 14-C0-3043 |   | -- Allison 3000EVS Automatic Transmission                           | 1   | HMC |
| 14-D0-0100 |   | -- Transmission Fluid - Allison TES-389                             | 1   | HMC |
| 14-ER-0114 |   | -- Five Speed Allison Programming - 3000EVS                         | 1   | HMC |
| 14-ET-0100 |   | -- Automatic Neutral Programming - 2500 EVS / 3000EVS / 4000EVS     | 1   | HMC |
| 14-HF-0100 |   | -- Drivertrain Fluid Monitoring System                              | 1   | HMC |
| 14-W0-1100 |   | -- 1760 Series Drivelines   | 1   | HMC |
| 25-A0-2000 | > | -- Fuel Tank - 50 Gallon - Stainless Straps                         | 1   | HMC |
| 25-U0-1002 |   | -- Electric Fuel Re-Prime Pump                                      | 1   | HMC |
| 25-V0-0000 |   | -- Reinforced Fuel Lines  | 1   | HMC |
| 25-V0-1102 |   | -- Fuel Shut Off Valve  | 1   | HMC |
| 25-F0-0200 |   | -- Fuel Filter - Cummins - Factory                                  | 1   | HMC |
| 45-D0-0200 |   | -- 320 Amp Alternator - Leece-Neville - 4890JB                      | 1   | HMC |
|            |   | CAB MODEL   | 1   | HMC |
| 40-D0-0620 |   | SFO-MFDxI - Aluminum 96" Wide Cab - Flat Roof                       | 1   | HMC |
| 14-ES-0200 |   | -- Transmission Selector - Push Button Type                         | 1   | HMC |
| 14-ES-0400 |   | -- Transmission Fluid Check - Transmission Selector                 | 1   | HMC |
| 40-N0-0805 |   | -- Cab Stainless Fender   | 1   | HMC |
| 40-U0-0094 |   | -- Overhead Heater / Defroster - SFO - WUI                          | 1   | HMC |
| 40-U0-0450 | > | -- 45,000 BTU Air Conditioning with Heater - Single Condenser       | 1   | HMC |
| 40-U0-0610 |   | -- 36,000 BTU Supplemental Heater                                   | 1   | HMC |
| 40-U0-0620 |   | -- Cab Climate Control Insulation Package                           | 1   | HMC |
| 45-E0-0100 |   | -- EMI/RFI Noise Suppression  | 1   | HMC |
| 45-NS-0802 |   | -- Stainless Steel Battery Tray                                     | 1   | HMC |
| 45-NU-0322 |   | -- Single Battery System - 4 Group 31- SFO                          | 1   | HMC |
| 45-NU-0410 |   | -- Battery Jumpers  | 1   | HMC |
| 45-NU-0462 |   | -- Battery On Indicator Light - External View                       | 1   | HMC |
| 45-T0-0111 |   | -- 40 Amp - Battery Charger Plus Air Compressor - ProMariner - SFO  | 1   | HMC |
| 09-X0-1400 |   | -- Kussmaul - Auto Air 091-9B-1 - 120VAC Compressor                 | 1   | HMC |
| 45-T0-6112 |   | -- Kussmaul 91-94-12 Remote Charge Indicator - ProTech Charger      | 1   | HMC |
| 45-T0-6210 |   | -- Charge Indicator Panel on Driver's Seat Box                      | 1   | HMC |
| 45-Z0-1200 |   | -- Kussmaul 20 AMP - 120v - Super Auto Eject                        | 1   | HMC |

| PART NO    | S   | DESCRIPTION   | QTY | ID  |
|------------|-----|---|-----|-----|
| 45-Z0-1302 |     | <i>/-- Yellow Auto-Eject Cover</i>  | 1   | HMC |
| 45-Z0-1314 |     | <i>/-- Plain Cover</i>  | 1   | HMC |
| 45-Z0-1320 |     | <i>/-- Cab Exterior Mounted - Behind the Driver's Door</i>                        | 1   | HMC |
| 45-NU-0510 |     | <i>/-- Battery Jumper Studs</i>   | 1   | HMC |
| 40-D0-0710 | X   | <i>Barrier Cab Doors</i>  | 1   |     |
|            |     | <b>CAB INTERIOR</b>   | 1   | HMC |
| 40-D0-5130 |     | Cab Interior Appointments and Options - 1871SFO -- Apparatus                      | 1   | HMC |
| 40-DE-0300 | < > | <i>/-- Engine Enclosure - Vinyl Covering - Acoustiblok - NO FLUID CHECK HATCH</i> | 1   | HMC |
|            |     | The underside insulation MUST extend completely to the bottom of the doghouse     |     |     |
| 40-DE-1030 |     | <i>/-- Painted Interior Door Panels</i>   | 1   | HMC |
| 40-DE-2010 |     | <i>/-- Interior Padding - Standard Ceiling</i>                                    | 1   | HMC |
| 40-DE-2037 | S < | <i>/-- Interior Padding - Foxtracks on Rear Wall next to EMS compartment</i>      | 1   | HMC |
|            |     | Note: Rear wall covering modified   |     |     |
| 40-DE-2060 |     | <i>/-- Floor Material - Accoustical Wear Mat</i>                                  | 1   | HMC |
| 40-DE-2070 |     | <i>/-- * * * Rear Facing Seat Box Covering - Accoustical Wear Mat</i>             | 1   | HMC |
| 40-DE-2620 |     | <i>/-- Interior Padding - Rugged Zolotone Dash</i>                                | 1   | HMC |
| 40-DE-3050 |     | <i>/-- Cab Door Reflective Material - Diamond Grade Chevron</i>                   | 1   | HMC |
| 40-DE-3430 |     | <i>/-- Cab Door Interior Warning Lights - Foster Light</i>                        | 1   | HMC |
| 40-DE-4002 |     | <i>/-- Cab Step Well Trim - Step Tops Only</i>                                    | 1   | HMC |
| 40-DE-7010 |     | <i>/-- Steering Wheel and Column</i>  | 1   | HMC |
| 40-DH-0260 |     | <i>/-- Grab Hndls - Inside - Driver's, Officer's A-Post and Both Crew Doors</i>   | 1   | HMC |
| 40-LC-0114 |     | <i>/-- Open Compartment Light - Red Flashing - Whelen OS LED</i>                  | 1   | HMC |
| 40-LC-3026 |     | <i>/-- DeckGun Raised Light - Blue Flashing - Whelen OS LED</i>                   | 1   | HMC |
| 40-LD-0100 |     | <i>/-- Interior Lighting Group - 1871W - 1871SFO</i>                              | 1   | HMC |
| 40-LD-0420 |     | <i>/-- LED Strip Light Interior Light Packages</i>                                | 1   | HMC |
| 40-LD-4010 |     | <i>/-- Step Nose LED Lighting - WHITE/RED</i>                                     | 1   | HMC |
| 40-LD-5012 |     | <i>/-- Driver and Officer Door Strip Lighting - WHITE/RED</i>                     | 1   | HMC |
| 40-LD-5184 |     | <i>/-- Cab Door Controlled</i>  | 1   | HMC |
| 40-LD-5186 | >   | <i>/-- Red Lighting Driver Switch Controlled</i>                                  | 1   | HMC |
| 40-LD-5193 | >   | <i>/-- White Lighting Driver Switch Controlled</i>                                | 1   | HMC |
| 40-LD-5104 |     | <i>/-- Rear Crew Area (Full Width) LED Strip Lighting - WHITE/RED</i>             | 1   | HMC |
| 40-LD-5184 |     | <i>/-- Cab Door Controlled</i>  | 1   | HMC |
| 40-LD-5112 |     | <i>/-- Crew Cab Door Area LED Strip Lighting - WHITE/RED</i>                      | 1   | HMC |
| 40-LD-5184 |     | <i>/-- Cab Door Controlled</i>  | 1   | HMC |
| 40-LD-5188 | >   | <i>/-- Crew Area Toggle Switch Controlled</i>                                     | 1   | HMC |
| 40-LD-5182 |     | <i>/-- Interior Cab Light Color Control</i>                                       | 1   | HMC |
| 40-LG-1010 |     | <i>/-- Console - Officer Laptop Desk</i>  | 1   | HMC |
| 40-V0-0100 |     | <i>/-- Driver Instrumentation (J1939) and Controls</i>                            | 1   | HMC |
| 40-V0-0120 |     | <i>/-- Audible Turn Signal Reminder</i>   | 1   | HMC |
| 40-V0-0122 |     | <i>/-- Audible Lights On Reminder</i>   | 1   | HMC |
| 40-V0-0124 |     | <i>/-- Audible Parking Brake Reminder</i>   | 1   | HMC |
| 40-V0-0130 |     | <i>/-- Dual Trip Odometers</i>  | 1   | HMC |
| 40-V0-0148 | >   | <i>/-- Odometer Activated While in Pump Mode</i>                                  | 1   | HMC |
| 40-V0-0150 |     | <i>/-- Low Fuel Warning Light and Alarm</i>                                       | 1   | HMC |
| 40-V0-0152 |     | <i>/-- Transmission Temperature Warning Light and Alarm</i>                       | 1   | HMC |
| 40-V0-0154 |     | <i>/-- Low Voltage Warning Light</i>  | 1   | HMC |
| 40-V0-0156 |     | <i>/-- Air Cleaner Restriction Indicator</i>                                      | 1   | HMC |
| 40-V0-0160 |     | <i>/-- Low Coolant Warning</i>  | 1   | HMC |
| 40-V0-0162 |     | <i>/-- Wiper Control, Intermittent</i>  | 1   | HMC |
| 40-X0-1422 |     | <i>/-- Outside Temperature Monitor</i>  | 1   | HMC |
| 69-C0-0100 |     | <i>/-- On Board USB Electronic Operator's Manual w/Parts List</i>                 | 1   | HMC |
| 40-X0-1100 |     | <i>/-- Overhead PS Panel - EsKey</i>  | 1   | HMC |
| 40-V0-0502 |     | <i>/-- Parking Brake Control - Driver's Dash</i>                                  | 1   | HMC |
| 40-X0-0620 | S < | <i>/-- Doghouse Switch Panel Fab Housing</i>                                      | 1   | HMC |
|            |     | Ken has idea for new streamline design  |     |     |
| 45-NS-0200 |     | <i>/-- Apparatus Base Digital Electrical System - Class1 EsKey</i>                | 1   | HMC |
| 45-NS-0210 |     | <i>/-- Information Display Module - Driver's Position</i>                         | 1   | HMC |
| 40-X0-1302 |     | <i>/-- White Warning Light Cut-Out Switch</i>                                     | 1   | HMC |
| 40-X0-1416 |     | <i>/-- Dual Port USB Charging Port - Officer and Driver's Area</i>                | 1   | HMC |
| 40-X0-8010 |     | <i>/-- Doghouse Mounted Cupholder w/USB</i>                                       | 1   | HMC |

| PART NO    | S   | DESCRIPTION   | QTY | ID  |
|------------|-----|---|-----|-----|
| 40-X0-9000 |     | -- No Rear Seat Base Mounted Cupholder  | 1   | HMC |
| 40-YC-3810 |     | -- <b>Back-Up Camera System</b>   | 1   | HMC |
| 40-YC-3820 |     | -- <b>Observation Monitor - 7" LCD - Waterproof</b>                           | 1   | HMC |
| 40-YC-4002 |     | -- <b>Monitor Mounting - Ceiling Mounted - Driver - Flip Down</b>             | 1   | HMC |
| 40-YC-3835 |     | -- <b>Camera - Color - Rear - High Performance - Black Housing</b>            | 1   | HMC |
| 40-YC-4100 |     | -- <b>Operation - Battery Powered</b>   | 1   | HMC |
| 40-YC-4200 |     | -- <b>Camera Mounting - Body Rear - Below Hosebed</b>                         | 1   | HMC |
| 40-YC-4220 |     | -- <b>Guard, Rear Camera</b>  | 1   | HMC |
| 40-YC-3934 |     | -- <b>Camera - Color - Left Rear Side</b>                                     | 1   | HMC |
| 40-YC-4100 |     | -- <b>Operation - Battery Powered</b>   | 1   | HMC |
| 40-YC-3944 |     | -- <b>Camera - Color - Right Rear Side</b>                                    | 1   | HMC |
| 40-YC-4100 |     | -- <b>Operation - Battery Powered</b>   | 1   | HMC |
| 40-Z0-0210 |     | -- <b>12VDC Power Circuits - Radio and/or Accessories</b>                     | 1   | HMC |
| 40-Z0-0300 |     | -- <b>Location - Power Panel</b>  | 1   | HMC |
| 40-Z0-0810 |     | -- <b>NMO Mount - Radio Antenna Wiring - Officer's Side Forward</b>           | 1   | HMC |
| 40-Z0-0856 |     | -- <b>Location - Doghouse Top</b>   | 1   | HMC |
| 40-Z0-3100 |     | -- <b>AM/FM Stereo NOAA, Frt Input, Bluetooth Radio w/Four Speakers</b>       | 1   | HMC |
| 40-Z0-9910 |     | -- Fire Extinguisher and Hazard Triangle Kit                                  | 1   | HMC |
|            |     | <b>CAB EXTERIOR</b>   |     |     |
| 40-D0-6130 |     | Cab Exterior Appointments and Options - 1871SFO -- Apparatus                  | 1   | HMC |
| 40-DH-2100 |     | -- Exterior Grab Handles - 24" Long   | 1   | HMC |
| 40-DH-4110 |     | -- <b>Warning Light / Turn Signal, Cab Handrails</b>                          | 1   | HMC |
| 40-DZ-0112 |     | -- 3-Dimensional Stainless Front Grille - SFO                                 | 1   | HMC |
| 40-G0-1010 |     | -- Cab Front Mudflaps   | 1   | HMC |
| 40-G0-1300 |     | -- Cab Ground Lights - LED Strip Lights                                       | 1   | HMC |
| 40-J0-2400 |     | -- <b>Door Mounted Ramco - Heated and Remote with Upper Convex</b>            | 1   | HMC |
| 40-K0-1210 |     | -- <b>Rear Wall Windows - Fixed Glass</b>                                     | 1   | HMC |
| 40-K0-2020 |     | -- <b>Electric Windows - Four Doors - Driver Additional Controls</b>          | 1   | HMC |
| 40-K0-3010 |     | -- <b>Powered Door Locks - Four Doors</b>                                     | 1   | HMC |
| 40-K0-3510 | S < | -- <b>Rear Window Safety Bars</b>   | 1   | HMC |
|            |     | Note: black powder coated   |     |     |
| 40-KA-4010 |     | -- Dark Gray-Lite Door Glass - Crew Side Doors                                | 1   | HMC |
| 40-LE-1002 |     | -- Engine Maintenance Lights LED - Custom                                     | 1   | HMC |
| 40-N0-1400 |     | -- Exterior Rear Wall - Diamond Plate Overlay                                 | 1   | HMC |
| 40-P0-0100 |     | -- Cab Tilt - Electric Pump   | 1   | HMC |
| 40-P0-0400 |     | -- Cab Tilt Road Interlock  | 1   | HMC |
|            |     | <b>CAB AND CHASSIS PAINT</b>  |     |     |
| 40-Q0-1005 |     | Cab & Chassis Paint - SFO   | 1   | HMC |
| 40-Q0-1200 |     | -- Black Interior Paint   | 1   | HMC |
| 40-Q0-2010 |     | -- Headliner - Black  | 1   | HMC |
| 40-Q0-2110 |     | -- Rear Wall Covering - Black   | 1   | HMC |
| 40-Q0-2210 |     | -- Floor Covering - Black   | 1   | HMC |
| 40-Q0-2302 |     | -- Door Panels - Black  | 1   | HMC |
| 40-Q0-2310 |     | -- Doghouse Covering - Black  | 1   | HMC |
| 40-Q0-2502 |     | -- Dash Housing and Officer Console - Black                                   | 1   | HMC |
| 40-Q0-3020 | >   | -- <b>Two-Tone Cab Exterior Paint</b>   | 1   | HMC |
| 40-Q0-3080 | >   | -- <b>Cab Exterior Paint - PPG - Urethane</b>                                 | 1   | HMC |
| 40-Q0-5030 |     | -- <b>Two Tone Cab Breakline Strip - Simulated Gold</b>                       | 1   | HMC |
|            |     | <b>SEATING</b>  |     |     |
| 40-RS-0010 |     | Seat Logos by Truck Model   | 1   | HMC |
| 40-RS-4004 | S   | <b>SFO - 96" - 2 Rear Facing</b>  | 1   | HMC |
| 40-S0-0010 |     | -- <b>Seat Position 1 - Driver's Seat</b>                                     | 1   | HMC |
| 40-S0-1350 |     | -- <b>Highback - Air Ride Suspension - HO Bostrom - Sierra 500 - ABTS</b>     | 1   | HMC |
| 40-S0-0020 |     | -- <b>Seat Position 2 - Officer's Seat</b>                                    | 1   | HMC |
| 40-S0-4310 |     | -- <b>SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS</b> | 1   | HMC |
| 40-S0-9162 |     | -- <b>Filler Pad for SCBA Seats</b>   | 1   | HMC |
| 40-S0-9220 |     | -- <b>HO Bostrom SecurAll SCBA Locking Bracket</b>                            | 1   | HMC |
| 40-S0-0030 |     | -- <b>Seat Position 3 - Rear Facing Left Outboard - Behind Driver</b>         | 1   | HMC |
| 40-S0-5810 | >   | -- <b>SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS</b> | 1   | HMC |
| 40-S0-9162 |     | -- <b>Filler Pad for SCBA Seats</b>   | 1   | HMC |
| 40-S0-9220 |     | -- <b>HO Bostrom SecurAll SCBA Locking Bracket</b>                            | 1   | HMC |
| 40-S0-0060 |     | -- <b>Seat Position 6 - Rear Facing Rt Outboard - Behind Officer</b>          | 1   | HMC |

| PART NO    | S | DESCRIPTION  | QTY | ID  |
|------------|---|--|-----|-----|
| 40-S0-5810 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS | 1   | HMC |
| 40-S0-9162 |   | -- Filler Pad for SCBA Seats   | 1   | HMC |
| 40-S0-9220 |   | -- HO Bostrom SecurAll SCBA Locking Bracket                            | 1   | HMC |
| 40-S0-7420 |   | -- Gray / Black Durawear Seat Covering                                 | 1   | HMC |
| 40-S0-8002 |   | -- Seat Belt Warning Labels  | 1   | HMC |
| 40-SU-3802 | > | -- Gen II - EMS Cabinet - Full Ht - Fwd Facing Door - Pos 8 & 9        | 1   | HMC |
| 40-SU-488C |   | -- Cabinet Install - Seatng Pos 8 and 9 - Rear Wall Centered           | 1   | HMC |
| 40-SU-5020 |   | -- Roll Up Door, EMS, Gortite w/Satin Anodized Finish                  | 1   | HMC |
| 40-SU-5024 |   | -- Door Latches, EMS, Locking Lift Bar w/Door Switch                   | 1   | HMC |
| 40-SU-5112 |   | -- Shelves, Deep (Qty) Adjustable - Gen II EMS Cabinet                 | 2   | HMC |
| 40-SU-5710 |   | -- Lights, Ext Compts, LED Strip Lights - Roll Up Door                 | 1   | HMC |
| 40-S0-8014 |   | Vehicle Data Recorder and Seat Belt Warning System                     | 1   | HMC |
| 40-S0-8018 |   | -- Seat Belt Warning System Graphic Monitor Panel                      | 1   | HMC |
|            |   | <b>FRONT BUMPER / AUDIBLE WARNING</b>                                  | 1   | HMC |
| 42-A0-301S |   | Front Bumper - 10" High - Painted Structural -- Apparatus              | 1   | HMC |
| 01-V0-3318 |   | -- Front Bumper Extension - 18 Inches                                  | 1   | HMC |
| 01-T0-1114 | > | -- Front Suction - 5" - Thru Bumper Face - Apparatus                   | 1   | HMC |
| 01-T0-1152 | > | -- Front Intake, piping from pumper to pump, 5" Gated                  | 1   | HMC |
| 01-T0-1164 |   | -- Valve, Akron #7950, Elec Operated w/Switch                          | 1   | HMC |
| 01-T0-1172 |   | -- Intake Pressure Relief Valve, TFT                                   | 1   | HMC |
| 01-T0-1306 |   | -- Adapter Front Suction - Elkhart 5.0 NPT X 6.0 NH Chrome Plated      | 1   | HMC |
| 01-T0-2011 |   | -- Long Handle Cap for Front Suction                                   | 1   | HMC |
| 01-T0-2410 |   | -- Drain Valve - Manual - Front Suction - Akron Push-Pull              | 1   | HMC |
| 01-T1-0140 |   | -- Frt Jumpline, 1.5" w/2" Plmbg, 90° Swivel Adapter                   | 1   | HMC |
| 01-T1-0810 |   | -- Swivel On Gravelshield Next to Hosewell                             | 1   | HMC |
| 01-T2-0140 |   | -- Drain Valve, Class 1, 3/4", Automatic                               | 1   | HMC |
| 01-T4-0120 |   | -- Discharge Cap, (Qty) 1.5" Chrome Vented Rocker Lug w/Chain          | 1   | HMC |
| 01-W0-0900 |   | -- Tow Loops - All Positions Available                                 | 1   | HMC |
| 01-W0-0912 |   | -- Tow Loops - Beneath Front Bumper                                    | 1   | HMC |
| 01-W0-0920 |   | -- Tow Loops - Painted   | 1   | HMC |
| 01-Z0-8012 |   | -- Front Gravelshield  | 1   | HMC |
| 01-Z0-8202 | > | -- Center Hosewell   | 1   | HMC |
| 01-Z0-8715 |   | -- Hosewell Straps   | 1   | HMC |
| 01-Z0-8802 |   | -- Open Grate Mat, Hosewell  | 1   | HMC |
| 40-G0-1420 |   | -- Bumper Ground Lights - LED Strip Lights                             | 1   | HMC |
| 40-H0-1110 | > | -- Dual Stutter Tone Air Horns - Bumper Recessed                       | 1   | HMC |
| 40-H0-1201 |   | -- Air Horn Circuit Powered - Battery and Ignition                     | 1   | HMC |
| 40-H0-1210 |   | -- Air Horn Control - Lanyard  | 1   | HMC |
| 40-H0-1302 |   | -- Air/Elec Horn-Strg Wheel Cntrl - {Siren Switch Upgrade Here}        | 1   | HMC |
| 40-H0-2130 |   | -- Electronic Siren - Whelen - Model 295SLSA1                          | 1   | HMC |
| 40-H0-5410 | S | -- Siren Head Mounting - Console Mounted                               | 1   | HMC |
| 40-H0-3020 |   | -- Q2B Mechanical Siren - Bumper Recessed - Driver's Side              | 1   | HMC |
| 40-H0-5110 |   | -- Siren Circuit Powered - Master Warning Light Switch                 | 1   | HMC |
| 40-H0-5230 |   | -- Siren Brake Switch - Driver and Officer Control                     | 1   | HMC |
| 40-H0-5350 |   | -- Siren Control - Driver & Officer Foot Switches                      | 1   | HMC |
| 40-HA-2010 |   | -- Siren Speakers - Two - Cast Products - Recess Mtd                   | 1   | HMC |
| 69-C0-0200 |   | -- Electronic Operator's Manual w/Parts List - One Set                 | 1   | HMC |
| 69-C0-0300 |   | -- FAMA Fire Apparatus Safety Guide                                    | 1   | HMC |
|            |   | v5.001 - RELEASE DATE - 03/18/2019                                     | 1   | HMC |
|            |   | == Pump Module, 47" Side Mnt, Gen IV, Volute Pump - 4.001 ==           | 1   | HME |
| 20-02-0100 | > | HydraTechnology, Pump House Design Requirement                         | 1   | HME |
| 20-02-0250 | > | Pump Enclosure, Side Mount, 47" Wide, Volute Pump Gen IV               | 1   | HME |
| 20-04-0200 |   | -- Running Boards, L/S, R/S w/Laser Grip S/S Step Surface              | 1   | HME |
| 20-04-0340 |   | -- Right Floating Hosewell For Running Board                           | 1   | HME |
| 20-04-0664 |   | -- Straps, Running Board Hosewell                                      | 1   | HME |
| 20-04-0725 |   | -- Dri-Dek Mat, Installed, Running Board Hosewell                      | 1   | HME |
| 48-10-1010 |   | -- Dri-Dek Color - Black   | 1   | HME |
| 20-06-0800 |   | -- Dunnage Compt, w/Floor  | 1   | HME |
| 20-06-1610 |   | -- Grabrails, (2) Access Dunnage Compt, Mtd L/ R Side of Compt         | 1   | HME |
| 20-10-1225 |   | -- Work Light, (1) LED, Strip Light, Mtd Pump Compt w/Switch           | 1   | HME |
| 20-10-1400 |   | -- Pump Compartment Front Panel, SS, D-ring Latches                    | 1   | HME |
| 20-14-0100 |   | -- Pump Service Access Requirements                                    | 1   | HME |
| 20-14-0410 |   | -- Control Panel, Side Mount Module - Gen IV                           | 1   | HME |
| 20-15-0110 |   | -- Identification Labels - Metal Tags                                  | 1   | HME |

| PART NO           | S             | DESCRIPTION  | QTY      | ID         |
|-------------------|---------------|--|----------|------------|
| 20-16-0200        |               | -- Pump Panel Finish, Brushed Stainless Steel  | 1        | HME        |
| 20-18-1012        |               | -- Controls & Gauges, Side Mount - Standard Width - FRC  | 1        | HME        |
| <b>20-18-1280</b> |               | <b>-- Pump Boss Governor and 4-1/2" Master Gauges</b>  | <b>1</b> | <b>HME</b> |
| <b>20-18-1402</b> |               | <b>-- FRC Pump Boss Pressure Governor / Monitoring Display</b>   | <b>1</b> | <b>HME</b> |
| <b>20-18-1501</b> |               | <b>-- Backlit 4-1/2" Master Pump Gauges, -30-0-400 psig - English</b>  | <b>1</b> | <b>HME</b> |
| 20-18-1550        |               | -- 2-1/2" Pressure Gauges, 0-400 psig - English  | 1        | HME        |
| 20-18-1558        |               | -- 2-1/2" Pressure Gauge LED Lighting  | 1        | HME        |
| 20-18-1570        |               | -- Pump Panel LED Lighting - WHITE/RED   | 1        | HME        |
| 20-18-2040        |               | -- Drain Discharges - 90° Ports  | 1        | HME        |
| 20-18-2404        |               | -- Switch, Air Horn Activation, Mtd PPanel, Push Button w/Lbl  | 1        | HME        |
| 30-26-0410        |               | -- Gauge, (1) Water Tank Level - FRC Tank Vision   | 1        | HME        |
|                   |               | <b>Side Mount Pumps</b>  | <b>1</b> | <b>HME</b> |
| <b>20-21-2320</b> | <b>S &lt;</b> | <b>-- Pump, Midship, Side, Hale "DSD", 1500 GPM</b><br><b>Ken wants to switch to our AF1500 pump as soon as it is available</b>                                      | <b>1</b> | <b>HME</b> |
| 20-26-1000        |               | -- Pump Rating, Hale, 1500 GPM   | 1        | HME        |
| 20-27-0100        |               | -- Altitude Requirements, 0' to 2000 Feet Above Sea Level  | 1        | HME        |
| <b>22-06-0900</b> | <b>&gt;</b>   | <b>-- Primer, Air Primer, Trident, On Hale Pump</b>  | <b>1</b> | <b>HME</b> |
| 22-08-0200        |               | -- Pump Shift, Pneumatic w/Label, Indicator Lgts, Mtd Cab/PPnl   | 1        | HME        |
| 22-10-0825        |               | -- Mechanical Seal, Inboard Side, Spring Loaded, Self Adjusting  | 1        | HME        |
| 22-11-0200        |               | -- Anode, Water Pump, Indicator Weep Hole  | 1        | HME        |
| 22-14-1000        |               | -- Thermal Relief Valve, TRV-L, Automatic  | 1        | HME        |
| 22-14-1700        |               | -- Intake Pressure Relief Valve, TFT   | 1        | HME        |
| 22-18-0400        |               | -- Master Drain, Class 1, Manual Mtd Pump Panel  | 1        | HME        |
| 22-20-0100        |               | -- Certified NFPA Pump Test, Completed Apparatus Certificate   | 1        | HME        |
| 22-24-0200        |               | -- Pump Warranty, Hale, Five Year  | 1        | HME        |
| 22-30-0200        |               | -- Electronic Manuals, Pump Service and Operation  | 1        | HME        |
|                   |               | <b>Steamer Inlets</b>  | <b>1</b> | <b>HME</b> |
| 24-02-0410        |               | -- Steamer Inlet, 6" NST Thread, L/S w/Strainer - No Intake Valves   | 1        | HME        |
| 30-40-1060        |               | -- Cap, 6" Long Handle - HME Logo  | 1        | HME        |
| 24-02-0510        |               | -- Steamer Inlet, 6" NST Thread, R/S w/Strainer - No Intake Valves   | 1        | HME        |
| 30-40-1060        |               | -- Cap, 6" Long Handle - HME Logo  | 1        | HME        |
|                   |               | <b>Intake Manifold(s)</b>  | <b>1</b> | <b>HME</b> |
| 24-02-2010        |               | -- Stainless Intake Piping   | 1        | HME        |
|                   |               | <b>Rear Pump Inlets / Suctions</b>   | <b>1</b> | <b>HME</b> |
|                   |               | <b>Left Side Small Intake</b>  | <b>1</b> | <b>HME</b> |
| 24-21-0028        |               | -- Pump Side Intake, Left Side - Rear - Side Operated  | 1        | HME        |
| 24-21-0425        |               | -- Suction Inlet, Side 2.5" - Side Operated Module   | 1        | HME        |
| 24-21-1025        |               | -- Suction Valve Control, Push-Pull Type, Side, Adj To Valve   | 1        | HME        |
| 30-40-1125        |               | -- Intake Plug, (Qty) 2.5" w/Cap & Chain   | 1        | HME        |
| 24-21-2000        |               | -- No Left Forward Intake Required - Pump Side   | 1        | HME        |
|                   |               | <b>Right Side Small Intake</b>   | <b>1</b> | <b>HME</b> |
| 24-21-2004        |               | -- No Right Rear Intake Required - Pump Side   | 1        | HME        |
|                   |               | <b>Left Side Pump Panel Discharges</b>   | <b>1</b> | <b>HME</b> |
| 26-03-0020        |               | -- #1 Discharge, Left Side - Side Operated   | 1        | HME        |
| 26-03-0425        |               | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control  | 1        | HME        |
| 30-41-5025        |               | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain  | 1        | HME        |
| 26-03-0030        |               | -- #2 Discharge, Left Side - Side Operated   | 1        | HME        |
| 26-03-0425        |               | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control  | 1        | HME        |
| 30-41-5025        |               | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain  | 1        | HME        |
|                   |               | <b>Right Side Pump Panel Discharges</b>  | <b>1</b> | <b>HME</b> |
| 26-03-0220        |               | -- #3 Discharge, Right Side - Side or Top Operated   | 1        | HME        |
| <b>26-03-0440</b> |               | <b>-- Discharge, Side, 4" - Straight - Electric Control</b>  | <b>1</b> | <b>HME</b> |
| <b>30-40-4453</b> |               | <b>-- 4" NST F to 5" Storz - 30degree - Swvl Rkr Lug - (Qty)</b>   | <b>1</b> | <b>HME</b> |
| <b>30-40-5012</b> |               | <b>-- (Qty) 5" Storz w/Cap &amp; Lanyard</b>   | <b>1</b> | <b>HME</b> |
| 26-03-0230        |               | -- #4 Discharge, Right Side - Side or Top Operated   | 1        | HME        |
| 26-03-0425        |               | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control  | 1        | HME        |
| 30-41-5025        |               | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain  | 1        | HME        |
|                   |               | <b>Discharge Manifold(s)</b>   | <b>1</b> | <b>HME</b> |
| 26-03-4010        |               | -- Stainless Discharge Manifold  | 1        | HME        |
|                   |               | <b>Rear Discharges</b>   | <b>1</b> | <b>HME</b> |
| <b>26-06-0400</b> | <b>S &lt;</b> | <b>-- Discharge, 2.5" R/S Rear w/1/4Trn, SwngOut Vlv &amp; 30Deg Elbw</b><br><b>Note: the two right discharges shall be installed on the far right side of tank.</b> | <b>2</b> | <b>HME</b> |
| <b>26-06-0600</b> | <b>S &lt;</b> | <b>-- Discharge, 2.5" L/S Rear w/1/4Trn, SwngOut Vlv &amp; 30Deg Elbw</b><br><b>Note: the two left discharges shall be installed on the far left side of tank.</b>   | <b>2</b> | <b>HME</b> |

| PART NO    | S     | DESCRIPTION  | QTY | ID  |
|------------|-------|--|-----|-----|
| 30-24-0400 | >     | /-- Water Tank Sleeve, (1) 4" Rear Intake/Discharge  | 2   | HME |
| 30-41-5025 |       | /-- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain   | 2   | HME |
| 30-24-0400 | >     | /-- Water Tank Sleeve, (1) 4" Rear Intake/Discharge  | 2   | HME |
| 30-41-5025 |       | /-- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain   | 2   | HME |
|            |       | <b>Deluge (Deck Gun) Piping</b>  | 1   | HME |
| 28-02-0400 | >     | /-- Piping, 3" Deluge Riser, AbvPmp w/ 3" 1/4Trn & S/S Pipe  | 1   | HME |
| 26-12-0400 |       | /-- Drain Valve - Manual - Manual 1/4 Turn   | 1   | HME |
| 28-02-0610 | >     | /-- Telescoping Waterway, TFT 18" "Extend-A-Gun" #XG18VL-PL  | 1   | HME |
| 28-02-0800 |       | /-- Deck Gun Cntrl, 3" Manual Slow Close   | 1   | HME |
| 28-04-2475 | >     | /-- Monitor, TFT #XFT-NJ, Monitor Top Only   | 1   | HME |
| 28-06-2000 |       | /-- Nozzle, Master Stream, TFT M-R-1250S-NJ/2.5" Swvl, Auto-1250   | 1   | HME |
|            |       | <b>Crosslay Assemblies</b>   | 1   | HME |
| 28-11-1120 | S <   | /-- Crosslay, (2) Beds, 1.5" NST Dbl Stk / 1.5" NST Dbl Stk - 47" Side<br>Note: height of crosslays to be 62" from ground  | 1   | HME |
| 28-11-5110 |       | /-- #1 Crosslay, Dbl Stk 1-1/2" NST w/2" Piping and Valve  | 1   | HME |
| 26-12-0400 |       | /-- Drain Valve - Manual - Manual 1/4 Turn   | 1   | HME |
| 28-11-6110 |       | /-- #2 Crosslay, Dbl Stk, 1-1/2" NST w/2" Piping and Valve   | 1   | HME |
| 26-12-0400 |       | /-- Drain Valve - Manual - Manual 1/4 Turn   | 1   | HME |
| 28-11-7810 |       | /-- Crosslay Hose Guides   | 1   | HME |
| 28-12-2200 |       | /-- Cover, Crosslay, Vinyl w/End Flaps   | 1   | HME |
| 28-14-0400 |       | /-- Cover Color, Crosslay, Vinyl, Midnight Black   | 1   | HME |
|            |       | <b>Speedlay Assemblies</b>   | 1   | HME |
|            |       | <b>Ball Valves</b>   | 1   | HME |
| 30-00-0300 |       | /-- Ball Valves, Elkhart, Brass  | 1   | HME |
|            |       | <b>Tank Plumbing and Indicators / Gauges</b>   | 1   | HME |
| 30-20-0600 |       | /-- Piping, Tank To Pump, 3" w/3" Air Operated Ball Valve  | 1   | HME |
| 30-22-0200 |       | /-- Tank Refill, 1.5" Line w/ 1/4 Trn Bll Vlv  | 1   | HME |
|            |       | <b>Foam Systems</b>  | 1   | HME |
| 22-02-0800 | >     | Heat Exchanger Line, Gated, Custom   | 1   | HME |
|            |       | <b>Discharge Special Thread Adapters</b>   | 1   | HME |
|            |       | <b>== Pumper Components &amp; Equipment - 4.001 ==</b>   | 1   | HME |
| 08-22-2001 | >     | Apparatus Body Designation, Model Ahrens-Fox   | 1   | HME |
|            |       | <b>Water / Foam Tanks and Equipment</b>  | 1   | HME |
| 30-02-0300 |       | Water Tank Cnstrctn, Poly w/Tnk Lid, FillTwr, Ovrfllw  | 1   | HME |
| 30-18-0200 |       | /-- Tank Mounting, Cradle Mtd, 8" x 8" x 4" x .250"  | 1   | HME |
| 30-18-0700 |       | /-- Tank Cradle - Hot Dip Galvanized   | 1   | HME |
|            |       | <b>APPARATUS BODY DESIGN AND CONSTRUCTION</b>  | 1   | HME |
| 32-02-0200 |       | Body Design and Construction, Pumper, Stainless Steel  | 1   | HME |
| 32-02-9000 |       | /-- Compartment Interior Finish  | 1   | HME |
| 32-05-0100 |       | /-- Brushed Stainless Compartment Roof - Not a Stepping Surface  | 1   | HME |
| 46-18-1000 |       | /-- Rear Tailboard, 12", LaserGrip Stainless Steel   | 1   | HME |
|            |       | <b>EXTERIOR COMPARTMENTATION AND EQUIPMENT</b>   | 1   | HME |
| 40-01-2110 |       | Frame Extension, Rear  | 1   | HME |
| 40-01-2210 |       | /-- Rear Frame Extension and Body Mounts Hot Dip Galvanized  | 1   | HME |
| 40-01-2300 |       | /-- Fastner Finish - ArmorGalv®  | 1   | HME |
| 40-02-0200 |       | Ext Compartment Design and Construction, Modular, Bolted   | 1   | HME |
| 40-02-0204 |       | /-- Compartment Ventilation w/Filtration   | 1   | HME |
| 46-28-0710 |       | /-- No Exhaust Tailpipe Heatshield Required  | 1   | HME |
| 40-02-0400 |       | <b>Short Body Configs, Approx 500 - 1000 Gallon Capacities</b>   | 1   | HME |
| 40-02-1810 | S < > | /-- CAT 62T) 62"/74", FH/RD Ext Cmpts Ldr R/S, LTnk, 750 G, 40" HB<br>Note: special layout requesting increased capacity and 58" height from ground to bottom of hosebed | 1   | HME |
| 30-10-1001 | S <   | /-- Water Tank Capacity, L-Tank, 750 U.S Gallons - CAT62T 40" HB<br>Note: increased water tank capacity  | 1   | HME |
| 30-02-0900 |       | /-- Tank Fill Tower, 8" x 8", w/4" Vent  | 1   | HME |
| 30-12-2202 |       | /-- Cubic Ft, Body 144, 136" OAL   | 1   | HME |
|            |       | <b>HOSEBED</b>   | 1   | HME |
| 34-02-0024 |       | /-- Hosebed, Left High, Low Right Side Pumper Body   | 1   | HME |
| 34-02-0210 |       | /-- Hosebed, S/S w/Removable HD Ext Alum Floorboards-CAT/RAT   | 1   | HME |
| 34-04-0600 | >     | /-- Dividers, (Qty) Hosebed, Adjustable, Smth Alum w/Radius Crnr   | 4   | HME |
| 34-06-0400 |       | /-- Hosebed Cover, Black   | 1   | HME |
| 46-10-1010 | >     | /-- Lights, Hosebed, LED Strip, Armor Protected - White/Red  | 1   | HME |

| PART NO   | S   | DESCRIPTION   | QTY | ID  |
|---|-----|---|-----|-----|
| <b>LEFT SIDE EXTERIOR COMPARTMENT DIMENSIONS</b>  |     |   | 1   | HME |
| 40-12-1200  |     | -- 62"/74", Ext Compts, L/S, 36"/52"/43" W x 12"/24" D, FH/RD         | 1   | HME |
| 40-15-0130  |     | -- Roll Up Doors, L/S, Painted - Shrt Bdy - LSL                       | 1   | HME |
| 40-16-0400  |     | -- Door Latches, L/S, Non-Locking Lift Bar w/Door Ajar Switch         | 1   | HME |
| <b>FENDER CONFIGURATIONS</b>                      |     |   | 1   | HME |
| 41-00-0400  |     | -- Wheel Area, Single Axle, - Rr SCBA Tubes - FFS                     | 1   | HME |
| 46-02-0200  |     | -- Fuel Fill, L/S Rr Fndr w/Door, Label, Vent Line                    | 1   | HME |
| 46-06-0400  |     | -- Fenderettes and Wheel Well Liners - Stainless                      | 1   | HME |
| 46-08-0200  |     | -- Mud Flaps, Rear  | 1   | HME |
| 46-28-0407  |     | -- SCBA Tubes, (7) Rear Wheelwell, (3) L/S - (4) R/S, Sngl Axle       | 1   | HME |
| 46-28-0680  |     | -- SCBA Bottle Retention Strap(s)                                     | 1   | HME |
| <b>RIGHT SIDE EXTERIOR COMPARTMENT DIMENSIONS</b> |     |   | 1   | HME |
| 42-04-1210  |     | -- 62"/74", Ext Compts, R/S, 36"/43" W x 24" D, HH/FD                 | 1   | HME |
| 42-07-0470  |     | -- Roll Up Doors, R/S, Painted - Low Bdy - SNS                        | 1   | HME |
| 42-08-0400  |     | -- Door Latches, R/S, Non-Locking Lift Bar w/Door Ajar Switch         | 1   | HME |
| <b>REAR BODY EXTERIOR COMPARTMENT DIMENSIONS</b>  |     |   | 1   | HME |
| 42-12-0210  |     | -- RR1, Ext Compt, Rear, 29" H x 48" W x 22" D, Half Ht - CAT         | 1   | HME |
| 42-23-0100  |     | -- Roll Up Door, Rear, Satin Anodized Finish, Half Height             | 1   | HME |
| 42-26-0200  |     | -- Door Latch, Rear, Non-Locking Lift Bar w/Door Ajar Switch          | 1   | HME |
| 84-04-5010  |     | -- Chevron, Diamond Grade Rear Body NFPA, 6" - Pumper Low Rear        | 1   | HME |
| <b>Door</b>                                       |     |   |     |     |
| 84-04-8002  |     | -- Chevron Color - Red and Yellow Reflective                          | 1   | HME |
| <b>EXTERIOR BODY COMPONENTS</b>                   |     |   | 1   | HME |
| 46-05-0620  |     | -- Rubrail, Body, LED Strip, Armor Guard, Warning/Ground - Short      | 1   | HME |
| <b>Body</b>                                       |     |   |     |     |
| 46-06-0462  |     | -- Painted Apparatus Body - Pumper                                    | 1   | HME |
| 46-06-0602  |     | -- Painted Apparatus Body, Wheel Well Fender Panels                   | 1   | HME |
| 46-06-0610  | >   | -- Painted Hosebed / Coffin Cmpt Exterior Side Walls                  | 1   | HME |
| 46-06-0612  | >   | -- Painted Hosebed / Coffin Cmpt Exterior Front Wall                  | 1   | HME |
| 46-10-0700  |     | -- Lights, Compartment, LED Strip, Armor Protected - White/Red        | 1   | HME |
| 46-12-0250  |     | -- Lights, Rear Body, LED Strip Intermediate Step, Activate w/Parking | 1   | HME |
| <b>Brk</b>  |     |   |     |     |
| 46-16-0305  |     | -- Steps, (4) Four, Folding, Mounted Front of Body, Per NFPA          | 1   | HME |
| 46-18-0710  | >   | -- Upgraded Folding Step with LED light                               | 4   | HME |
| 46-20-0400  |     | -- Steps, Intermediate, (2) Lower, Corners, Laser Grip, 8" Deep       | 1   | HME |
| 46-26-0410  |     | -- Handrails, (2) 24" Vertical - CAT                                  | 1   | HME |
| <b>Exterior Body Equipment / Mounting Devices</b> |     |   | 1   | HME |
| 46-29-1130  |     | -- Tray, (2) 10' Suction, R/S, Abv Cmpts, Vert Tndm - Low Mtg         | 1   | HME |
| <b>SCENE LIGHTING - PUMPER / RESCUE</b>           |     |   | 1   | HME |
| 58-09-2012  |     | -- Pump Panel Side Scene Lights Required                              | 1   | HME |
| 58-09-5060  |     | -- Scene Lights, FRC LED Scene Light w/Chrome Trim                    | 2   | HME |
| 58-09-7002  |     | -- Driver's Scene Light Switch  | 1   | HME |
| 58-09-7110  |     | -- PPanel Scene Light Switch  | 1   | HME |
| 58-09-4012  |     | -- Body Rear Scene Lights Required                                    | 1   | HME |
| 58-09-5140  |     | -- Scene Lights, TecNiq K90 Series LED 7" x 9" w/Chrome Bezel         | 2   | HME |
| 58-09-6040  |     | -- Rear Scene Lt. Switch w/Pkg Brk Over-Ride & Cab & Reverse          | 1   | HME |
| <b>GROUND LADDER GROUP</b>                        |     |   | 1   | HME |
| 72-00-0030  |     | -- Bdy Sd Ldr Grp R/S - 10-Fold, 14-Roof, 24-2 opt 35-3               | 1   | HME |
| 46-34-0800  |     | -- Ladder Brackets, (2) CPI, Mounted R/S Above Compartments           | 1   | HME |
| 72-04-0400  |     | -- Ladder, 14' Roof, Duo-Safety, Channel Rail, Aluminum               | 1   | HME |
| 72-06-0400  |     | -- Ladder, 10' Fldng Attic, Duo-Safety, Aluminum                      | 1   | HME |
| 72-08-0400  |     | -- Ladder, 24' Two-Sect Ext, Duo-Safety, Solid Beam Aluminum          | 1   | HME |
| 86-02-0450  | S < | -- Folding Attic Ladder Mounting Brackets, (1) Set Zico, Paint        | 1   | HME |
| Note: location changed                            |     |   |     |     |
| <b>RECEIVER HITCH / PORTABLE WINCH</b>            |     |   | 1   | HME |
| 46-36-1200  |     | -- Receiver Hitch, Class III, Mtd Rear Subframe Blw Rr Step           | 1   | HME |
| 46-38-1000  |     | -- Receptacle, 12 Volt w/Weatherproof Cover, Mtd Rear Apparatus       | 1   | HME |
| <b>SHELVES</b>                                    |     |   | 1   | HME |
| 48-03-0600  |     | Shelves Shallow, (Qty) Adjustable w/1.5" Flange, .190" Alu            | 2   | HME |
| 48-03-1000  | S > | -- Shelves Location, Specify Ext Compts                               | 2   | HME |
| 48-08-0600  |     | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt              | 2   | HME |
| 48-08-1000  | S   | -- Dri-Dek Mat Locations, Specify Ext Compts/Shelves/Trays            | 2   | HME |
| 48-10-1010  |     | -- Dri-Dek Color - Black  | 2   | HME |
| <b>TRAYS</b>                                      |     |   | 1   | HME |



| PART NO    | S | DESCRIPTION   | QTY | ID  |
|------------|---|---|-----|-----|
| 48-04-1600 |   | > Trays, (Qty), Pullout w/Slides & Gas Shck, .190" Alm 250#                         | 4   | HME |
| 48-04-2000 | S | /-- Pullout Trays, Locations, Specify Ext Compts                                    | 4   | HME |
| 48-08-0600 |   | /-- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt                           | 4   | HME |
| 48-08-1000 | S | /-- Dri-Dek Mat Locations, Specify Ext Compts/Shelves/Trays                         | 4   | HME |
| 48-10-1010 |   | /-- Dri-Dek Color - Black   | 4   | HME |
|            |   | OUT AND DOWN SHELVES  | 1   | HME |
|            |   | FOXTRAX   | 1   | HME |
| 48-14-0600 |   | Toolboards, (Qty) FoxTrax, Alum, Mtd Rr Wall, Spcfy Ext Com                         | 3   | HME |
| 48-14-1000 | S | /-- Toolboard Locations, Specify Ext Compts   | 3   | HME |
|            |   | VERTICAL DIVIDERS AND TOOLBOARDS  | 1   | HME |
|            |   | TOOL BOXES  | 1   | HME |
|            |   | 12 VOLT ELECTRICAL SYSTEM   | 1   | HME |
| 50-02-0200 |   | Electrical System, 12V, Body, Multiplexed w/Circuit Brkr Pnl                        | 1   | HME |
|            |   | DIESEL AND GAS GENERATORS AND COMPONENTS  | 1   | HME |
|            |   | LIGHTING SELECTION  | 1   | HME |
| 54-90-0100 |   | MAKE ICC AND WARNING LIGHT SELECTIONS HERE  | 1   | HME |
| 55-01-0011 |   | /-- Custom Cab - Hi-Left/Low Right Side Body  | 1   | HME |
| 55-02-1002 |   | /-- Custom Cab - Cab - LED - ICC Lighting - Whelen OS Series                        | 1   | HME |
| 55-02-2000 |   | /-- Body - LED - ICC Lighting with Body Side Clearance LED & Reflector              | 1   | HME |
| 55-03-0155 |   | /-- Headlights - HIVIZ LED - Daytime Running Halo Ring - Custom Cab                 | 1   | HME |
| 55-04-0700 | S | /-- Frt Turn Signal - TecNiq #K60-A3S0-1 Arrow Mask - Outside Hdlt - Custom Cab     | 1   | HME |
| 55-05-0120 |   | /-- Cab Side Turn Signal, Whelen LED, Wheelwell Mounted                             | 1   | HME |
| 55-05-0124 |   | /-- Rear Stop/Tail/Turn/Reverse with NFPA Lower Zone C Warning - Techniq ICC Lights | 1   | HME |
| 55-06-0480 |   | /-- Back Up Alarm   | 1   | HME |
| 55-06-1000 |   | /-- License Plate Bracket w/LED Light   | 1   | HME |
| 57-42-1204 |   | /-- Rear Warning - Zone C Lower, Power Rear, TecNiq - LED                           | 1   | HME |
| 57-03-1000 |   | /-- Lens Color - Both Red   | 1   | HME |
| 57-01-0332 |   | /-- Whelen - LED - CUSTOM Pumper/Tanker/Rescue                                      | 1   | HME |
| 57-04-4332 |   | /-- Lightbar, Frt, Ahrens-Fox Bar - 77" Single Stack - No Brow Lights               | 1   | HME |
| 57-20-2310 | S | /-- Cab, Lwr, Frt, TechNiq LED  | 2   | HME |
| 57-03-1000 |   | /-- Lens Color - Both Red   | 2   | HME |
| 57-30-2304 | > | /-- Bumper Side, TecNiq - LED   | 1   | HME |
| 57-03-1000 |   | /-- Lens Color - Both Red   | 1   | HME |
| 57-32-2304 |   | /-- Cab Side, TecNiq - LED  | 1   | HME |
| 57-03-1000 |   | /-- Lens Color - Both Red   | 1   | HME |
| 57-70-9110 |   | /-- Roto Ray - LED - Warning Light  | 1   | HME |
| 57-70-9112 |   | /-- Bulb Color - Red - Red - Clear  | 1   | HME |
| 57-70-9122 |   | /-- Bulb - LED  | 1   | HME |
| 57-80-1102 |   | /-- High Beam Alternating Headlights  | 1   | HME |
| 57-02-0328 |   | /-- Whelen - LED - Hi-Left/Low Right Side Body                                      | 1   | HME |
| 57-34-2304 |   | /-- Body, Side over Wheel TecNiq - LED  | 1   | HME |
| 57-03-1000 |   | /-- Lens Color - Both Red   | 1   | HME |
| 57-40-2306 |   | /-- Upper Rear, AF Upper Warn Lts - Stanchions - 2 Tier LED                         | 1   | HME |
| 57-44-1010 | > | /-- Ahrens-Fox - LED - Traffic Advisor  | 1   | HME |
|            |   | COMMUNICATION, MISC EQUIPMENT, LADDERS  | 1   | HME |
| 70-02-0400 |   | Labels, Identification & Safety, Mtd Drvr's Compt/Pump Panel                        | 1   | HME |
| 70-24-1000 |   | Wheel Chocks, (2) Worden HWGY, Yellow Alum w/Sld-Out Brkt                           | 1   | HME |
|            |   | ELECTRIC CORD REELS AND COMPONENTS  | 1   | HME |
|            |   | HYDRAULIC HOSE REELS  | 1   | HME |
|            |   | UTILITY AIR REELS   | 1   | HME |
|            |   | HARD SUCTION HOSE   | 1   | HME |
| 76-02-6200 | S | Hard Suction, 10' x 6", Lightweight PVC w/NH Cplng                                  | 2   | HME |
|            |   | SUCTION STRAINERS   | 1   | HME |
|            |   | REFLECTIVE STRIPING   | 1   | HME |
| 84-02-2000 |   | Striping, 1"x4"x1" Scotchlite, Reflective, Vhcl Prmtr                               | 1   | HME |
| 84-04-3010 |   | /-- Base Stripe Color, White Reflective   | 1   | HME |
| 84-04-3110 |   | /-- Accent Stripe Color, White Reflective   | 1   | HME |
| 84-04-2900 |   | Striping, 3M, Conspicuity Florescent Yellow-Green/Red, Shelves/Trays - Face Only    | 1   | HME |
|            |   | MISC. ITEMS   | 1   | HME |
|            |   | WARRANTIES, MANUALS, MISCELLANEOUS DOCUMENTS  | 1   | HME |
| 90-03-1000 |   | Water Tank Warranty - Service Life  | 1   | HME |
|            |   | v5.001 - RELEASE DATE - 05/07/2019  | 1   | HME |

