



QUOTATION

HME Ahrens-Fox
 Sales
 1950 Byron Center Ave.
 Wyoming, MI 49519
 616-534-1463
 616-534-1967

HME Ahrens-Fox
 Sales
 1950 Byron Center Ave.
 Wyoming, MI 49519
 616-534-1463
 616-534-1967

Exp. Date: 11/29/2020
Quote No: 23694-0003
Job/Order No: 23694
 10/15/2021

| PART NO | DESCRIPTION | PG | QTY | ID |
|--|---|----|----------|------------|
| == HME WSF 1871W Cab & Chassis - 6.001 == | | | | |
| 00-00-0012 | NFPA-1901, Current Edition - Complete Apparatus | 1 | 1 | HMC |
| 00-00-90SF | Vocation and Basic Attributes - Apparatus | 1 | 1 | HMC |
| 00-00-92SF | Paint Codes and Basic Attributes - Apparatus | 2 | 1 | HMC |
| 00-00-940C | Details of Construction - Order Confirmation | 2 | 1 | HMC |
| CHASSIS | | | | |
| 00-J0-10WF | HME 1871W Custom Chassis | | 1 | HMC |
| 00-J0-2010 | -- Custom Chassis - Vertically Integrated Builder | 2 | 1 | HMC |
| 01-A0-01WF | 4x2 Chassis - SilverFox 1871W - MFS Frt - WSF | | 1 | HMC |
| 01-G0-1094 | -- Single Frame Rails | 3 | 1 | HMC |
| 01-I0-11SF | -- Frame Rail Finish - Galvanized, Single Rails | 3 | 1 | HMC |
| 01-I0-1500 | -- Fastener Finish - ArmorGalv® | 3 | 1 | HMC |
| 01-J0-4000 | -- Cab Main Frame Crossmember | 3 | 1 | HMC |
| 07-A0-20WF | -- Front Axle 18,740# - Meritor MFS | 3 | 1 | HMC |
| 07-AC-5200 | -- 52° Cramp Angle | 3 | 1 | HMC |
| 07-B0-0100 | -- Oil Seals - Front Axle - Factory Premium | 4 | 1 | HMC |
| 07-C0-0210 | -- Disc Brakes - Front Axle - EX-225 | 4 | 1 | HMC |
| 07-R0-10WF | -- Front Suspension 18,740# - Semi-Elliptical Spring | 4 | 1 | HMC |
| 07-RS-0100 | -- Shock Absorbers - Front Axle (Semi Elliptical Spring) | 4 | 1 | HMC |
| 07-Y0-0118 | -- Steering - 18,740# - Sheppard Single Gear | 4 | 1 | HMC |
| 10-GF-18WF | -- Goodyear 315/80R22.5-20PR (L) Front - G751 - 18,180#-19,450# | 4 | 1 | HMC |
| 10-GG-0032 | -- 18,180# - Std Load Rating 315/80R22.5 L | 4 | 1 | HMC |
| 10-GV-0068 | -- Tire Speed Rating - 68 MPH | 4 | 1 | HMC |
| 10-W0-10WF | -- Front - Aluminum Wheels - 9.00 | 4 | 1 | HMC |
| 10-X0-0100 | -- Stainless 'Baby Moon' Caps & Nutcovers | 5 | 1 | HMC |
| 08-AS-10WF | -- Single Rear Axle 24,000# - Meritor RS-24-160 | 5 | 1 | HMC |
| 08-AV-F165 | -- 160 Series Differential - Single Axle | 5 | 1 | HMC |
| 08-AV-S010 | -- Axle Lube - Non Synthetic | 5 | 1 | HMC |
| 08-B0-0100 | -- Oil Seals - Rear Axle - Factory Premium | 5 | 1 | HMC |
| 08-C0-0110 | -- Disc Brakes - Single Rear Axle - EX225 | 5 | 1 | HMC |
| 08-PA-0300 | -- Vehicle Top Speed 65 - 68 MPH | 5 | 1 | HMC |
| 08-PA-1100 | -- NFPA Vehicle Top Speed Statement (Revised 6/25/2018) | 5 | 1 | HMC |
| 08-R0-01WF | -- Single Axle Suspension - 27,000# - Spring | 6 | 1 | HMC |
| 09-A0-10WF | -- Air System - Color Coded Nylon Air Lines - Single Axle | 6 | 1 | HMC |
| 09-A0-1208 | -- Bendix AD SP Dryer | 6 | 1 | HMC |
| 09-D0-0102 | -- Air Tank Drains - Manual | 7 | 1 | HMC |
| 09-L0-04WF | -- ABS Brake System - 4 Wheel - Meritor/Wabco | 7 | 1 | HMC |
| 09-RS-1010 | -- Stability Enhancement System - 4 Wheel - Meritor/Wabco | 7 | 1 | HMC |
| 10-GT-24WF | -- Goodyear 11R22.5-16PR (H) Rear M&S - Fuel Max - 24,000# | 7 | 1 | HMC |
| 10-GV-0075 | -- Tire Speed Rating - 75 MPH | 8 | 1 | HMC |
| 10-W0-30WF | -- Inner and Outer Rear - SA - Aluminum Wheels - 8.25 | 8 | 1 | HMC |
| 10-X0-0300 | -- Stainless "Lincoln Hat" Hub & Nut Covers | 8 | 1 | HMC |

| PART NO | DESCRIPTION | PG | QTY | ID |
|------------|---|----|----------|------------|
| 10-GW-0122 | -- Tire Pressure Monitoring Device - 2 Axles - LED Alert | 8 | 1 | HMC |
| 08-RS-0500 | -- Axle & Chassis Laser Alignment | 8 | 1 | HMC |
| 13-EU-642W | Cummins L9 - 450 HP - MY 21 - 1400 Radiator | 8 | 1 | HMC |
| 13-A0-14WF | -- Engine Cooling System Radiator - 1400 Sq. In. | 9 | 1 | HMC |
| 13-A0-1450 | -- Engine Coolant Recovery System | 10 | 1 | HMC |
| 13-A0-1500 | -- Charge Air Cooler - Engine Air Intake | 10 | 1 | HMC |
| 13-A0-1800 | -- Long Life Coolant | 10 | 1 | HMC |
| 13-A0-19WF | -- Premium Cooling System Hoses | 10 | 1 | HMC |
| 13-A0-1960 | -- Constant Torque Cooling System Clamps - Entire System | 10 | 1 | HMC |
| 13-A0-1974 | -- Heater Shut Off Valves | 10 | 1 | HMC |
| 13-EU-9000 | -- Cummins Tariff Surcharge - January 1, 2019 (ISB - ISL) | | 1 | HMC |
| 13-I0-0004 | -- Engine Air Intake Filter, K&N, Washable | 11 | 1 | HMC |
| 13-L0-0002 | -- Engine Oil - First Fill | 11 | 1 | HMC |
| 13-N0-0210 | -- Engine Brake - Cummins L9 Engine | 11 | 1 | HMC |
| 13-P0-2300 | -- Fast (High) Idle - Manual Select - Auto Low Voltage | 11 | 1 | HMC |
| 13-S0-0040 | -- Corrosion Inhibitor | 11 | 1 | HMC |
| 13-V0-0120 | -- Auxiliary Engine Cooler - Sendure | 11 | 1 | HMC |
| 13-V0-0210 | -- Spark Arrestor - Air Intake | 11 | 1 | HMC |
| 13-V0-3020 | -- Fan Clutch - Fully Variable Fan Drive | 12 | 1 | HMC |
| 13-Y0-0620 | -- MY 21 Compliant Exhaust Treatment System - L9 | 12 | 1 | HMC |
| 13-Y0-1610 | -- Cummins Aftertreatment System - MY 21 - L9 | 12 | 1 | HMC |
| 13-Y0-3010 | -- Stainless Tailpipe - Curb Side - 90° Exit - Straight Cut End | 12 | 1 | HMC |
| 13-Y0-6010 | -- Exhaust Tailpipe Diffuser | 12 | 1 | HMC |
| 13-Z0-0017 | -- DEF System - 5 Gallon Reservoir | 12 | 1 | HMC |
| 14-C0-30WF | -- Allison 3000EVS Automatic Transmission | 12 | 1 | HMC |
| 14-D0-0100 | -- Transmission Fluid - Allison TES-389 | 12 | 1 | HMC |
| 14-ER-0100 | -- Five Speed Allison Programming - 3000EVS | 13 | 1 | HMC |
| 14-ET-0100 | -- Automatic Neutral Programming - 2500 EVS / 3000EVS / 4000EVS | 13 | 1 | HMC |
| 14-HF-0100 | -- Drivertrain Fluid Monitoring System | 13 | 1 | HMC |
| 14-W0-11WF | -- 1760 Series Drivelines | 14 | 1 | HMC |
| 25-A0-20WF | -- Fuel Tank - 50 Gallon - Stainless Straps | 14 | 1 | HMC |
| 25-V0-0000 | -- Reinforced Fuel Lines | 14 | 1 | HMC |
| 25-F0-0200 | -- Fuel Filter - Cummins - Factory | 15 | 1 | HMC |
| 45-D0-0200 | -- 320 Amp Alternator - Leece-Neville - 4890JB | 15 | 1 | HMC |
| | CAB MODEL | | 1 | HMC |
| 40-D0-01WF | 3/16" Alum - MFDxl - 1871W - 12" Raised Roof | 15 | 1 | HMC |
| 14-ES-0100 | -- Transmission Selector - Lever Type | 18 | 1 | HMC |
| 14-ES-0400 | -- Transmission Fluid Check - Transmission Selector | 18 | 1 | HMC |
| 40-DH-5200 | -- Exterior Cab Door Handles - Bright Finish | 18 | 1 | HMC |
| 40-U0-0196 | -- Overhead Heater / Defroster | 18 | 1 | HMC |
| 40-U0-0470 | -- 45K BTU AC / 33.4K BTU Heat - Ceiling Mounted Evaporator - Single Condenser | 18 | 1 | HMC |
| 40-U0-0620 | -- Cab Climate Control Insulation Package | 19 | 1 | HMC |
| 45-E0-0100 | -- EMI/RFI Noise Suppression | 19 | 1 | HMC |
| 45-NS-08SF | -- Stainless Steel Battery Tray | 19 | 1 | HMC |
| 45-NU-03WF | -- Single Battery System - 4 Group 31 | 19 | 1 | HMC |
| 45-NU-0410 | -- Battery Jumpers | 20 | 1 | HMC |
| 45-T0-01WF | -- 40 Amp - Battery Charger - ProMariner - 1871W | 20 | 1 | HMC |
| 45-Z0-12WF | -- Kussmaul 20 AMP - 120v - Super Auto Eject | 21 | 1 | HMC |
| 45-Z0-1320 | -- Cab Exterior Mounted - Behind the Driver's Door | 21 | 1 | HMC |
| 45-Z0-13WF | -- Yellow Auto-Eject Cover | 21 | 1 | HMC |
| 45-Z0-1314 | -- Plain Cover | 21 | 1 | HMC |
| 45-NU-0510 | -- Battery Jumper Studs | 21 | 1 | HMC |
| | CAB INTERIOR | | 1 | HMC |
| 40-D0-51WF | Cab Interior Appointments and Options - WSF | | 1 | HMC |
| 40-DE-0300 | -- Engine Enclosure - Vinyl Covering - Acoustiblok - NO FLUID CHECK HATCH | 21 | 1 | HMC |
| 40-DE-1030 | -- Painted Interior Door Panels | 21 | 1 | HMC |
| 40-DE-2010 | -- Interior Padding - Standard Ceiling | 22 | 1 | HMC |
| 40-DE-2020 | -- Interior Padding - Standard Rear Wall | 22 | 1 | HMC |
| 40-DE-2060 | -- Floor Material - Acoustical Wear Mat | 22 | 1 | HMC |
| 40-DE-2070 | -- * * * Rear Facing Seat Box Covering - Acoustical Wear Mat | 22 | 1 | HMC |
| 40-DE-3050 | -- Cab Door Reflective Material - Diamond Grade Chevron | 22 | 1 | HMC |
| 40-DE-4002 | -- Cab Step Well Trim - Step Tops Only | 22 | 1 | HMC |
| 40-DE-7010 | -- Steering Wheel and Column | 22 | 1 | HMC |
| 40-DH-0260 | -- Grab Hndls - Inside - Driver's, Officer's A-Post and Both Crew Doors | 22 | 1 | HMC |

| PART NO | DESCRIPTION | PG | QTY | ID |
|------------|--|----|----------|------------|
| 40-DH-1210 | -- Officer's Radio Compartment - No Door Required | 22 | 1 | HMC |
| 40-DS-4120 | -- Full Width Intermediate Front Step - 100" Cab | 23 | 1 | HMC |
| 40-DS-4210 | -- Cab Crew Area Foot Rest - 100" Cab | 23 | 1 | HMC |
| 40-LC-0114 | -- Open Compartment Light - Red Flashing - Whelen OS LED | 23 | 1 | HMC |
| 40-LD-0108 | -- Interior Lighting Group - 1871W - 1871SFO | 23 | 1 | HMC |
| 40-LD-04WF | -- LED Strip Light Interior Light Packages | 23 | 1 | HMC |
| 40-LD-401S | -- Step Nose LED Lighting - WHITE | 23 | 1 | HMC |
| 40-LD-501S | -- Driver and Officer Door Strip Lighting - WHITE | 24 | 1 | HMC |
| 40-LD-5184 | -- Cab Door Controlled | 24 | 1 | HMC |
| 40-LD-511S | -- Crew Cab Door Area LED Strip Lighting - WHITE | 24 | 1 | HMC |
| 40-LD-5184 | -- Cab Door Controlled | 24 | 1 | HMC |
| 40-U0-6030 | -- Rugged Driver / Officer and Switch Panel Consoles | 24 | 1 | HMC |
| 40-U0-9010 | -- Black Finish | 24 | 1 | HMC |
| 40-X0-1416 | -- Dual Port USB Charging Port - Officer and Driver's Area | 24 | 1 | HMC |
| 40-V0-01WF | -- Driver Instrumentation (J1939) and Controls | 24 | 1 | HMC |
| 40-V0-0120 | -- Audible Turn Signal Reminder | 25 | 1 | HMC |
| 40-V0-0122 | -- Audible Lights On Reminder | 25 | 1 | HMC |
| 40-V0-0124 | -- Audible Parking Brake Reminder | 25 | 1 | HMC |
| 40-V0-0130 | -- Dual Trip Odometers | 25 | 1 | HMC |
| 40-V0-0148 | -- Odometer Activated While in Pump Mode | 25 | 1 | HMC |
| 40-V0-0150 | -- Low Fuel Warning Light and Alarm | 25 | 1 | HMC |
| 40-V0-0152 | -- Transmission Temperature Warning Light and Alarm | 25 | 1 | HMC |
| 40-V0-0154 | -- Low Voltage Warning Light | 26 | 1 | HMC |
| 40-V0-0156 | -- Air Cleaner Restriction Indicator | 26 | 1 | HMC |
| 40-V0-0160 | -- Low Coolant Warning | 26 | 1 | HMC |
| 40-V0-0162 | -- Wiper Control, Intermittent | 26 | 1 | HMC |
| 69-C0-0100 | -- On Board USB Electronic Operator's Manual w/Parts List | 26 | 1 | HMC |
| 40-X0-11WF | -- Control Center Sw Panel - Doghouse Mtg - EsKey - Aluminum Hsng | 26 | 1 | HMC |
| 40-V0-0506 | -- Parking Brake Control - Driver's Dash | 27 | 1 | HMC |
| 40-X0-1422 | -- Outside Temperature Monitor | 27 | 1 | HMC |
| 40-X0-6302 | -- Recessed Cup Holders - Console Mounted | 27 | 1 | HMC |
| 45-NS-0200 | -- Apparatus Base Digital Electrical System - Class1 EsKey | 27 | 1 | HMC |
| 45-NS-0210 | -- Information Display Module - Driver's Position | 28 | 1 | HMC |
| 40-X0-8010 | -- Doghouse Mounted Cupholder w/USB | 28 | 1 | HMC |
| 40-X0-9000 | -- No Rear Seat Base Mounted Cupholder | 28 | 1 | HMC |
| 40-YC-4810 | -- Back-Up Camera System - Pro-Vision | 28 | 1 | HMC |
| 40-Z0-9910 | -- Fire Extinguisher and Hazard Triangle Kit | 29 | 1 | HMC |
| | CAB EXTERIOR | | 1 | HMC |
| 40-D0-61WF | Cab Exterior Appointments and Options - Apparatus | | 1 | HMC |
| 40-D0-0900 | -- Cab Crashworthiness Test | 29 | 1 | HMC |
| 40-DH-21WF | -- Exterior Grab Handles - 24" Long | 29 | 1 | HMC |
| 40-DH-4110 | -- Warning Light / Turn Signal, Cab Handrails | 29 | 1 | HMC |
| 40-DH-5100 | -- Exterior Grab Handles - Bright Finish | 29 | 1 | HMC |
| 40-DZ-01WF | -- Stylized Full Stainless Front Grille | 29 | 1 | HMC |
| 40-DZ-3001 | -- Cab Grilles- Bright Finish | 30 | 1 | HMC |
| 40-G0-1010 | -- Cab Front Mud flaps | 30 | 1 | HMC |
| 40-G0-1300 | -- Cab Ground Lights - LED Strip Lights | 30 | 1 | HMC |
| 40-J0-28WF | -- Mekra Lang - Smooth Chrome - Htd & Remote Control Mirrors w/Convex | 30 | 1 | HMC |
| 40-J0-2802 | -- No Mirror Options | 30 | 1 | HMC |
| 40-K0-1000 | -- Cab Side Windows - Fixed Glass | 30 | 1 | HMC |
| 40-K0-2020 | -- Electric Windows - Four Doors - Driver Additional Controls | 30 | 1 | HMC |
| 40-KA-4022 | -- Dark Gray-Lite Door Glass - Cab Side, Crew Doors and Rear (when spec'd) | 30 | 1 | HMC |
| 40-LE-1002 | -- Engine Maintenance Lights LED - Custom | 30 | 1 | HMC |
| 40-N0-08WF | -- Cab Stainless Fender | 30 | 1 | HMC |
| 40-N0-0806 | -- Cab Fender - Bright Finish | 30 | 1 | HMC |
| 40-N0-1400 | -- Exterior Rear Wall - Diamond Plate Overlay - Bright Finish | 31 | 1 | HMC |
| 40-P0-01RW | -- Cab Tilt - Electric Pump | 31 | 1 | HMC |
| 40-P0-0400 | -- Cab Tilt Road Interlock | 31 | 1 | HMC |
| | CAB AND CHASSIS PAINT | | 1 | HMC |
| 40-Q0-00WF | Cab & Chassis Paint | | 1 | HMC |
| 40-Q0-12WF | -- Black Interior Paint | 31 | 1 | HMC |
| 40-Q0-2010 | -- Headliner - Black | 32 | 1 | HMC |
| 40-Q0-2110 | -- Rear Wall Covering - Black | 32 | 1 | HMC |
| 40-Q0-2210 | -- Floor Covering - Black | 32 | 1 | HMC |
| 40-Q0-2302 | -- Door Panels - Black | 32 | 1 | HMC |

| PART NO | DESCRIPTION | PG | QTY | ID |
|------------|--|-----------|----------|------------|
| 40-Q0-2310 | -- Doghouse Covering - Black | 32 | 1 | HMC |
| 40-Q0-2502 | -- Dash Housing and Officer Console - Black | 32 | 1 | HMC |
| 40-Q0-30WF | -- Single Color Cab Exterior Paint | 32 | 1 | HMC |
| 40-Q0-3080 | -- Cab Exterior Paint - PPG - Urethane | 33 | 1 | HMC |
| | SEATING | | 1 | HMC |
| 40-RS-0010 | Seat Logos by Truck Model | | 1 | HMC |
| 40-RS-4SF8 | SFO & W - 2 Rear Facing - 2 Center Fwd Facing | | 1 | HMC |
| 40-RT-0010 | -- Seat Position 1 - Driver's Seat | 33 | 1 | HMC |
| 40-S0-1350 | -- Highback - Air Ride Suspension - HO Bostrom - Sierra 500 - ABTS | 33 | 1 | HMC |
| 40-RT-0020 | -- Seat Position 2 - Officer's Seat | 33 | 1 | HMC |
| 40-S0-4330 | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS - Officer | 33 | 1 | HMC |
| 40-S0-9162 | -- Filler Pad for SCBA Seats | 34 | 1 | HMC |
| 40-S0-9220 | -- HO Bostrom SecurAll SCBA Locking Bracket | 34 | 1 | HMC |
| 40-RT-0030 | -- Seat Position 3 - Rear Facing Left Outboard - Behind Driver | 34 | 1 | HMC |
| 40-S0-5830 | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS - Crew | 34 | 1 | HMC |
| 40-S0-9220 | -- HO Bostrom SecurAll SCBA Locking Bracket | 34 | 1 | HMC |
| 40-RT-0060 | -- Seat Position 6 - Rear Facing Rt Outboard - Behind Officer | 34 | 1 | HMC |
| 40-S0-5830 | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS - Crew | 34 | 1 | HMC |
| 40-S0-9220 | -- HO Bostrom SecurAll SCBA Locking Bracket | 34 | 1 | HMC |
| 40-RT-008B | -- Seat Position 8 - Fwd Facing - Left Inside - SFOMFD-12 Only | 34 | 1 | HMC |
| 40-S0-5830 | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS - Crew | 34 | 1 | HMC |
| 40-S0-9220 | -- HO Bostrom SecurAll SCBA Locking Bracket | 34 | 1 | HMC |
| 40-RT-009B | -- Seat Position 9 - Fwd Facing - Right Inside - SFOMFD-12 Only | 34 | 1 | HMC |
| 40-S0-5830 | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 - ABTS - Crew | 34 | 1 | HMC |
| 40-S0-9220 | -- HO Bostrom SecurAll SCBA Locking Bracket | 34 | 1 | HMC |
| 40-S0-6110 | -- Forward Facing Seat Riser - w/In-Cab Storage Tray | 34 | 1 | HMC |
| 40-S0-7420 | -- Gray / Black Durawear Seat Covering | 35 | 1 | HMC |
| 40-S0-8002 | -- Seat Belt Warning Labels | 35 | 1 | HMC |
| 40-S0-8034 | Vehicle Data Recorder and Seat Belt Warning System | 35 | 1 | HMC |
| 40-S0-8016 | -- Seat Belt Warning System Monitor Panel | 35 | 1 | HMC |
| | FRONT BUMPER / AUDIBLE WARNING | | 1 | HMC |
| 42-A3-0300 | Front Bumper - Stainless Steel - SilverFox - WSF {Ctr Hsewl - Jumpline} | 35 | 1 | HMC |
| 01-V2-0124 | -- Front Bumper Ext - 24" - SilverFox - {Thru Suc - Ctr Hsewl - Jumpline} | 35 | 1 | HMC |
| 01-T0-1146 | -- Front Suction - 5" - Thru Bumper Face - SilverFox | 35 | 1 | HMC |
| 01-T0-1154 | -- Front Intake, piping from pumper to pump, 5" Gated | 36 | 1 | HMC |
| 01-T0-1164 | -- Valve, Akron #7950, Elec Operated w/Switch | 36 | 1 | HMC |
| 01-T0-1172 | -- Intake Pressure Relief Valve, TFT | 36 | 1 | HMC |
| 01-T0-1840 | -- Intake Adapter - TFT - 5" NPT to 5" Storz w/cap | 36 | 1 | HMC |
| 01-T0-2410 | -- Drain Valve - Manual - Front Suction - Akron Push-Pull | 36 | 1 | HMC |
| 01-T1-0350 | -- Frt Jumpline, 1.5" w/2" Piping, 90° Swivel Adapter - {Rt Hosewl} | 36 | 1 | HMC |
| 01-T1-0710 | -- Swivel on Gravelshield, Right of the Center Hosewell | 37 | 1 | HMC |
| 01-T2-0140 | -- Drain Valve, Class 1, 3/4", Automatic | 37 | 1 | HMC |
| 01-T4-0120 | -- Discharge Cap, (Qty) 1.5" Chrome Vented Rocker Lug w/Chain | 37 | 1 | HMC |
| 01-W0-0700 | -- Chromed Tow Hooks Beneath Bumper | 37 | 1 | HMC |
| 01-Z0-8044 | -- Front Gravelshield - SilverFox/SilverFox Urban | 37 | 1 | HMC |
| 01-Z0-8065 | -- Bright Finish Gravelshield | 37 | 1 | HMC |
| 01-Z0-8450 | -- Center Hosewell - Large - SilverFox / SilverFox Urban | 37 | 1 | HMC |
| 01-Z0-8720 | -- Hosewell Cover - Vinyl | 37 | 1 | HMC |
| 01-Z0-8722 | -- Hosewell Color, Vinyl, Brilliant Red | 37 | 1 | HMC |
| 40-H0-11SF | -- Dual Stutter Tone Air Horns - Bumper Recessed | 37 | 1 | HMC |
| 40-H0-1201 | -- Air Horn Circuit Powered - Battery and Ignition | 37 | 1 | HMC |
| 40-H0-1210 | -- Air Horn Control - Lanyard | 37 | 1 | HMC |
| 40-H0-1302 | -- Air/Elec Horn-Strg Wheel Cntrl - {Siren Switch Upgrade Here} | 38 | 1 | HMC |
| 40-H0-22SF | -- Electronic Siren - Whelen - Model 295SHFS2 | 38 | 1 | HMC |
| 40-H0-5412 | -- Siren Head Mounting - Console Mounted | 38 | 1 | HMC |
| 40-HA-2020 | -- Siren Speaker - Cast Products - Recess Mtd - Left Side | 38 | 1 | HMC |
| 69-C0-0200 | -- Electronic Operator's Manual w/Parts List - One Set | 38 | 1 | HMC |
| 69-C0-0300 | -- FAMA Fire Apparatus Safety Guide | 38 | 1 | HMC |
| | v6.002 - RELEASE DATE - 10/30/2020 | | 1 | HMC |
| | == SilverFox & WSF Pump - Side - QMax - 6.001 == | 39 | 1 | HME |

| PART NO | DESCRIPTION | PG | QTY | ID |
|------------|--|----|----------|------------|
| 20-02-0100 | HydraTechnology, Pump House Design Requirement | 39 | 1 | HME |
| 20-02-02UF | Pump Enclosure, Side Mount, 47" Wide, SilverFox Urban - QMax | 39 | 1 | HME |
| 20-04-02SF | -- Running Boards, L/S, R/S w/Laser Grip S/S Step Surface | 40 | 1 | HME |
| 20-06-08SF | -- Dunnage Compt, w/Floor | 40 | 1 | HME |
| 20-06-1610 | -- Grabrails, (2) Access Dunnage Compt, Mtd L/ R Side of Compt | 40 | 1 | HME |
| 20-10-1225 | -- Work Light, (1) LED, Strip Light, Mtd Pump Compt w/Switch | 40 | 1 | HME |
| 20-14-0100 | -- Pump Service Access Requirements | 40 | 1 | HME |
| 20-14-04UF | -- Control Panel, Side Mount Module - SilverFox Urban - QMax | 41 | 1 | HME |
| 20-15-01SF | -- Identification Labels - Engraved Plastic | 41 | 1 | HME |
| 20-16-0200 | -- Pump Panel Finish, Brushed Stainless Steel | 41 | 1 | HME |
| 20-18-10SF | -- Controls & Gauges, Side Mount - SilverFox | 41 | 1 | HME |
| 20-18-1420 | -- FRC In Control 400 Pressure Governor, Engine Monitor and Pressure Display | 41 | 1 | HME |
| 20-18-1550 | -- 2-1/2" Pressure Gauges, 0-400 psig - English | 42 | 1 | HME |
| 20-18-1558 | -- 2-1/2" Pressure Gauge LED Lighting | 43 | 1 | HME |
| 20-18-1568 | -- Pump Panel LED Lighting - WHITE | 43 | 1 | HME |
| 20-18-2040 | -- Drain Discharges - 90° Ports | 43 | 1 | HME |
| 20-18-2404 | -- Switch, Air Horn Activation, Mtd PPanel, Push Button w/Lbl | 43 | 1 | HME |
| 30-26-0410 | -- Gauge, (1) Water Tank Level - FRC Tank Vision | 43 | 1 | HME |
| | Side Mount Pumps | | 1 | HME |
| 20-21-08SF | -- Pump, Midship, Hale "Q-Max", 1500 GPM - WSF | 43 | 1 | HME |
| 20-26-1000 | -- Pump Rating, Hale, 1500 GPM | 45 | 1 | HME |
| 20-27-0100 | -- Altitude Requirements, 0' to 2000 Feet Above Sea Level | 45 | 1 | HME |
| 22-06-0900 | -- Primer, Air Primer, Trident, On Hale Pump | 45 | 1 | HME |
| 22-06-0930 | -- Manual Primer Control Valve | 45 | 1 | HME |
| 22-06-0970 | -- Trident Warranty, 5 Year Parts | 46 | 1 | HME |
| 22-02-0400 | -- Pump T-Case Cooling Line, 3/8" w/Class 1 Valve | 46 | 1 | HME |
| 22-08-0200 | -- Pump Shift, Pneumatic w/Label, Indicator Lgts, Mtd Cab/PPnl | 46 | 1 | HME |
| 22-10-0800 | -- Mechanical Seal, Inboard Side, Spring Loaded, Self Adjusting | 46 | 1 | HME |
| 22-11-0200 | -- Anode, Water Pump, Indicator Weep Hole | 46 | 1 | HME |
| 22-14-1700 | -- Intake Pressure Relief Valve, TFT | 46 | 1 | HME |
| 22-18-0400 | -- Master Drain, Class 1, Manual Mtd Pump Panel | 47 | 1 | HME |
| 22-20-0210 | -- Third Party Test - TUV, US/Territories, Completed Apparatus Certificate | 47 | 1 | HME |
| 22-24-0200 | -- Pump Warranty, Hale, Five Year | 47 | 1 | HME |
| 22-30-0200 | -- Electronic Manuals, Pump Service and Operation | 47 | 1 | HME |
| | Steamer Inlets | | 1 | HME |
| 24-02-10SF | -- Steamer Inlet, 6" NST Thread, L/S w/Strainer | 47 | 1 | HME |
| 30-40-1060 | -- Cap, 6" Long Handle - HME Logo | 47 | 1 | HME |
| 24-02-12SF | -- Steamer Inlet, 6" NST Thread, R/S w/Strainer | 47 | 1 | HME |
| 30-40-1060 | -- Cap, 6" Long Handle - HME Logo | 47 | 1 | HME |
| | Tank Fill - Pump Panel Options | | 1 | HME |
| | Rear Pump Inlets / Suctions | | 1 | HME |
| | Left Side Small Intake | | 1 | HME |
| 24-21-003S | -- Pump Side Intake, Left Side - Rear - Side Operated | 47 | 1 | HME |
| 24-21-042S | -- Suction Inlet, Side 2.5" - Side Operated Module | 48 | 1 | HME |
| 24-21-1025 | -- Suction Valve Control, Push-Pull Type, Side, Adj To Valve | 48 | 1 | HME |
| 30-40-1125 | -- Intake Plug, (Qty) 2.5" w/Cap & Chain | 48 | 1 | HME |
| | Right Side Small Intake | | 1 | HME |
| 24-21-2004 | -- No Right Rear Intake Required - Pump Side | | 1 | HME |
| | Left Side Pump Panel Discharges | | 1 | HME |
| 26-03-002S | -- #1 Discharge, Left Side - Side Operated | 48 | 1 | HME |
| 26-03-042S | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control | 48 | 1 | HME |
| 30-41-5025 | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain | 48 | 1 | HME |
| 26-03-003S | -- #2 Discharge, Left Side - Side Operated | 48 | 1 | HME |
| 26-03-042S | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control | 48 | 1 | HME |
| 30-41-5025 | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain | 48 | 1 | HME |
| 26-03-0040 | -- No Left Side #2R Discharge Required | 48 | 1 | HME |
| | Right Side Pump Panel Discharges | | 1 | HME |
| 26-03-022S | -- #3 Discharge, Right Side - Side or Top Operated | 48 | 1 | HME |
| 26-03-042S | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control | 48 | 1 | HME |
| 30-41-5025 | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain | 48 | 1 | HME |
| 26-03-023S | -- #4 Discharge, Right Side - Side or Top Operated | 48 | 1 | HME |
| 26-03-043S | -- Discharge, Side, 3" - 30 degree Elbow - Manual Control | 49 | 1 | HME |
| 30-41-5030 | -- Discharge Cap, (Qty) 3" Chrome Vented Rocker Lug w/Chain | 49 | 1 | HME |
| 26-03-0240 | -- No Right Side #4R Discharge Required | 49 | 1 | HME |

| PART NO | DESCRIPTION | PG | QTY | ID |
|--|--|----|-----|-----|
| Rear Discharges | | | | |
| 26-06-04WF | -- Discharge, 2.5" R/S Rear w/1/4Trn, SwngOut Vlv & 30Deg Elbw | 49 | 1 | HME |
| 26-06-0620 | -- Discharge, 2.5" L/S Rear w/1/4Trn, SwngOut Vlv & 30Deg Elbw | 49 | 1 | HME |
| 30-24-0400 | -- Water Tank Sleeve, (1) 4" Rear Intake/Discharge | 49 | 1 | HME |
| 30-41-5025 | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain | 49 | 1 | HME |
| 30-24-0400 | -- Water Tank Sleeve, (1) 4" Rear Intake/Discharge | 49 | 1 | HME |
| 30-41-5025 | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain | 49 | 1 | HME |
| Deluge (Deck Gun) Piping | | | | |
| 28-02-04SF | -- Piping, 3" Deluge Riser, AbvPmp w/ 3" 1/4Trn & S/S Pipe | 49 | 1 | HME |
| 26-12-0400 | -- Drain Valve - Manual - Manual 1/4 Turn | 49 | 1 | HME |
| 28-02-0555 | -- Fixed Riser Piping, NPT Termination | 50 | 1 | HME |
| 28-02-0800 | -- Deck Gun Cntrl, 3" Manual Slow Close | 50 | 1 | HME |
| Crosslay Assemblies | | | | |
| 28-11-112S | -- Crosslay, (2) Beds, 1.5" NST Dbl Stk / 1.5" NST Dbl Stk - SilverFox | 50 | 1 | HME |
| 28-11-511S | -- #1 Crosslay, Dbl Stk 1-1/2" NST w/2" Piping and Valve | 50 | 1 | HME |
| 26-12-0400 | -- Drain Valve - Manual - Manual 1/4 Turn | 50 | 1 | HME |
| 28-11-611S | -- #2 Crosslay, Dbl Stk, 1-1/2" NST w/2" Piping and Valve | 50 | 1 | HME |
| 26-12-0400 | -- Drain Valve - Manual - Manual 1/4 Turn | 51 | 1 | HME |
| 28-11-7810 | -- Crosslay Hose Guides | 51 | 1 | HME |
| 28-12-22SF | -- Cover, Crosslay, Vinyl w/End Flaps | 51 | 1 | HME |
| 28-14-0400 | -- Cover Color, Crosslay, Vinyl, Midnight Black | 51 | 1 | HME |
| Ball Valves | | | | |
| 30-00-0300 | -- Ball Valves, Elkhart, Brass | 51 | 1 | HME |
| Tank Plumbing and Indicators / Gauges | | | | |
| 30-20-0200 | -- Piping, Tank To Pump, 3" w/3" Ball Vlv | 51 | 1 | HME |
| 30-22-0200 | -- Tank Refill, 1.5" Line w/ 1/4 Trn Bll Vlv | 51 | 1 | HME |
| Foam Systems | | | | |
| 22-02-0800 | Heat Exchanger Line, Gated, Custom | 51 | 1 | HME |
| Discharge Special Thread Adapters | | | | |
| == WSF Body - Custom 1871W - 6.001 == | | 52 | 1 | HME |
| 08-22-2001 | Apparatus Body Designation, Model Ahrens-Fox | | 1 | HME |
| Water / Foam Tanks and Equipment | | | | |
| 30-02-03WF | Water Tank Cnstrctn, Poly w/Tnk Lid, FillTwr, Ovrflw | 52 | 1 | HME |
| 30-18-02WF | -- Tank Mounting, Cradle Mtd, 8" x 8" x 4" x .250" | 52 | 1 | HME |
| 30-18-0600 | -- Tank Cradle - Painted to Match Axles Color | 52 | 1 | HME |
| APPARATUS BODY DESIGN AND CONSTRUCTION | | | | |
| 32-02-02WF | Body Design and Construction, Pumper, Stainless Steel | 52 | 1 | HME |
| 32-02-9000 | -- Compartment Interior Finish | 54 | 1 | HME |
| 32-05-0100 | -- Brushed Stainless Compartment Roof - Not a Stepping Surface | 54 | 1 | HME |
| 46-18-10WF | -- Rear Tailboard, 12", LaserGrip Stainless Steel | 54 | 1 | HME |
| 46-18-1400 | -- Rear Tailboard - Bright Finish | 55 | 1 | HME |
| EXTERIOR COMPARTMENTATION AND EQUIPMENT | | | | |
| 40-01-21SF | Frame Extension, Rear - SilverFox / WSF | 55 | 1 | HME |
| 40-01-2210 | -- Rear Frame Extension and Body Mounts Hot Dip Galvanized | 55 | 1 | HME |
| 40-01-2300 | -- Fastner Finish - ArmorGalv® | 55 | 1 | HME |
| 40-02-02WF | Ext Compartment Design and Construction, Modular, Bolted | 55 | 1 | HME |
| 40-02-0204 | -- Compartment Ventilation w/Filtration | 55 | 1 | HME |
| 46-28-0710 | -- No Exhaust Tailpipe Heatshield Required | | 1 | HME |
| 40-10-18WF | 22WF) 82"/82", FH/RD Ext Cmpts w/BmLdr, RectTnk, 1020 Gls, 63" HB | | 1 | HME |
| 30-06-04WF | -- Water Tank Capacity, Rect, 1020 US Gallons - TT Beam - 22 63" HB | 55 | 1 | HME |
| 30-02-1000 | -- Tank Fill Tower, 10" x 14", w/4" Vent | 55 | 1 | HME |
| 30-12-2000 | -- Cubic Ft, Body 235, 164" OAL | 56 | 1 | HME |
| HOSEBED | | | | |
| 34-02-0020 | -- Hosebed, Double High Side Pumper Body - Ladders Thru & Beam | 56 | 1 | HME |
| 34-03-03WG | -- Hosebed, 20.5" Walls, Double High Side | 56 | 1 | HME |
| Hard Suction Tray - 10 Foot | | | | |
| 46-29-01WF | -- Tray, (1) 10' Suction, L/S, Abv Cmpts - High Side | 56 | 1 | HME |
| 46-29-9102 | -- Hard Suction Storage - Gray Finish | 56 | 1 | HME |
| 46-29-11WF | -- Tray, (1) 10' Suction, R/S, Abv Cmpts - High Side | 56 | 1 | HME |
| 46-29-9102 | -- Hard Suction Storage - Gray Finish | 57 | 1 | HME |
| 34-04-0600 | -- Dividers, (Qty) Hosebed, Adjustable, Smth Alum w/Radius Crnr | 57 | 1 | HME |
| 34-06-04SF | -- Hosebed Cover, Black | 57 | 1 | HME |
| LEFT SIDE EXTERIOR COMPARTMENT DIMENSIONS | | | | |
| 40-12-1000 | -- 82"/82", Ext Cmpts, L/S, 56"/52"/51" W x 24" D, FH/FD | 57 | 1 | HME |
| 40-14-9004 | -- Roll Up Doors, ROM | 57 | 1 | HME |

| PART NO | DESCRIPTION | PG | QTY | ID |
|---|---|----|-----|-----|
| 40-15-016W | -- Roll Up Doors, L/S, Satin Anodized Finish - Lg Bdy - LSL | 58 | 1 | HME |
| 40-16-0400 | -- Door Latches, L/S, Non-Locking Lift Bar w/Door Ajar Switch | 58 | 1 | HME |
| FENDER CONFIGURATIONS | | | | |
| 41-00-04WF | -- Wheel Area, Single Axle, - Rr SCBA Tubes - FFS | 58 | 1 | HME |
| 46-02-02WF | -- Fuel Fill, L/S Rr Fndr w/Door, Label, Vent Line | 58 | 1 | HME |
| 46-02-0500 | -- Fuel Fill Door - Bright Finish | 58 | 1 | HME |
| 46-06-0402 | -- Fenderettes and Wheel Well Liners - Stainless | 58 | 1 | HME |
| 46-06-0408 | -- Fenderettes and Wheelwell Liners - Bright Finish | 58 | 1 | HME |
| 46-08-0200 | -- Mud Flaps, Rear | 59 | 1 | HME |
| 46-28-04WF | -- SCBA Tubes, (7) Rear Wheelwell, (3) L/S - (4) R/S, Sngl Axle | 59 | 1 | HME |
| 46-28-0660 | -- SCBA Tube Doors - Bright Finish | 59 | 1 | HME |
| 46-28-0680 | -- SCBA Bottle Retention Strap(s) | 59 | 1 | HME |
| RIGHT SIDE EXTERIOR COMPARTMENT DIMENSIONS | | | | |
| 42-02-1800 | -- 82"/82", Ext Compts, R/S, 56"/52"/51" W x 12"/24" D, FH/RD | 59 | 1 | HME |
| 42-07-016W | -- Roll Up Doors, R/S, Satin Anodized Finish - Lg Bdy - LSL | 59 | 1 | HME |
| 42-08-0400 | -- Door Latches, R/S, Non-Locking Lift Bar w/Door Ajar Switch | 59 | 1 | HME |
| EXTERIOR BODY COMPONENTS | | | | |
| 46-05-064W | -- Rubrail, Body, LED Strip, Armor Guard, Warning/Ground - Long Body - 14' Rescue | 59 | 1 | HME |
| 46-05-0700 | -- Rubrail, Body - Bright Finish | 60 | 1 | HME |
| 46-06-046S | -- Painted Apparatus Body | 60 | 1 | HME |
| 46-06-0602 | -- Painted Apparatus Body, Wheel Well Fender Panels | 60 | 1 | HME |
| 46-06-0610 | -- Painted Hosebed / Coffin Cmpt Exterior Side Walls | 60 | 1 | HME |
| 46-06-0612 | -- Painted Hosebed / Coffin Cmpt Exterior Front Wall | 60 | 1 | HME |
| 46-10-0600 | -- Lights, Compartment, LED Strip, Armor Protected - White | 60 | 1 | HME |
| 46-12-0250 | -- Lights, Rear Body, LED Strip Intermediate Step, Activate w/Parking Brk | 60 | 1 | HME |
| 42-20-02WF | -- RR2, Ladder Storage Cmpt, R/S, On Beam - 22WF | 60 | 1 | HME |
| 72-00-001W | -- Thru The Tank Ladder Group - 10-Fold, 14-Roof, 24-2 Sec | 60 | 1 | HME |
| 72-04-0400 | -- Ladder, 14' Roof, Duo-Safety, Channel Rail, Aluminum | 60 | 1 | HME |
| 72-06-0400 | -- Ladder, 10' Fldng Attic, Duo-Safety, Aluminum | 61 | 1 | HME |
| 72-08-0400 | -- Ladder, 24' Two-Sect Ext, Duo-Safety, Solid Beam Aluminum | 61 | 1 | HME |
| 46-15-042W | -- Rear - Center - RR1 Full Height | 61 | 1 | HME |
| 42-12-04WF | -- RR1, Ext Cmpt, Rear, 62" H x 48" W x 22" D, Full Height | 61 | 1 | HME |
| 42-23-02WF | -- Roll Up Door, Rear, Satin Anodized Finish, Full Height | 61 | 1 | HME |
| 42-26-0200 | -- Door Latch, Rear, Non-Locking Lift Bar w/Door Ajar Switch | 61 | 1 | HME |
| 84-04-5050 | -- Chevron, Diamond Grade, Rear Body NFPA, 6" - Pumper Tall Rear Door | 61 | 1 | HME |
| 84-04-8020 | -- Chevron Color - Red and Florescent Green Reflective | 61 | 1 | HME |
| 46-26-01WF | -- Handrail, Rear, 69" Horizontal Hosebed | 61 | 1 | HME |
| 46-26-0650 | -- Handrails - Bright Finish | 61 | 1 | HME |
| 46-26-071W | -- Lighting, Rear Horizontal Handrails | 61 | 1 | HME |
| 57-44-1010 | -- Ahrens-Fox - LED - Traffic Advisor | 61 | 1 | HME |
| 57-44-1020 | -- Ahrens-Fox - LED - Traffic Advisor - Bright Finish | 62 | 1 | HME |
| 46-15-051W | -- Rear - Left Side - Egress Steps - (1) folding step, (2) fixed steps | 62 | 1 | HME |
| 46-16-001W | -- Step, Folding, (1) Mounted Left Rear Upper Position | 62 | 1 | HME |
| 46-16-0400 | -- Folding Body Steps - Bright Finish | 62 | 1 | HME |
| 46-18-0700 | -- Standard Folding Step | 62 | 1 | HME |
| 46-20-0110 | -- Steps, Intermediate, (1) Lower, Left Corner, Laser Grip, 8" Deep | 62 | 1 | HME |
| 46-20-0162 | -- Steps, Intermediate, (1) Mid, Right Corner, Laser Grip, 8" Deep | 62 | 1 | HME |
| 46-26-011W | -- Handrail, Rear Left Side, 24" Vertical | 62 | 1 | HME |
| 46-26-0650 | -- Handrails - Bright Finish | 62 | 1 | HME |
| 46-15-061W | -- Rear - Right Side - Egress Steps - Ladder on Beam | 62 | 1 | HME |
| 46-20-0112 | -- Steps, Intermediate, (1) Lower, Right Corner, Laser Grip, 8" Deep | 62 | 1 | HME |
| 46-20-0162 | -- Steps, Intermediate, (1) Mid, Right Corner, Laser Grip, 8" Deep | 62 | 1 | HME |
| 46-16-0306 | -- No Additional Steps, Folding Front of Body | 63 | 1 | HME |
| 46-16-03WF | -- Steps, (4) Four, Folding, Mounted Front of Body, Per NFPA | 63 | 1 | HME |
| 46-16-0306 | -- No Additional Steps, Folding Front of Body | 63 | 1 | HME |
| 46-16-0400 | -- Folding Body Steps - Bright Finish | 63 | 4 | HME |
| 46-18-0700 | -- Standard Folding Step | 63 | 4 | HME |
| 58-02-01SF | -- Floodlight, Maxxima (1) MWL-36 -2100 Lumens, Mnt Frt R/S Hsbd | 63 | 1 | HME |
| EXTERIOR COMPARTMENT COMPONENTS | | | | |
| 48-00-0200 | Body Interior Components - Shelves, Trays, Pullouts | 63 | 1 | HME |
| SHELVES | | | | |
| 48-02-01WF | -- Shelves Deep, (2) Adjustable - L1 | 63 | 1 | HME |
| 48-03-01WF | -- Shelves Shallow, (3) Adjustable - one each R1, R2 and R3 | 63 | 1 | HME |

| PART NO | DESCRIPTION | PG | QTY | ID |
|------------|---|----|----------|------------|
| | TRAYS | | 1 | HME |
| 48-04-16WF | -- Tray Package, Pullout, Floor - L1, R1, R3 | 63 | 1 | HME |
| | FOXTRAX | | 1 | HME |
| 48-14-01WF | -- Toolboards, FoxTrax, Mtd Rear Wall, R1, R2, R3 Compartments | 63 | 1 | HME |
| | VERTICAL DIVIDERS AND TOOLBOARDS | | 1 | HME |
| 48-18-02WF | -- Vertical Tool Board, FULL Height Pull Out - L3 | 63 | 1 | HME |
| 48-18-1000 | -- FoxTrax, {qty} Alum Tool Mounting Extrusions, Mtd Tool Brds | 64 | 2 | HME |
| | 12 VOLT ELECTRICAL SYSTEM | | 1 | HME |
| 50-02-0200 | Electrical System, 12V, Body, Multiplexed w/Circuit Brkr Pnl | 64 | 1 | HME |
| | LIGHTING SELECTION | | 1 | HME |
| 54-90-0910 | ICC & Ultimate Warning Light Package | 64 | 1 | HME |
| | HEADLIGHT / TAILLIGHT / TURN / ICC LIGHTING | | 1 | HME |
| 55-01-001F | -- Custom Cab - Double Hi Side Body | | 1 | HME |
| 55-02-10WF | -- Custom Cab - Cab - LED - ICC Lighting - Whelen OS Series | 64 | 1 | HME |
| 55-02-1120 | -- Custom Cab - Cab - LED - ICC Lighting - Bright Finish | 64 | 1 | HME |
| 55-02-200F | -- Body - LED - ICC Lighting with Body Side Clearance LED & Reflector | 64 | 1 | HME |
| 55-02-2020 | -- Body - LED - ICC Lighting - Bright Finish | 65 | 1 | HME |
| 55-03-010W | -- Headlights - LED - Daytime Running - Custom Cab - Upper Position | 65 | 1 | HME |
| 55-04-0750 | -- Frt Turn Signal - TecNiq Arrow Mask - Outside Warning Lights - W Cab | 65 | 1 | HME |
| 55-05-012W | -- Rear Stop/Tail/Turn/Reverse with NFPA Lower Zone C Warning - Techniq | 65 | 1 | HME |
| | ICC Lights | | | |
| 55-05-0127 | -- Rear Stop/Tail/Turn/Reverse with NFPA Lower Zone C Warning - Bright Finish | 66 | 1 | HME |
| 55-06-0480 | -- Back Up Alarm | 66 | 1 | HME |
| 55-06-1000 | -- License Plate Bracket w/LED Light | 66 | 1 | HME |
| 57-42-12WF | -- Rear Warning - Zone C Lower, Power Rear, TecNiq - LED | 66 | 1 | HME |
| 57-03-1000 | -- Lens Color - Both Red | 66 | 1 | HME |
| 57-42-5000 | -- Rear Warning - Zone C Lower - Bright Finish | 66 | 1 | HME |
| | CHASSIS WARNING LIGHT SELECTIONS | | 1 | HME |
| 57-01-033F | -- Warning Light Package - LED - CUSTOM - QUADS - SilverFox & WSF | | 1 | HME |
| 57-04-3305 | -- Lightbar, Frt, Whelen - Freedom - LED - loaded | 66 | 1 | HME |
| 57-20-231S | -- Cab, Lwr, Frt, TecNiq LED | 66 | 1 | HME |
| 57-03-1000 | -- Lens Color - Both Red | 67 | 1 | HME |
| 57-20-232S | -- Cab, Lwr, Frt, Techiq LED - For Quads | 67 | 1 | HME |
| 57-03-1000 | -- Lens Color - Both Red | 67 | 1 | HME |
| 57-30-2305 | -- Bumper Side, TecNiq - LED | 67 | 1 | HME |
| 57-03-1000 | -- Lens Color - Both Red | 68 | 1 | HME |
| 57-30-4001 | -- Bumper Side Warning Lights - Bright Finish | 68 | 1 | HME |
| 57-34-2305 | -- Body, Side over Wheel TecNiq - LED | 68 | 1 | HME |
| 57-03-1000 | -- Lens Color - Both Red | 68 | 1 | HME |
| 57-34-5001 | -- Body Side Warning Lights - Bright Finish | 68 | 1 | HME |
| | APPARATUS WARNING LIGHT SELECTIONS | | 1 | HME |
| 57-02-032G | -- LED - Double Hi Side Body - Ultimate Lighting | | 1 | HME |
| 57-34-2305 | -- Body, Side over Wheel TecNiq - LED | 68 | 1 | HME |
| 57-03-1000 | -- Lens Color - Both Red | 69 | 1 | HME |
| 57-34-5001 | -- Body Side Warning Lights - Bright Finish | 69 | 1 | HME |
| 57-40-230W | -- Upper Rear, AF Upper Warn Lts - Stanchions - 2 Tier LED | 69 | 1 | HME |
| 57-03-1000 | -- Lens Color - Both Red | 69 | 1 | HME |
| | SCENE LIGHTING - PUMPER | | 1 | HME |
| | BODY REAR SCENE LIGHTING | | 1 | HME |
| 58-09-4012 | -- Body Rear Scene Lights Required | 69 | 1 | HME |
| 58-09-5140 | -- Scene Lights, TecNiq K90 Series LED 7" x 9" | 69 | 2 | HME |
| 58-09-5810 | -- Bright Finished Bezels | 69 | 2 | HME |
| 58-09-7002 | -- Driver's Scene Light Switch | 69 | 1 | HME |
| 58-09-6020 | -- Rear Scene Light Switch w/Pkg Brk Over-Ride | 69 | 1 | HME |
| 58-14-011W | -- FRC - RF Corner - High Side | 69 | 1 | HME |
| 58-15-09WF | -- FRC, Spectra, Ultrabright LED, 20,000 Lumens, 12VDC | 69 | 1 | HME |
| 58-15-8004 | -- Lamphead ON / OFF Switch | 70 | 1 | HME |
| 58-15-8010 | -- FRC, Bottom Raise Pole - 530 | 70 | 1 | HME |
| 58-14-01WF | -- FRC - LF Corner - High Side | 70 | 1 | HME |
| 58-15-09WF | -- FRC, Spectra, Ultrabright LED, 20,000 Lumens, 12VDC | 70 | 1 | HME |
| 58-15-8004 | -- Lamphead ON / OFF Switch | 70 | 1 | HME |
| 58-15-8010 | -- FRC, Bottom Raise Pole - 530 | 70 | 1 | HME |
| | COMMUNICATION, MISC EQUIPMENT, LADDERS | | 1 | HME |
| 70-02-0400 | Labels, Identification & Safety, Mtd Drvr's Compt/Pump Panel | 70 | 1 | HME |

