



## QUOTATION

HME Ahrens-Fox  
 Sales  
 1950 Byron Center Ave.  
 Wyoming, MI 49519  
 616-534-1463  
 616-534-1967

HME Ahrens-Fox  
 Sales  
 1950 Byron Center Ave.  
 Wyoming, MI 49519  
 616-534-1463  
 616-534-1967

**Exp. Date:** 05/11/2021  
**Quote No:** 23854-0001  
**Job/Order No:** 23854  
**FULL TRUCK:** MODEL 18                      Model 18 - Type 1 - Engine - 2021  
**CHASSIS:** MODEL-18                      Model 18 - Type 1 - 1871SFO - 2021  
**PUMP&BODY:** MODEL-18                Model 18 - Type 1 - Pump and Body - 2021  
**WARRANTY:** WARRANTY                Limited Warranty - Use For Contracts

04/23/2021

Page 1

| PART NO           | S        | DESCRIPTION   | PG       | QTY      | ID         |
|-------------------|----------|---|----------|----------|------------|
|                   |          | <b>== Model 18 - Type 1 - 1871SFO - 2021 - 6.001 ==</b>   | <b>1</b> | <b>1</b> | <b>HMC</b> |
| 00-00-0012        |          | NFPA-1901, Current Edition - Complete Apparatus           | 1        | 1        | HMC        |
| <b>00-00-90SF</b> | <b>S</b> | <b>&gt; Vocation and Basic Attributes - Apparatus</b>     | <b>1</b> | <b>1</b> | <b>HMC</b> |
| <b>00-00-92SF</b> | <b>S</b> | <b>&gt; Paint Codes and Basic Attributes - Apparatus</b>  | <b>2</b> | <b>1</b> | <b>HMC</b> |
| <b>00-00-940C</b> |          | <b>Details of Construction - Order Confirmation</b>       | <b>2</b> | <b>1</b> | <b>HMC</b> |
|                   |          | <b>CHASSIS</b>  |          | <b>1</b> | <b>HMC</b> |
| 00-J0-10AF        |          | HME Ahrens-Fox 1871-SFO Custom Chassis                    |          | 1        | HMC        |
| 00-J0-2010        |          | -- Custom Chassis - Vertically Integrated Builder         | 3        | 1        | HMC        |
| 01-A0-0110        |          | 4x2 Chassis Vocation                                      |          | 1        | HMC        |
| 01-G0-110S        | >        | -- Single Frame Rails                                     | 3        | 1        | HMC        |
| 01-I0-100S        |          | -- Frame Rail Finish - Painted                            | 3        | 1        | HMC        |
| 40-Q0-1010        |          | -- Black Gloss Enamel Painted Frame                       | 4        | 1        | HMC        |
| 01-J0-4000        |          | -- Cab Main Frame Crossmember                             | 4        | 1        | HMC        |
| 07-A0-200S        |          | -- Front Axle 18,740# - Meritor MFS                       | 4        | 1        | HMC        |
| 07-AC-4500        |          | -- 45° Cramp Angle  | 4        | 1        | HMC        |
| 07-B0-0100        |          | -- Oil Seals - Front Axle - Factory Premium               | 4        | 1        | HMC        |
| 07-C0-010S        |          | -- S-Cam Brakes - Front Axle                              | 4        | 1        | HMC        |
| 07-R0-1018        |          | -- Front Suspension 18,740# - Semi-Elliptical Spring      | 5        | 1        | HMC        |
| 07-RS-0100        |          | -- Shock Absorbers - Front Axle (Semi Elliptical Spring)  | 5        | 1        | HMC        |
| 07-Y0-0119        |          | -- Steering - 18,740# - Sheppard Single Gear with Cooler  | 5        | 1        | HMC        |
| 10-GF-160S        | >        | -- Goodyear 315/80R22.5-18PR (J) Front - G291 - 16,540#   | 5        | 1        | HMC        |
| 10-W0-100S        |          | -- Front - Aluminum Wheels - 9.00                         | 5        | 1        | HMC        |
| 10-X0-0100        |          | -- Stainless 'Baby Moon' Caps & Nutcovers                 | 6        | 1        | HMC        |
| 08-AS-100S        |          | -- Single Rear Axle 24,000# - Meritor RS-24-160           | 6        | 1        | HMC        |
| 08-AV-F170        |          | -- 160 Series Differential - Single Axle                  | 6        | 1        | HMC        |
| 08-AV-S010        |          | -- Axle Lube - Non Synthetic                              | 6        | 1        | HMC        |
| 08-B0-0100        |          | -- Oil Seals - Rear Axle - Factory Premium                | 6        | 1        | HMC        |
| 08-C0-010S        |          | -- S-Cam Brakes - Single Rear Axle - MGM Brake Chambers   | 6        | 1        | HMC        |
| 08-PA-0502        |          | -- Vehicle Top Speed 69 MPH - 4.89:1 Ratio                | 6        | 1        | HMC        |
| 08-PA-1100        |          | -- NFPA Vehicle Top Speed Statement (Revised 6/25/2018)   | 7        | 1        | HMC        |
| 08-R0-010S        |          | -- Single Axle Suspension - 27,000# - Spring              | 7        | 1        | HMC        |
| 09-A0-0990        |          | -- Air System - Color Coded Nylon Air Lines - Single Axle | 7        | 1        | HMC        |
| 09-A0-1206        |          | -- Bendix AD IP Dryer                                     | 8        | 1        | HMC        |
| 09-D0-0102        |          | -- Air Tank Drains - Manual                               | 8        | 1        | HMC        |
| 09-A0-1145        |          | -- Fire Wrap Lagging - Air System                         | 8        | 1        | HMC        |
| 09-L0-040S        |          | -- ABS Brake System - 4 Wheel - Meritor/Wabco             | 9        | 1        | HMC        |
| 09-RS-1010        | >        | -- Stability Enhancement System - 4 Wheel - Meritor/Wabco | 9        | 1        | HMC        |

| PART NO             | S | DESCRIPTION  | PG        | QTY      | ID         |
|---------------------|---|--|-----------|----------|------------|
| 10-GT-24OS          |   | -- Goodyear 11R22.5-16PR (H) Rear M&S - FUELMAX RTD -<br>24,000#     | 9         | 1        | HMC        |
| 10-GV-0075          |   | -- Tire Speed Rating - 75 MPH  | 10        | 1        | HMC        |
| 10-W0-30OS          |   | -- Inner and Outer Rear - SA - Aluminum Wheels - 8.25                | 10        | 1        | HMC        |
| 10-X0-0300          |   | -- Stainless "Lincoln Hat" Hub & Nut Covers                          | 10        | 1        | HMC        |
| 10-Z0-0100          |   | -- Single Axle Crossfire Tire Equalization System                    | 10        | 1        | HMC        |
| 10-GW-0121          |   | -- Tire Pressure Monitoring Device - 1 Axle - LED Alert              | 10        | 1        | HMC        |
| 08-RS-0500          |   | -- Axle & Chassis Laser Alignment                                    | 10        | 1        | HMC        |
| 13-EU-55OS          |   | Cummins L9 - 370 HP - MY 21 - 989 Radiator                           | 11        | 1        | HMC        |
| 13-A0-09OS          |   | -- Engine Cooling System Radiator - 989 Sq. In.                      | 11        | 1        | HMC        |
| 13-A0-1450          |   | -- Engine Coolant Recovery System                                    | 12        | 1        | HMC        |
| 13-A0-1500          |   | -- Charge Air Cooler - Engine Air Intake                             | 12        | 1        | HMC        |
| 13-A0-1700          |   | -- Radiator Coolant  | 13        | 1        | HMC        |
| 13-A0-19OS          |   | -- Silicone Cooling System Hoses                                     | 13        | 1        | HMC        |
| 13-A0-1960          |   | -- Constant Torque Cooling System Clamps - Entire System             | 13        | 1        | HMC        |
| 13-I0-0004          |   | -- Engine Air Intake Filter, K&N, Washable                           | 13        | 1        | HMC        |
| 13-L0-0002          |   | -- Engine Oil - First Fill   | 13        | 1        | HMC        |
| 13-N0-0210          |   | -- Engine Brake - Cummins L9 Engine                                  | 13        | 1        | HMC        |
| 13-P0-2300          |   | -- Fast (High) Idle - Manual Select - Auto Low Voltage               | 14        | 1        | HMC        |
| 13-R0-01OS          |   | -- Block Heater, 1000W, 120V - ISC / ISL                             | 14        | 1        | HMC        |
| 13-R0-0220          | > | -- Block Heater - Wired to AutoEject                                 | 14        | 1        | HMC        |
| 13-S0-0040          |   | -- Corrosion Inhibitor   | 14        | 1        | HMC        |
| 13-V0-0120          |   | -- Auxiliary Engine Cooler - Sendure                                 | 14        | 1        | HMC        |
| 13-V0-0210          |   | -- Spark Arrestor - Air Intake                                       | 15        | 1        | HMC        |
| <b>13-V0-30OS</b>   | < | -- <b>Fan Clutch - Fully Variable Fan Drive with Manual Override</b> | <b>15</b> | <b>1</b> | <b>HMC</b> |
| <b>13-Y0-0621</b>   |   | -- <b>MY 21 Compliant Exhaust Treatment System - L9 &gt;360</b>      | <b>15</b> | <b>1</b> | <b>HMC</b> |
| <b>13-Y0-1611</b>   | > | -- <b>Cummins Aftertreatment System - MY 21 - L9 - &gt;360</b>       | <b>15</b> | <b>1</b> | <b>HMC</b> |
| 13-Y0-3010          |   | -- Stainless Tailpipe - Curb Side - 90° Exit - Straight Cut End      | 15        | 1        | HMC        |
| 13-Y0-6010          |   | -- Exhaust Tailpipe Diffuser   | 15        | 1        | HMC        |
| 13-Z0-0017          |   | -- DEF System - 5 Gallon Reservoir                                   | 16        | 1        | HMC        |
| <b>13-Y0-10OS</b>   | < | -- <b>Cummins Regen Switch Location</b>                              | <b>16</b> | <b>1</b> | <b>HMC</b> |
| 14-C0-35OS          |   | -- Allison 3000EVS Automatic Transmission                            | 16        | 1        | HMC        |
| 14-D0-0200          |   | -- Synthetic Transmission Fluid - Allison TES-295                    | 16        | 1        | HMC        |
| 14-ER-0114          |   | -- Five Speed Allison Programming - 3000EVS                          | 16        | 1        | HMC        |
| 14-ET-0100          |   | -- Automatic Neutral Programming - 2500 EVS / 3000EVS / 4000EVS      | 17        | 1        | HMC        |
| 14-HF-0100          |   | -- Drivertrain Fluid Monitoring System                               | 17        | 1        | HMC        |
| 14-W0-11OS          |   | -- 1760 Series Drivelines  | 18        | 1        | HMC        |
| 25-A0-24OS          | > | -- Fuel Tank - 65.5 Gallon Draw - Stainless Straps                   | 18        | 1        | HMC        |
| 25-V0-0000          |   | -- Reinforced Fuel Lines   | 19        | 1        | HMC        |
| 25-V0-10OS          |   | -- Fire Wrap Lagging - Fuel System Lines                             | 19        | 1        | HMC        |
| 25-F0-0200          |   | -- Fuel Filter - Cummins - Factory                                   | 19        | 1        | HMC        |
| 45-D0-0100          |   | -- 270 Amp Alternator - Leece-Neville - LN4867J                      | 19        | 1        | HMC        |
| <b>CAB MODEL</b>    |   |  |           |          |            |
| 40-D0-06OS          |   | SFO-MFD - Aluminum 96" Wide Cab - Flat Roof                          | 19        | 1        | HMC        |
| <b>14-ES-02OS</b>   |   | -- <b>Transmission Selector - Push Button Type - Console Mounted</b> | <b>22</b> | <b>1</b> | <b>HMC</b> |
| 14-ES-0400          |   | -- Transmission Fluid Check - Transmission Selector                  | 22        | 1        | HMC        |
| 40-DH-5200          |   | -- Exterior Cab Door Handles - Bright Finish                         | 22        | 1        | HMC        |
| 40-N0-08OS          |   | -- Cab Stainless Fender  | 23        | 1        | HMC        |
| 40-N0-0806          |   | -- Cab Fender - Bright Finish  | 23        | 1        | HMC        |
| 40-U0-0103          |   | -- Overhead Heater / Defroster                                       | 23        | 1        | HMC        |
| 40-U0-0450          | > | -- 45,000 BTU Air Conditioning with Heater - Single Condenser        | 23        | 1        | HMC        |
| 40-U0-0610          |   | -- 36,000 BTU Supplemental Heater                                    | 23        | 1        | HMC        |
| 40-U0-0620          |   | -- Cab Climate Control Insulation Package                            | 24        | 1        | HMC        |
| 45-E0-0100          |   | -- EMI/RFI Noise Suppression   | 24        | 1        | HMC        |
| 45-NS-08OS          |   | -- Stainless Steel Battery Tray                                      | 24        | 1        | HMC        |
| 45-NU-03OS          |   | -- Single Battery System - 4 Group 31                                | 24        | 1        | HMC        |
| 45-NU-0410          |   | -- Battery Jumpers   | 25        | 1        | HMC        |
| <b>45-T0-02OS</b>   |   | -- <b>40 Amp - Kussmaul - Auto Charge 1200</b>                       | <b>25</b> | <b>1</b> | <b>HMC</b> |
| <b>45-Z0-12OS</b>   |   | -- <b>Kussmaul 20 AMP - 120v - Super Auto Eject</b>                  | <b>25</b> | <b>1</b> | <b>HMC</b> |
| 45-Z0-1320          |   | -- Cab Exterior Mounted - Behind the Driver's Door                   | 26        | 1        | HMC        |
| <b>45-Z0-13OS</b>   |   | -- <b>Yellow Auto-Eject Cover</b>                                    | <b>26</b> | <b>1</b> | <b>HMC</b> |
| 45-Z0-1314          |   | -- Plain Cover   | 26        | 1        | HMC        |
| 45-NU-0510          |   | -- Battery Jumper Studs  | 26        | 1        | HMC        |
| <b>CAB INTERIOR</b> |   |  |           |          |            |
| 40-D0-51OS          |   | Cab Interior Appointments and Options - 1871SFO                      |           | 1        | HMC        |

| PART NO           | S   | DESCRIPTION   | PG        | QTY      | ID         |
|-------------------|-----|---|-----------|----------|------------|
| 40-DE-0300        | <   | -- Engine Enclosure - Vinyl Covering - Acoustiblok - NO FLUID CHECK<br>HATCH            | 26        | 1        | HMC        |
| 40-DE-1030        |     | -- Painted Interior Door Panels   | 26        | 1        | HMC        |
| 40-DE-2010        |     | -- Interior Padding - Standard Ceiling  | 27        | 1        | HMC        |
| 40-DE-2020        |     | -- Interior Padding - Standard Rear Wall  | 27        | 1        | HMC        |
| 40-DE-2060        |     | -- Floor Material - Acoustical Wear Mat   | 27        | 1        | HMC        |
| 40-DE-2070        |     | -- * * * Rear Facing Seat Box Covering - Acoustical Wear Mat                            | 27        | 1        | HMC        |
| <b>40-DE-220S</b> |     | <b>-- Rear Wall Gear Rack</b>   | <b>27</b> | <b>1</b> | <b>HMC</b> |
| 40-DE-2620        |     | -- Rugged Zolotone Dash   | 27        | 1        | HMC        |
| 40-DE-3050        |     | -- Door Reflective Material, SecuriTrim - Custom Chassis, 4 Door                        | 28        | 1        | HMC        |
| <b>40-DE-3520</b> |     | <b>-- Logbook Holder, Door Mounted</b>  | <b>28</b> | <b>1</b> | <b>HMC</b> |
| <b>40-DE-400S</b> |     | <b>-- Cab Step Well Trim - Step Tops Only - Hinged DEF Access</b>                       | <b>28</b> | <b>1</b> | <b>HMC</b> |
| <b>40-DE-5004</b> | >   | <b>-- Helmet Holders, Ship Loose</b>  | <b>28</b> | <b>1</b> | <b>HMC</b> |
| 40-DE-7010        |     | -- Steering Wheel and Column  | 28        | 1        | HMC        |
| 40-DH-0260        |     | -- Grab Hndls - Inside - Driver's, Officer's A-Post and Both Crew Doors                 | 28        | 1        | HMC        |
| <b>40-LC-0118</b> |     | <b>-- Open Compartment Light - Red Flashing - Whelen OS LED</b>                         | <b>29</b> | <b>1</b> | <b>HMC</b> |
| 40-LC-2010        |     | -- Audible Alarm for Open Compartment Circuit   | 29        | 1        | HMC        |
| 40-LD-0106        |     | -- Interior Lighting Group -1871SFO   | 29        | 1        | HMC        |
| <b>40-LD-040S</b> |     | <b>-- LED Strip Light Interior Light Packages</b>                                       | <b>29</b> | <b>1</b> | <b>HMC</b> |
| <b>40-LD-500S</b> |     | <b>-- Driver and Officer Door Strip Lighting - WHITE/RED</b>                            | <b>29</b> | <b>1</b> | <b>HMC</b> |
| <b>40-LD-5183</b> |     | <b>-- Interior Cab Light Color Control</b>  | <b>29</b> | <b>1</b> | <b>HMC</b> |
| 40-LD-5184        |     | -- Cab Door Controlled  | 29        | 1        | HMC        |
| <b>40-LD-511T</b> |     | <b>-- Crew Cab Door Area LED Strip Lighting - WHITE/RED</b>                             | <b>29</b> | <b>1</b> | <b>HMC</b> |
| 40-LD-5184        |     | -- Cab Door Controlled  | 30        | 1        | HMC        |
| 40-LD-5187        |     | -- No Crew Area Red Light Switch  | 30        | 1        | HMC        |
| 40-LH-1010        |     | -- Storage Compartment - Officer Stepwell   | 30        | 1        | HMC        |
| <b>40-LM-200S</b> |     | <b>-- Ceiling Mounted Reading / Map Lights -LED (4)</b>                                 | <b>30</b> | <b>1</b> | <b>HMC</b> |
| <b>40-V0-010S</b> | <   | <b>-- Driver Instrumentation (J1939) and Controls</b>                                   | <b>30</b> | <b>1</b> | <b>HMC</b> |
| 40-V0-0120        |     | -- Audible Turn Signal Reminder   | 31        | 1        | HMC        |
| 40-V0-0122        |     | -- Audible Lights On Reminder   | 31        | 1        | HMC        |
| 40-V0-0124        |     | -- Audible Parking Brake Reminder   | 31        | 1        | HMC        |
| 40-V0-0130        |     | -- Dual Trip Odometers  | 32        | 1        | HMC        |
| 40-V0-0148        | >   | -- Odometer Activated While in Pump Mode  | 32        | 1        | HMC        |
| 40-V0-0150        |     | -- Low Fuel Warning Light and Alarm   | 32        | 1        | HMC        |
| 40-V0-0152        |     | -- Transmission Temperature Warning Light and Alarm                                     | 32        | 1        | HMC        |
| 40-V0-0154        |     | -- Low Voltage Warning Light  | 32        | 1        | HMC        |
| 40-V0-0157        |     | -- Air Restriction Gauge Pop-Up   | 32        | 1        | HMC        |
| 40-V0-0160        |     | -- Low Coolant Warning  | 32        | 1        | HMC        |
| 40-V0-0162        |     | -- Wiper Control, Intermittent  | 33        | 1        | HMC        |
| 69-C0-0100        |     | -- On Board USB Electronic Operator's Manual w/Parts List                               | 33        | 1        | HMC        |
| 40-X0-110S        |     | -- Doghouse Control Center - Console  | 33        | 1        | HMC        |
| 40-V0-050S        |     | -- Parking Brake Control - Driver's Dash  | 34        | 1        | HMC        |
| <b>45-NS-020S</b> |     | <b>-- Apparatus Base Digital Electrical System - Class1 EsKey</b>                       | <b>34</b> | <b>1</b> | <b>HMC</b> |
| <b>45-NS-0212</b> |     | <b>-- Information Display Module - Mounting Location</b>                                | <b>35</b> | <b>1</b> | <b>HMC</b> |
| <b>45-NS-0400</b> |     | <b>-- USB Programming Port</b>  | <b>35</b> | <b>1</b> | <b>HMC</b> |
| <b>40-X0-800S</b> |     | <b>-- Doghouse Mounted Cupholder w/dual USB &amp; 12vdc Power Point</b>                 | <b>36</b> | <b>1</b> | <b>HMC</b> |
| <b>40-X0-900S</b> |     | <b>-- Crew Area Seat Riser Mounted Cupholder w/dual USB &amp; 12vdc<br/>Power Point</b> | <b>36</b> | <b>1</b> | <b>HMC</b> |
| <b>40-Y0-4100</b> | S < | <b>-- Central Supply International Intercom System</b><br>Note: Verbiage clean up only  | <b>36</b> | <b>1</b> | <b>HMC</b> |
| <b>40-Y0-4344</b> |     | <b>-- Radio Interface Cable(s)</b>  | <b>36</b> | <b>1</b> | <b>HMC</b> |
| <b>40-Y0-4994</b> |     | <b>-- Intercom System Component Mounting Locations</b>                                  | <b>37</b> | <b>1</b> | <b>HMC</b> |
| <b>40-YC-3806</b> |     | <b>-- Back-Up Camera System</b>   | <b>37</b> | <b>1</b> | <b>HMC</b> |
| <b>40-YC-3821</b> |     | <b>-- Observation Monitor - 7" LCD - Waterproof</b>                                     | <b>37</b> | <b>1</b> | <b>HMC</b> |
| <b>40-YC-4004</b> |     | <b>-- Monitor Mounting - Ceiling Mounted - Driver - Flip Down</b>                       | <b>37</b> | <b>1</b> | <b>HMC</b> |
| <b>40-YC-3833</b> |     | <b>-- Camera - Color - Rear - High Performance - White Housing</b>                      | <b>38</b> | <b>1</b> | <b>HMC</b> |
| 40-YC-4104        |     | -- Operation - Transmission Reverse Powered   | 38        | 1        | HMC        |
| <b>40-YC-4202</b> |     | <b>-- Camera Mounting - Body Rear - Below Hosebed</b>                                   | <b>38</b> | <b>1</b> | <b>HMC</b> |
| 40-YC-4220        |     | -- Guard, Rear Camera, Cast Products  | 38        | 1        | HMC        |
| <b>40-Z0-030S</b> |     | <b>-- Two Way Radio Power and Speaker Prep</b>  | <b>38</b> | <b>1</b> | <b>HMC</b> |
| <b>40-Z0-030T</b> |     | <b>-- Portable Radio Charger Power</b>  | <b>38</b> | <b>1</b> | <b>HMC</b> |
| <b>40-Z0-080S</b> | <   | <b>-- NMO Mounts (3) Radio Antenna Wiring</b>   | <b>39</b> | <b>1</b> | <b>HMC</b> |
| 40-Z0-0857        |     | -- Location - Officer's Seat Area   | 39        | 1        | HMC        |
| 40-Z0-0900        |     | -- Antenex NMO Weatherproof Cap   | 39        | 1        | HMC        |

| PART NO           | S   | DESCRIPTION   | PG        | QTY      | ID         |
|-------------------|-----|---|-----------|----------|------------|
| 40-Z0-0910        |     | -- Antenex AB150 1/4 wave antenna   | 39        | 1        | HMC        |
| <b>40-Z0-310S</b> |     | -- <b>AM/FM Stereo NOAA, Frt Input, Bluetooth Radio w/Four Speakers</b>           | <b>39</b> | <b>1</b> | <b>HMC</b> |
| 40-Z0-9910        |     | -- Fire Extinguisher and Hazard Triangle Kit                                      | 40        | 1        | HMC        |
|                   |     | <b>CAB EXTERIOR</b>   |           | <b>1</b> | <b>HMC</b> |
| 40-D0-610S        |     | Cab Exterior Appointments and Options - 1871SFO                                   |           | 1        | HMC        |
| 40-DH-210S        |     | -- Exterior Grab Handles (Hansen STAL 026-K144 grab bar) - 24" Long               | 40        | 1        | HMC        |
| 40-DH-5100        |     | -- Exterior Grab Handles - Bright Finish  | 40        | 1        | HMC        |
| 40-DZ-010S        |     | -- 3-Dimensional Stainless Front Grille - SFO                                     | 40        | 1        | HMC        |
| 40-DZ-3001        |     | -- Cab Grilles- Bright Finish   | 41        | 1        | HMC        |
| 40-G0-1002        |     | -- --->No Cab Mud flaps Required  | 41        | 1        | HMC        |
| 40-J0-28WF        |     | -- Mekra Lang - Smooth Chrome - Htd & Remote Control Mirrors                      | 41        | 1        | HMC        |
|                   |     | w/Convex  |           |          |            |
| 40-J0-2802        |     | -- No Mirror Options  | 41        | 1        | HMC        |
| 40-LE-1002        |     | -- Engine Maintenance Lights LED - Custom   | 41        | 1        | HMC        |
| <b>40-LS-2021</b> |     | -- <b>LED NovaTech Handheld Spotlight</b>   | <b>41</b> | <b>1</b> | <b>HMC</b> |
| 40-N0-1400        |     | -- Exterior Rear Wall - Diamond Plate Overlay - Bright Finish                     | 41        | 1        | HMC        |
| 40-P0-0122        |     | -- Cab Tilt - Elec Pump w/Man Back Up w/Lght Swtch Box                            | 41        | 1        | HMC        |
| 40-P0-0400        |     | -- Cab Tilt Road Interlock  | 42        | 1        | HMC        |
|                   |     | <b>CAB AND CHASSIS PAINT</b>  |           | <b>1</b> | <b>HMC</b> |
| 40-Q0-1026        |     | Cab & Chassis Paint - SFO   |           | 1        | HMC        |
| 40-Q0-120S        |     | -- Gray Interior Paint  | 42        | 1        | HMC        |
| 40-Q0-2012        |     | -- Headliner - Gray   | 43        | 1        | HMC        |
| 40-Q0-2112        |     | -- Rear Wall Covering - Gray  | 43        | 1        | HMC        |
| 40-Q0-2212        |     | -- Floor Covering - Gray  | 43        | 1        | HMC        |
| 40-Q0-2304        |     | -- Door Panels - Gray   | 43        | 1        | HMC        |
| 40-Q0-2312        |     | -- Doghouse Covering - Gray   | 43        | 1        | HMC        |
| <b>40-Q0-250S</b> |     | -- <b>Dash Housing and Officer Console - Gray</b>                                 | <b>43</b> | <b>1</b> | <b>HMC</b> |
| <b>40-Q0-3010</b> |     | -- <b>Single Color Cab Exterior Paint</b>   | <b>43</b> | <b>1</b> | <b>HMC</b> |
| <b>40-Q0-3080</b> | >   | -- <b>Cab Exterior Paint - PPG - Urethane</b>                                     | <b>45</b> | <b>1</b> | <b>HMC</b> |
|                   |     | <b>SEATING</b>  |           | <b>1</b> | <b>HMC</b> |
| 40-RS-0010        |     | Seat Logos by Truck Model   |           | 1        | HMC        |
| 40-RS-4012        |     | SFO - 96" - 2 Forward Facing  |           | 1        | HMC        |
| 40-S0-0012        |     | -- Seat Position 1 - Driver's Seat  | 45        | 1        | HMC        |
| 40-S0-1350        |     | -- Highback - Air Ride Suspension - HO Bostrom - Sierra 500 - ABTS                | 45        | 1        | HMC        |
| 40-S0-0022        |     | -- Seat Position 2 - Officer's Seat   | 45        | 1        | HMC        |
| 40-S0-1350        |     | -- Highback - Air Ride Suspension - HO Bostrom - Sierra 500 - ABTS                | 45        | 1        | HMC        |
| <b>40-S0-0082</b> | <   | -- <b>Seat Position 8 - Fwd Facing - Left Inside</b>                              | <b>45</b> | <b>1</b> | <b>HMC</b> |
| <b>40-S0-5852</b> | <   | -- <b>Highback - Non-Susp Fixed - HO Bostrom - Sierra 500 - ABTS - Position 8</b> | <b>45</b> | <b>1</b> | <b>HMC</b> |
| <b>40-S0-0092</b> | <   | -- <b>Seat Position 9 - Fwd Facing - Right Inside</b>                             | <b>46</b> | <b>1</b> | <b>HMC</b> |
| <b>40-S0-5854</b> | <   | -- <b>Highback - Non-Susp Fixed - HO Bostrom - Sierra 500 - ABTS - Position 9</b> | <b>46</b> | <b>1</b> | <b>HMC</b> |
| <b>40-S0-610S</b> |     | -- <b>Forward Facing Seat Riser - w/In-Cab Storage Drawer</b>                     | <b>46</b> | <b>1</b> | <b>HMC</b> |
| 40-S0-7420        |     | -- Gray / Black Durawear Seat Covering  | 46        | 1        | HMC        |
| 40-S0-8002        |     | -- Seat Belt Warning Labels   | 46        | 1        | HMC        |
| <b>40-S0-930S</b> |     | -- <b>SCBA Bottle Bracket Storage in Cab</b>                                      | <b>46</b> | <b>1</b> | <b>HMC</b> |
| 40-S0-800S        |     | Vehicle Data Recorder and Seat Belt Warning System                                | 46        | 1        | HMC        |
| 40-S0-8016        |     | -- Seat Belt Warning System Monitor Panel   | 47        | 1        | HMC        |
|                   |     | <b>FRONT BUMPER / AUDIBLE WARNING</b>   |           | <b>1</b> | <b>HMC</b> |
| 42-A0-300S        |     | Front Bumper - 10" High - Polished Stainless                                      | 47        | 1        | HMC        |
| 01-V0-2034        |     | -- Front Bumper License Plate Mounting  | 47        | 1        | HMC        |
| 01-V0-300S        |     | -- Front Bumper Ext - 10"   | 47        | 1        | HMC        |
| <b>01-T1-020S</b> |     | -- <b>Frt Jumpline, 1.5" w/2" Piping, 90° Swivel Adapter - {Rt Swivel}</b>        | <b>48</b> | <b>1</b> | <b>HMC</b> |
|                   |     | <b>Bumper Valve</b>   |           |          |            |
| 01-T1-0710        |     | -- Swivel on Gravelshield, Right of the Center Hosewell                           | 48        | 1        | HMC        |
| <b>01-Z0-950S</b> |     | -- <b>Valve Control, 2" Emergency Shut Off, Quarter Turn</b>                      | <b>48</b> | <b>1</b> | <b>HMC</b> |
| 01-W0-0700        |     | -- Chromed Tow Hooks Beneath Bumper   | 48        | 1        | HMC        |
| 01-Z0-8012        |     | -- Front Gravelshield   | 48        | 1        | HMC        |
| 01-Z0-820S        | >   | -- Center Hosewell  | 48        | 1        | HMC        |
| <b>01-Z0-8710</b> | <   | -- <b>Hosewell Cover - Hinged Diamondplate</b>                                    | <b>49</b> | <b>1</b> | <b>HMC</b> |
| 01-Z0-8802        |     | -- Open Grate Mat, Hosewell   | 49        | 1        | HMC        |
| <b>40-H0-110S</b> | < > | -- <b>Single Stutter Tone Air Horn - Bumper Recessed</b>                          | <b>49</b> | <b>1</b> | <b>HMC</b> |
| 40-H0-1201        |     | -- Air Horn Circuit Powered - Battery and Ignition                                | 49        | 1        | HMC        |
| 40-H0-1250        |     | -- Air Horn Control - Driver & Officer Foot Switches                              | 49        | 1        | HMC        |
| 40-H0-1302        |     | -- Air/Elec Horn-Strg Wheel Cntrl - {Siren Switch Upgrade Here}                   | 49        | 1        | HMC        |

| PART NO    | S | DESCRIPTION  | PG | QTY | ID  |
|------------|---|--|----|-----|-----|
| 40-H0-21OS |   | -- <b>Electronic Siren - Whelen - Model 295SLSA1</b>                 | 49 | 1   | HMC |
| 40-H0-5412 |   | -- <b>Siren Head Mounting - Console Mounted</b>                      | 50 | 1   | HMC |
| 40-H0-30OS |   | -- <b>Q2B Mechanical Siren - Special Bumper Recessed - Officer's</b> | 50 | 1   | HMC |
|            |   | <b>Side</b>  |    |     |     |
| 40-H0-3360 |   | -- Q2B Mechanical Siren - Bright Finish                              | 50 | 1   | HMC |
| 40-H0-5110 |   | -- Siren Circuit Powered - Master Warning Light Switch               | 50 | 1   | HMC |
| 40-H0-52OS | < | -- <b>Siren Brake Switch - Driver and Officer Control</b>            | 50 | 1   | HMC |
| 40-H0-53OS | < | -- <b>Siren Control - Driver &amp; Officer Push Button Switches</b>  | 50 | 1   | HMC |
| 40-HA-2020 |   | -- Siren Speaker - Cast Products - Recess Mtd - Left Side            | 50 | 1   | HMC |
| 69-C0-0200 |   | -- Electronic Operator's Manual w/Parts List - One Set               | 51 | 1   | HMC |
| 69-C0-0300 |   | -- FAMA Fire Apparatus Safety Guide                                  | 51 | 1   | HMC |
|            |   | <b>v6.002 - RELEASE DATE - 04/09/2021</b>                            |    | 1   | HMC |
|            |   | <b>== Model 18 - Type 1 - Pump and Body - 2021 - 6.001 ==</b>        | 51 | 1   | HME |
| 08-22-2001 | > | Apparatus Body Designation, Model Ahrens-Fox                         |    | 1   | HME |
| 18-02-03OS |   | Cross Body Compartment   | 51 | 1   | HME |
| 48-04-2311 | < | -- <b>Tray, HD, Dual Pullout w/Rllrs &amp; Ltch, 1000#-(xvers)</b>   | 52 | 1   | HME |
| 20-02-0100 | > | HydraTechnology, Pump House Design Requirement                       | 52 | 1   | HME |
| 20-02-03OS |   | Pump Enclosure, 36" Side Mount, LDM - Gen III                        | 53 | 1   | HME |
| 20-04-02OS |   | -- <b>Running Boards, L/S, R/S w/Laser Grip</b>                      | 54 | 1   | HME |
| 20-04-03OS |   | -- <b>Left Running Board Hosewell</b>                                | 54 | 1   | HME |
| 20-04-0667 |   | -- <b>Straps, Running Board Hosewell</b>                             | 54 | 1   | HME |
| 20-04-0728 |   | -- Turtle Tile Mat, Installed, Running Board Hosewell                | 54 | 1   | HME |
| 20-04-03OT |   | -- <b>Right Running Board Hosewell</b>                               | 54 | 1   | HME |
| 20-04-0667 |   | -- <b>Straps, Running Board Hosewell</b>                             | 54 | 1   | HME |
| 20-04-0728 |   | -- Turtle Tile Mat, Installed, Running Board Hosewell                | 55 | 1   | HME |
| 20-06-08OS |   | -- <b>Dunnage Compt, w/Floor</b>                                     | 55 | 1   | HME |
| 20-06-16OS |   | -- <b>Grabrails, (2) Dunnage Compt, Mtd L/ R Side (Hansen</b>        | 55 | 1   | HME |
|            |   | <b>026-K144 grab bar)</b>  |    |     |     |
| 20-08-08OS |   | -- <b>Inlet/Outlet Connection, Outside Air, Mtd L/S PPanel</b>       | 55 | 1   | HME |
| 20-10-1225 |   | -- Work Light, (1) LED, Strip Light, Mtd Pump Compt w/Switch         | 55 | 1   | HME |
| 20-14-0100 |   | -- Pump Service Access Requirements                                  | 55 | 1   | HME |
| 20-14-03OS |   | -- Control Panel, LDM Side Mount                                     | 56 | 1   | HME |
| 20-15-01OS |   | -- <b>Identification Labels - Engraved Plastic</b>                   | 56 | 1   | HME |
| 20-16-08OS |   | -- <b>Pump Panel Finish, Powder Coat, Black Upper</b>                | 56 | 1   | HME |
| 20-18-10OS |   | -- Controls & Gauges, Side Mount                                     | 57 | 1   | HME |
| 20-18-1420 |   | -- FRC In Control 400 Pressure Governor, Engine Monitor and          | 57 | 1   | HME |
|            |   | <b>Pressure Display</b>  |    |     |     |
| 20-18-1550 |   | -- 2-1/2" Pressure Gauges, 0-400 psig - English                      | 58 | 1   | HME |
| 20-18-1558 |   | -- 2-1/2" Pressure Gauge LED Lighting                                | 58 | 1   | HME |
| 20-18-1560 |   | -- Pump Hourmeter  | 58 | 1   | HME |
| 20-18-1570 |   | -- Pump Panel LED Lighting - WHITE/RED                               | 59 | 1   | HME |
| 20-18-1600 |   | -- <b>Pump Test Ports</b>  | 59 | 1   | HME |
| 20-18-20OS |   | -- <b>Lift Style Drains - 90° Ports with Drain Tubing</b>            | 59 | 1   | HME |
| 20-18-2404 |   | -- Switch, Air Horn Activation, Mtd PPanel, Push Button w/Lbl        | 59 | 1   | HME |
| 30-26-04OS | < | -- <b>Gauge, Water Tank Level - FRC Tank Vision</b>                  | 59 | 1   | HME |
| 30-26-08OS | < | -- <b>Gauge, Water Tank Gauge, FRC MINI, Cab Dash</b>                | 60 | 1   | HME |
| 30-28-02OS | < | -- <b>Gauge, Foam Tank Level - FRC Tank Vision</b>                   | 60 | 1   | HME |
| 30-28-03OS | < | -- <b>Gauge, Foam Tank Gauge, FRC MINI, Cab Dash</b>                 | 61 | 1   | HME |
|            |   | <b>Side Mount Pumps - STANDARD Height Crosslays</b>                  |    | 1   | HME |
| 20-21-22OS |   | -- Pump, Midship, Darley "LDM", 1500 GPM                             | 61 | 1   | HME |
| 20-26-2140 |   | -- <b>Pump Rating, Darley, 1500 GPM</b>                              | 61 | 1   | HME |
| 20-27-0100 |   | -- Altitude Requirements, 0' to 2000 Feet Above Sea Level            | 62 | 1   | HME |
| 22-06-0907 | < | -- <b>Primer, Air Primer, Trident, On Darley Pump</b>                | 62 | 1   | HME |
| 22-06-0970 |   | -- Trident Warranty, 5 Year Parts                                    | 63 | 1   | HME |
| 22-08-02OS | < | -- <b>Pump Shift, Pneumatic w/Label, Indicator Lights, Mtd on</b>    | 63 | 1   | HME |
|            |   | <b>Dash</b>  |    |     |     |
| 22-10-08OS |   | -- <b>Mechanical Seal, Darley LDM</b>                                | 63 | 1   | HME |
| 22-11-0202 |   | -- Anode, Water Pump, Indicator Weep Hole                            | 64 | 1   | HME |
| 22-14-1000 |   | -- Thermal Relief Valve, TRV-L, Automatic                            | 64 | 1   | HME |
| 22-14-18OS |   | -- <b>Intake Pressure Relief Valve, Waterous w/Discharge Hose</b>    | 64 | 1   | HME |
|            |   | <b>Adapter End</b>   |    |     |     |
| 22-18-0400 |   | -- Master Drain, Class 1, Manual Mtd Pump Panel                      | 64 | 1   | HME |
| 22-20-0100 |   | -- Certified NFPA Pump Test, Completed Apparatus Certificate         | 65 | 1   | HME |
| 22-30-0200 |   | -- Electronic Manuals, Pump Service and Operation                    | 65 | 1   | HME |
|            |   | <b>Steamer Inlets</b>  |    | 1   | HME |

| PART NO           | S        | DESCRIPTION  | PG        | QTY      | ID         |
|-------------------|----------|--|-----------|----------|------------|
| 24-02-10OS        |          | -- Steamer Inlet, 6" NST Thread, L/S w/Strainer - Darley             | 65        | 1        | HME        |
| 30-40-1060        |          | -- Cap, 6" Long Handle - HME Logo                                    | 65        | 1        | HME        |
| 24-02-12OS        |          | -- Steamer Inlet, 6" NST Thread, R/S w/Strainer - Darley             | 65        | 1        | HME        |
| 30-40-1060        |          | -- Cap, 6" Long Handle - HME Logo                                    | 65        | 1        | HME        |
|                   |          | <b>Rear Pump Inlets / Suctions</b>                                   |           | <b>1</b> | <b>HME</b> |
|                   |          | <b>Left Side Small Intake</b>  |           | <b>1</b> | <b>HME</b> |
| <b>24-21-0030</b> |          | <b>-- Pump Side Intake, Left Side - Rear</b>                         | <b>65</b> | <b>1</b> | <b>HME</b> |
| 24-21-1055        |          | -- Suction Valve Control, Swing Type, Side, Adj To Valve             | 65        | 1        | HME        |
|                   |          | <b>Right Side Tank Fill Inlet</b>                                    |           | <b>1</b> | <b>HME</b> |
| <b>24-21-03OS</b> |          | <b>-- Tank Fill, Pump Panel Side, Right Side - Rear</b>              | <b>66</b> | <b>1</b> | <b>HME</b> |
| <b>24-21-30OS</b> |          | <b>-- Tank Fill / Inlet, Side 2.5"</b>                               | <b>66</b> | <b>1</b> | <b>HME</b> |
| 24-21-1055        |          | -- Suction Valve Control, Swing Type, Side, Adj To Valve             | 66        | 1        | HME        |
| 30-40-1125        |          | -- Intake Plug, (Qty) 2.5" w/Cap & Chain                             | 66        | 1        | HME        |
|                   |          | <b>Left Side Pump Panel Discharges</b>                               |           | <b>1</b> | <b>HME</b> |
| <b>26-03-0020</b> |          | <b>-- #1 Discharge, Left Side - Side Operated</b>                    | <b>66</b> | <b>1</b> | <b>HME</b> |
| 26-03-0410        |          | -- No Discharge Required   |           | 1        | HME        |
| <b>26-03-0030</b> |          | <b>-- #2 Discharge, Left Side - Side Operated</b>                    | <b>66</b> | <b>1</b> | <b>HME</b> |
| <b>26-03-0420</b> |          | <b>-- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control</b>   | <b>66</b> | <b>1</b> | <b>HME</b> |
| 30-41-5025        |          | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug                | 66        | 1        | HME        |
|                   | w/Chain  |  |           |          |            |
|                   |          | <b>Right Side Pump Panel Discharges</b>                              |           | <b>1</b> | <b>HME</b> |
| <b>26-03-0220</b> |          | <b>-- #3 Discharge, Right Side - Side or Top Operated</b>            | <b>66</b> | <b>1</b> | <b>HME</b> |
| <b>26-03-0420</b> |          | <b>-- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control</b>   | <b>67</b> | <b>1</b> | <b>HME</b> |
| 30-41-5025        |          | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug                | 67        | 1        | HME        |
|                   | w/Chain  |  |           |          |            |
| <b>26-03-0230</b> |          | <b>-- #4 Discharge, Right Side - Side or Top Operated</b>            | <b>67</b> | <b>1</b> | <b>HME</b> |
| <b>26-03-04OS</b> |          | <b>-- Discharge, Side, 4" - 30 degree Elbow - Electric Control</b>   | <b>67</b> | <b>1</b> | <b>HME</b> |
| 26-10-2008        |          | -- Controller, Elkhart Apex 200 Controller (Pressure Only)           | 67        | 1        | HME        |
|                   |          | <b>Rear Discharges</b>   |           | <b>1</b> | <b>HME</b> |
| <b>26-06-04OS</b> |          | <b>-- Discharge, 2.5" R/S Rear w/1/4Trn, SwngOut Vlv &amp; 30Deg</b> | <b>67</b> | <b>1</b> | <b>HME</b> |
|                   | Elbw     |  |           |          |            |
| <b>26-06-06OS</b> |          | <b>-- Discharge, 2.5" L/S Rear w/1/4Trn, SwngOut Vlv &amp; 30Deg</b> | <b>68</b> | <b>1</b> | <b>HME</b> |
|                   | Elbw     |  |           |          |            |
| 30-24-0400        | >        | -- Water Tank Sleeve, (1) 4" Rear Intake/Discharge                   | 68        | 1        | HME        |
| 30-41-5025        |          | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug                | 68        | 1        | HME        |
|                   | w/Chain  |  |           |          |            |
| 30-24-0400        | >        | -- Water Tank Sleeve, (1) 4" Rear Intake/Discharge                   | 68        | 1        | HME        |
| 30-41-5025        |          | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain        | 68        | 1        | HME        |
|                   |          | <b>Deluge (Deck Gun) Piping</b>                                      |           | <b>1</b> | <b>HME</b> |
| <b>28-02-04OS</b> | >        | <b>-- Piping, 3" Deluge Riser, AbvPmp 3"</b>                         | <b>68</b> | <b>1</b> | <b>HME</b> |
| 26-12-0500        |          | -- Drain Valve, Class 1, 3/4", Automatic                             | 68        | 1        | HME        |
| 28-02-0555        |          | -- Fixed Riser Piping, NPT Termination                               | 69        | 1        | HME        |
| 28-02-0802        |          | -- Deck Gun Cntrl, 3" Manual Slow Close - OES                        | 69        | 1        | HME        |
|                   |          | <b>Crosslay Assemblies</b>   |           | <b>1</b> | <b>HME</b> |
| <b>28-11-11OS</b> |          | <b>-- Crosslay, (2) Beds, 1.5" NST / 1.5" NST</b>                    | <b>69</b> | <b>1</b> | <b>HME</b> |
| <b>28-11-51OS</b> |          | <b>-- #1 Crosslay, 1-1/2" NST w/2" Piping and Valve</b>              | <b>69</b> | <b>1</b> | <b>HME</b> |
| 26-12-0400        |          | -- Drain Valve - Manual - Manual 1/4 Turn                            | 69        | 1        | HME        |
| <b>28-11-61OS</b> |          | <b>-- #2 Crosslay, 1-1/2" NST w/2" Piping and Valve</b>              | <b>70</b> | <b>1</b> | <b>HME</b> |
| 26-12-0400        |          | -- Drain Valve - Manual - Manual 1/4 Turn                            | 70        | 1        | HME        |
| 28-11-7810        |          | -- Crosslay Hose Guides  | 70        | 1        | HME        |
| 28-12-2802        |          | -- Cover, Crosslay, Aluminum w/Vinyl Flaps                           | 70        | 1        | HME        |
| 28-14-1002        |          | -- Vinyl End Flap Color, Crosslay, Vinyl, Black, Seat Belt Type      | 71        | 1        | HME        |
|                   | Closures |  |           |          |            |
| <b>28-22-05OS</b> |          | <b>-- Booster Reel, Hannay, #SBSEPF24-28-29, 200'/1"</b>             | <b>71</b> | <b>1</b> | <b>HME</b> |
| <b>28-24-14OS</b> |          | <b>-- Hose, Booster, 200'/1" Neidner Hotstop</b>                     | <b>71</b> | <b>1</b> | <b>HME</b> |
| 28-26-0600        |          | -- Roller Assemblies, Dble, (1) Booster Reel, Stainless Steel        | 71        | 1        | HME        |
| 28-28-0100        |          | -- Switch, Pump Dunnage Booster Reel                                 | 71        | 1        | HME        |
|                   |          | <b>Booster Reels</b>   |           | <b>1</b> | <b>HME</b> |
|                   |          | <b>Hosebed Preconnects</b>   |           | <b>1</b> | <b>HME</b> |
| 28-30-0700        |          | -- Hosebed Preconnect, (1) L/S 1-1/2" NST, w/Cntrl                   | 71        | 1        | HME        |
|                   |          | <b>Ball Valves</b>   |           | <b>1</b> | <b>HME</b> |
| 30-00-0200        |          | -- Ball Valves, Akron Heavy Duty                                     | 72        | 1        | HME        |
|                   |          | <b>Tank Plumbing and Indicators / Gauges</b>                         |           | <b>1</b> | <b>HME</b> |
| <b>30-20-06OS</b> |          | <b>-- Piping, Tank To Pump, 3" w/3" Air Operated Ball Valve</b>      | <b>72</b> | <b>1</b> | <b>HME</b> |
| 30-22-0200        |          | -- Tank Refill, 1.5" Line w/ 1/4 Trn Bll Vlv                         | 72        | 1        | HME        |

| PART NO  | S | DESCRIPTION  | PG        | QTY      | ID         |
|--|---|--|-----------|----------|------------|
| <b>Diesel / Portable Pumps</b>                   |   |  |           |          |            |
| <b>20-38-110S</b>                                |   | <b> -- Portable Pump, Darley 1-1/2AGE, 150 GPM w/Diesel Engine</b>             | <b>72</b> | <b>1</b> | <b>HME</b> |
| 20-38-9010                                       |   | -- - Portable Pump Maintenance Features  | 73        | 1        | HME        |
| 20-39-1000                                       |   | -- Auxiliary Pump Control Panel - Pumphouse                                    | 73        | 1        | HME        |
| <b>20-39-1100</b>                                | < | <b> -- Auxiliary Pump Control Panel - In Cab</b>                               | <b>73</b> | <b>1</b> | <b>HME</b> |
| <b>20-39-1210</b>                                | < | <b> -- Aux Pump Hourmeter</b>  | <b>74</b> | <b>1</b> | <b>HME</b> |
| 20-40-0275                                       |   | -- - Mounting Location, Portable Pump, Dunnage Compt                           | 74        | 1        | HME        |
| 20-42-0400                                       |   | -- -Wiring, Portable Pump, To Apparatus 12V Elec System                        | 74        | 1        | HME        |
| 20-42-5000                                       |   | -- - Portable Pump Intake Plumbed To Water Tank                                | 74        | 1        | HME        |
| 20-43-5000                                       |   | -- - Portable Pump Discharge Plumbed To Foam Manifold                          | 75        | 1        | HME        |
| 22-11-0202                                       |   | -- Anode, Water Pump, Indicator Weep Hole                                      | 75        | 1        | HME        |
| 30-20-0110                                       |   | -- Piping, Tank To Pump, 2-1/2" w/2-1/2" Ball Valve and Check                  | 75        | 1        | HME        |
| 30-22-0710                                       |   | -- - Auxiliary Pump Cooling Line, 1/2" Line w/check valve                      | 75        | 1        | HME        |
| <b>Foam Systems</b>                              |   |  |           |          |            |
| <b>20-32-570S</b>                                | < | <b>Fire Research "TurboFoam" (Direct Inj 2.6 GPM - Class A Only)</b>           | <b>75</b> | <b>1</b> | <b>HME</b> |
| <b>20-32-5822</b>                                | < | <b> -- Foam System Remote Start - FRC</b>                                      | <b>76</b> | <b>1</b> | <b>HME</b> |
| 20-32-5986                                       |   | -- Class 'A' Foam Operation Only   | 77        | 1        | HME        |
| <b>20-32-700S</b>                                | < | <b> -- Foam Tank Refill System, HME Ahrens-Fox System</b>                      | <b>77</b> | <b>1</b> | <b>HME</b> |
| <b>20-34-010S</b>                                | > | <b> -- Foam Syst Outlets</b>   | <b>78</b> | <b>1</b> | <b>HME</b> |
| 20-34-0405                                       | > | -- Foam Outlets, (2) 1-1/2" Crosslays  | 78        | 1        | HME        |
| 20-34-0525                                       | > | -- Foam Outlet, Jumpline   | 78        | 1        | HME        |
| 20-34-0825                                       | > | -- Foam Outlet, Booster Hose Reel  | 78        | 1        | HME        |
| 20-34-0880                                       |   | -- - Foam Outlet, (1) Hosebed 1.5" Discharge - OES                             | 78        | 1        | HME        |
| 22-02-0800                                       | > | Heat Exchanger Line, Gated, Custom   | 78        | 1        | HME        |
| <b>Water / Foam Tanks and Equipment</b>          |   |  |           |          |            |
| <b>30-02-030S</b>                                |   | <b>Water Tank Cnstrctn, Poly w/Tnk Lid, FillTwr, Ovrflw</b>                    | <b>78</b> | <b>1</b> | <b>HME</b> |
| <b>30-14-300S</b>                                | < | <b> -- Foam Tank, (1) 20 Glns, Cls A, Tank Internal</b>                        | <b>79</b> | <b>1</b> | <b>HME</b> |
| <b>30-18-020S</b>                                |   | <b> -- Tank Mounting, Cradle Mtd, 8" x 8" x 4" x .250"</b>                     | <b>79</b> | <b>1</b> | <b>HME</b> |
| 30-18-0600                                       |   | -- Tank Cradle - Painted to Match Axles Color                                  | 80        | 1        | HME        |
| <b>APPARATUS BODY DESIGN AND CONSTRUCTION</b>    |   |  |           |          |            |
| <b>32-02-020S</b>                                |   | <b>Body Design and Construction, Pumper, Stainless Steel</b>                   | <b>80</b> | <b>1</b> | <b>HME</b> |
| 32-02-9000                                       |   | -- Compartment Interior Finish   | 82        | 1        | HME        |
| 32-05-0102                                       |   | -- Brushed Stainless Compartment Roof - Safety Tape Walkway                    | 82        | 1        | HME        |
| <b>46-18-100S</b>                                |   | <b> -- Rear Tailboard, Beveled Corners, 8" Deep, LaserGrip Stainless Steel</b> | <b>82</b> | <b>1</b> | <b>HME</b> |
| 46-18-1400                                       |   | -- Rear Tailboard - Bright Finish  | 82        | 1        | HME        |
| <b>EXTERIOR COMPARTMENTATION AND EQUIPMENT</b>   |   |  |           |          |            |
| <b>40-01-210S</b>                                |   | <b>Frame Extension, Rear</b>   | <b>82</b> | <b>1</b> | <b>HME</b> |
| 40-01-2200                                       |   | -- Rear Frame Extension - Painted to Match Frame Color                         | 83        | 1        | HME        |
| <b>40-02-020S</b>                                |   | <b>Ext Compartment Design and Construction, Modular, Bolted</b>                | <b>83</b> | <b>1</b> | <b>HME</b> |
| 40-02-0202                                       |   | -- Compartment Ventilation   | 83        | 1        | HME        |
| 46-28-0710                                       |   | -- No Exhaust Tailpipe Heatshield Required                                     | 83        | 1        | HME        |
| <b>40-02-0311</b>                                |   | <b>OES) 58"/72", FH/RD Ext Cmpts w/ThruTank, T-Tank - Flat Back</b>            | <b>83</b> | <b>1</b> | <b>HME</b> |
| <b>30-02-080S</b>                                |   | <b> -- Water Tank Capacity, T-Tank, 800 US Gallons - TT</b>                    | <b>83</b> | <b>1</b> | <b>HME</b> |
| <b>30-02-100S</b>                                | < | <b> -- Tank Fill Tower, 10" x 14", w/4" Vent - Blue Lid</b>                    | <b>83</b> | <b>1</b> | <b>HME</b> |
| 30-12-4110                                       |   | -- Cubic Ft, Body 117/Hsbd 80, Hosebed Ht, 56", 130" OAL                       | 84        | 1        | HME        |
| <b>42-14-010S</b>                                | > | <b> -- RR2, Ladder Stg Compt, Rear - Thru The Tank</b>                         | <b>84</b> | <b>1</b> | <b>HME</b> |
| <b>42-28-020S</b>                                |   | <b> -- Hinged Door, Rear, Ladder Storage</b>                                   | <b>84</b> | <b>1</b> | <b>HME</b> |
| <b>72-00-0010</b>                                |   | <b> -- Thru The Tank Ladders - 10-Fold, 14-Roof, 24-2 Sec</b>                  | <b>84</b> | <b>1</b> | <b>HME</b> |
| <b>34-02-040S</b>                                |   | <b> -- Hosebed, S/S w/21.75" Sides/Rmvbl Alm Flbrds</b>                        | <b>85</b> | <b>1</b> | <b>HME</b> |
| <b>34-04-060S</b>                                | < | <b> -- Dividers, (3) Hosebed, Adjustable, Smth Alum w/Radius Crnr</b>          | <b>85</b> | <b>1</b> | <b>HME</b> |
| <b>34-06-1011</b>                                | < | <b> -- Hosebed Covers, Alum, Dual, Two-Piece, Hinged</b>                       | <b>86</b> | <b>1</b> | <b>HME</b> |
| <b>34-04-050S</b>                                | < | <b> -- Dividers, (1) Hosebed, Fixed, Smth Alum w/Radius Crnr Rr</b>            | <b>86</b> | <b>1</b> | <b>HME</b> |
| 34-06-1402                                       |   | -- Vinyl Flaps, Black, Mtd Each Alum Hsbd Cvr w/Seat Belt Type                 | 87        | 1        | HME        |
| <b>Closures</b>                                  |   |  |           |          |            |
| <b>34-08-020S</b>                                |   | <b> -- Storage Compt, Rescue Litter, Driver's Side ATP Hsbd Cover</b>          | <b>87</b> | <b>1</b> | <b>HME</b> |
| <b>46-10-1002</b>                                |   | <b> -- Lights, Aluminum Hosebed Cover, (4) LED w/Auto Swtch</b>                | <b>87</b> | <b>1</b> | <b>HME</b> |
| <b>LEFT SIDE EXTERIOR COMPARTMENT DIMENSIONS</b> |   |  |           |          |            |
| <b>40-12-0311</b>                                |   | <b> -- 58"/72", Ext Cmpts, L/S, 32"/52"/41" W x 12"/24" D</b>                  | <b>87</b> | <b>1</b> | <b>HME</b> |
| 40-14-9006                                       |   | -- Roll Up Doors, Gortite  | 88        | 1        | HME        |
| <b>40-15-0120</b>                                | < | <b> -- Roll Up Doors, L/S, Satin Anodized Finish - Shrt Bdy - LSL</b>          | <b>88</b> | <b>1</b> | <b>HME</b> |
| 40-16-0425                                       |   | -- Door Latches, L/S, Locking Lift Bar w/Door Ajar Switch                      | 88        | 1        | HME        |
| 46-08-1200                                       | > | -- Rollup Door Shield(s), Ext. Body Compartments                               | 88        | 1        | HME        |
| <b>FENDER CONFIGURATIONS</b>                     |   |  |           |          |            |
| <b>41-00-040S</b>                                |   | <b> -- Wheel Area, Single Axle, - Rr SCBA Tubes - FFS</b>                      | <b>89</b> | <b>1</b> | <b>HME</b> |

| PART NO           | S | DESCRIPTION  | PG        | QTY      | ID         |
|-------------------|---|--|-----------|----------|------------|
| <b>46-02-020S</b> |   | -- <b>Fuel Fill, L/S Rr Fndr w/Door, Label, Vent Line</b>                | <b>89</b> | <b>1</b> | <b>HME</b> |
| 46-02-0500        |   | -- Fuel Fill Door - Bright Finish  | 89        | 1        | HME        |
| <b>46-06-0401</b> |   | -- <b>Fenderettes and Wheel Well Liners - Stainless</b>                  | <b>89</b> | <b>1</b> | <b>HME</b> |
| 46-06-0408        |   | -- Fenderettes and Wheelwell Liners - Bright Finish                      | 89        | 1        | HME        |
| 46-08-0200        |   | -- Mud Flaps, Rear   | 89        | 1        | HME        |
| <b>46-28-040S</b> |   | -- <b>SCBA Tubes, (4) Rear Wheelwell, (2) L/S - (2) R/S, Sngl Axle</b>   | <b>89</b> | <b>1</b> | <b>HME</b> |
| 46-28-0660        |   | -- SCBA Tube Doors - Bright Finish                                       | 90        | 1        | HME        |
| 46-28-0680        |   | -- SCBA Bottle Retention Strap(s)  | 90        | 1        | HME        |
|                   |   | <b>RIGHT SIDE EXTERIOR COMPARTMENT DIMENSIONS</b>                        |           | <b>1</b> | <b>HME</b> |
| <b>42-02-0311</b> |   | -- <b>58"/72", Ext Compts, R/S, 32"/52"/41" W x 12"/24" D</b>            | <b>90</b> | <b>1</b> | <b>HME</b> |
| <b>42-07-0120</b> | < | -- <b>Roll Up Doors, R/S, Satin Anodized Finish - Shrt Bdy - LSL</b>     | <b>90</b> | <b>1</b> | <b>HME</b> |
| 42-08-0425        |   | -- Door Latches, R/S, Locking Lift Bar w/Door Ajar Switch                | 91        | 1        | HME        |
| 46-08-1200        | > | -- Rollup Door Shield(s), Ext. Body Compartments                         | 91        | 1        | HME        |
|                   |   | <b>REAR BODY EXTERIOR COMPARTMENT DIMENSIONS</b>                         |           | <b>1</b> | <b>HME</b> |
| <b>42-12-030S</b> |   | -- <b>RR1, Ext Compt, Rear, 33" H x 48" W x 32" D</b>                    | <b>91</b> | <b>1</b> | <b>HME</b> |
| <b>42-25-020S</b> | < | -- <b>Hinged Doors, Flush Mount, Double Pan Stainless</b>                | <b>91</b> | <b>1</b> | <b>HME</b> |
| <b>42-08-030S</b> |   | -- <b>Door Latches, R/S, Hansen, Slam w/"D" Ring, Locking</b>            | <b>91</b> | <b>1</b> | <b>HME</b> |
| 42-08-0550        |   | -- Door Latches - Bright Finish  | 91        | 1        | HME        |
| <b>84-04-5012</b> |   | -- <b>Chevron, Diamond Grade Rear Body NFPA, 6" - Model 18 -</b>         | <b>91</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>Type 1</b>  |           |          |            |
| 84-04-8020        |   | -- Chevron Color - Red and Florescent Green Reflective                   | 92        | 1        | HME        |
|                   |   | <b>BODY TOP EXTERIOR COMPARTMENT DIMENSIONS</b>                          |           | <b>1</b> | <b>HME</b> |
| <b>46-08-210S</b> |   | -- <b>R/S Full Length, Top Access Compartment</b>                        | <b>92</b> | <b>1</b> | <b>HME</b> |
| <b>46-08-230S</b> |   | -- <b>Coffin Compartment Doors, Lift Up Aluminum - Pair</b>              | <b>92</b> | <b>1</b> | <b>HME</b> |
| 46-08-2322        |   | -- LED Coffin Compartment Lid Lighting                                   | 92        | 1        | HME        |
| 46-08-2324        |   | -- Coffin Compartment Open Compartment Warning Light                     | 92        | 1        | HME        |
| 46-08-2360        |   | -- Coffin Compartment Doors - Bright Finish                              | 92        | 1        | HME        |
| <b>46-32-1210</b> | < | -- <b>Suction Hose Compartment, Body Top, Rear Access</b>                | <b>92</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>EXTERIOR BODY COMPONENTS</b>  |           | <b>1</b> | <b>HME</b> |
| <b>46-05-060S</b> |   | -- <b>Rubrail, Body, LED Strip, Armor Guard, Warning/Ground -</b>        | <b>93</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>Medium Body</b>   |           |          |            |
| 46-05-0700        |   | -- Rubrail, Body - Bright Finish   | 93        | 1        | HME        |
| <b>46-06-0482</b> |   | -- <b>Painted Apparatus Body Items</b>                                   | <b>93</b> | <b>1</b> | <b>HME</b> |
| 46-06-0602        |   | -- Painted Apparatus Body, Wheel Well Fender Panels                      | 93        | 1        | HME        |
| <b>46-06-0610</b> | > | -- <b>Painted Hosebed / Coffin Cmpt Exterior Side Walls</b>              | <b>93</b> | <b>1</b> | <b>HME</b> |
| 46-08-1010        |   | -- Interface (I-Zone) Brackets, Mounted Rear Body                        | 93        | 1        | HME        |
| 46-10-0200        |   | -- Lights, Compartment, LED Strip, Armor Protected - White/Red           | 94        | 1        | HME        |
| <b>46-16-030S</b> |   | -- <b>Steps, Folding, 3 per side Front / 3 per side Rear</b>             | <b>94</b> | <b>1</b> | <b>HME</b> |
| 46-16-0400        |   | -- Folding Body Steps - Bright Finish                                    | 94        | 12       | HME        |
| 46-18-0700        |   | -- Standard Folding Step   | 94        | 12       | HME        |
| <b>46-24-1852</b> |   | -- <b>Steps, Two (2) Rear, Flip Down SS Laser Grip, Tailboard</b>        | <b>94</b> | <b>1</b> | <b>HME</b> |
| <b>46-26-040S</b> |   | -- <b>Handrails, (3) Rear, (2) 24" Vert/(1) 69" Horiz (Hansen</b>        | <b>94</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>STAL-026-K144 Grab Bar)</b>   |           |          |            |
| <b>58-02-010S</b> |   | -- <b>Floodlight, Maxxima, (1) MWL-36, 2100 Lumens, Mnt Frt R/S Hsbd</b> | <b>95</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>CAB SCENE LIGHTING</b>  |           | <b>1</b> | <b>HME</b> |
| <b>58-09-100S</b> | < | -- <b>Flat Roof Cab Side Scene Lights Required</b>                       | <b>95</b> | <b>1</b> | <b>HME</b> |
| <b>58-09-5122</b> |   | -- <b>Scene Lights, Whelen - 600 Series LED</b>                          | <b>95</b> | <b>2</b> | <b>HME</b> |
| 58-09-5810        |   | -- Bright Finished Bezels  | 95        | 2        | HME        |
|                   |   | <b>BODY SIDE SCENE LIGHTING</b>  |           | <b>1</b> | <b>HME</b> |
| <b>58-09-3017</b> | < | -- <b>Body Side Scene Lights Required</b>                                | <b>95</b> | <b>1</b> | <b>HME</b> |
| <b>58-09-5122</b> |   | -- <b>Scene Lights, Whelen - 600 Series LED</b>                          | <b>95</b> | <b>2</b> | <b>HME</b> |
| 58-09-5810        |   | -- Bright Finished Bezels  | 95        | 2        | HME        |
|                   |   | <b>BODY REAR SCENE LIGHTING</b>  |           | <b>1</b> | <b>HME</b> |
| <b>58-09-4020</b> | < | -- <b>Body Rear Scene Lights Required</b>                                | <b>96</b> | <b>1</b> | <b>HME</b> |
| <b>58-09-5122</b> |   | -- <b>Scene Lights, Whelen - 600 Series LED</b>                          | <b>96</b> | <b>2</b> | <b>HME</b> |
| 58-09-5810        |   | -- Bright Finished Bezels  | 96        | 2        | HME        |
| <b>58-10-860S</b> | < | -- <b>Hi Output LED Forward Brow Light, HiViz 75" w/ICC Lighting</b>     | <b>96</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>RECEIVER HITCH / PORTABLE WINCH</b>                                   |           | <b>1</b> | <b>HME</b> |
| <b>46-36-120S</b> |   | <b>Receiver Hitch for Hose Roller, Mtd Rear Subframe Blw Rr Step</b>     | <b>96</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>SHELVES</b>   |           | <b>1</b> | <b>HME</b> |
| 48-03-0610        |   | Shelves, Adjustable w/2" Flange, w/conspicuity                           | 96        | 1        | HME        |
|                   |   | <b>TRAYS</b>   |           | <b>1</b> | <b>HME</b> |
| <b>48-04-160S</b> | < | <b>Trays, HD, Pullout w/Locking Slides</b>                               | <b>97</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>AJUSTABLE TRAYS</b>   |           | <b>1</b> | <b>HME</b> |
| <b>48-04-260S</b> | < | <b>Tray, Adj, Pullout w/Locking Slides, 250#</b>                         | <b>98</b> | <b>1</b> | <b>HME</b> |



| PART NO           | S | DESCRIPTION  | PG         | QTY      | ID         |
|-------------------|---|--|------------|----------|------------|
|                   |   | <b>OUT AND DOWN SHELVES</b>  |            | <b>1</b> | <b>HME</b> |
| 48-10-0610        |   | Turtle Tile Mats, Installed Compt Floors   | 98         | 1        | HME        |
|                   |   | <b>FOXTRAX</b>   |            | <b>1</b> | <b>HME</b> |
| <b>48-14-010S</b> |   | <b>Toolboards, FoxTrax, Mtd Rear Wall, L1 Compartment</b>                        | <b>98</b>  | <b>1</b> | <b>HME</b> |
|                   |   | <b>12 VOLT ELECTRICAL SYSTEM</b>   |            | <b>1</b> | <b>HME</b> |
| 50-02-0200        |   | Electrical System, 12V, Body, Multiplexed w/Circuit Brkr Pnl                     | 98         | 1        | HME        |
|                   |   | <b>AUDIO WARNING DEVICES</b>   |            | <b>1</b> | <b>HME</b> |
| 54-02-0400        |   | Buzzer System, Rear Body/Cab   | 99         | 1        | HME        |
|                   |   | <b>LIGHTING SELECTION</b>  |            | <b>1</b> | <b>HME</b> |
| 55-01-0009        |   | Custom Cab - Cab & Chassis Headlights, ICC Lighting                              |            | 1        | HME        |
| <b>55-02-100S</b> |   | -- <b>Custom Cab - Cab - LED - ICC Lighting - Whelen OS Series</b>               | <b>99</b>  | <b>1</b> | <b>HME</b> |
| 55-02-1120        |   | -- Custom Cab - Cab - LED - ICC Lighting - Bright Finish                         | 99         | 1        | HME        |
| <b>55-02-200S</b> |   | -- <b>Body - LED - ICC Lighting with Body Side Clearance LED &amp; Reflector</b> | <b>99</b>  | <b>1</b> | <b>HME</b> |
| 55-02-2020        |   | -- Body - LED - ICC Lighting - Bright Finish                                     | 99         | 1        | HME        |
| 55-03-0142        |   | -- Maxxima Rectangular Driving Lights Mounted in the Bumper                      | 99         | 1        | HME        |
| <b>55-03-015S</b> |   | -- <b>Headlights - LED - Daytime Running - Custom Cab</b>                        | <b>100</b> | <b>1</b> | <b>HME</b> |
| <b>55-04-070S</b> | < | -- <b>Frt Turn Signal - Whelen Arrow Mask - Outside HdltS - Custom Cab</b>       | <b>100</b> | <b>1</b> | <b>HME</b> |
| <b>55-05-012S</b> | < | -- <b>Rear Stop/Tail/Turn/Reverse (Whelen)</b>                                   | <b>100</b> | <b>1</b> | <b>HME</b> |
| 55-06-0480        |   | -- Back Up Alarm   | 100        | 1        | HME        |
| 55-06-1000        |   | -- License Plate Bracket w/LED Light   | 100        | 1        | HME        |
| <b>57-01-010S</b> | < | <b>Warning Light Package - SFO Chassis - Type 1 Pumper</b>                       | <b>101</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>COMMUNICATION, MISC EQUIPMENT, LADDERS</b>                                    |            | <b>1</b> | <b>HME</b> |
| 70-02-0400        |   | Labels, Identification & Safety, Mtd Drvr's Compt/Pump Panel                     | 102        | 1        | HME        |
|                   |   | <b>STRIPING</b>  |            | <b>1</b> | <b>HME</b> |
| <b>84-02-0800</b> |   | <b>Striping, 4" Scotchlite, Reflective, Vehicle Perimetr</b>                     | <b>102</b> | <b>1</b> | <b>HME</b> |
| <b>84-04-3010</b> |   | -- <b>Base Stripe Color, White Reflective</b>                                    | <b>102</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>MISC. ITEMS</b>   |            | <b>1</b> | <b>HME</b> |
| <b>86-02-0008</b> |   | <b>BASE Equipment Package - Type I - (2021)</b>                                  | <b>103</b> | <b>1</b> | <b>HME</b> |
|                   |   | <b>WARRANTIES, MANUALS, MISCELLANEOUS DOCUMENTS</b>                              |            | <b>1</b> | <b>HME</b> |
| 90-03-1000        |   | Water Tank Warranty - Service Life   | 103        | 1        | HME        |
|                   |   | <b>v6.002 - RELEASE DATE - 04/09/2021</b>  |            | <b>1</b> | <b>HME</b> |
|                   |   | <b>== Limited Warranty - Use For Contracts - 4.001 ==</b>                        | <b>103</b> | <b>1</b> | <b>HM</b>  |
| 10-00-0030        |   | Limited Warranty   | 103        | 1        | HM         |
| 20-02-0030        |   | -- General Warranty Period - 3 Years Total                                       | 111        | 1        | HM         |
| 40-00-0005        |   | -- Cab & Body Paint Warranty Period - 5 Years                                    | 111        | 1        | HM         |
|                   |   | <b>v6.002 - RELEASE DATE - 11/23/2020</b>  |            | <b>1</b> | <b>HM</b>  |