



## Shop Order

Lodi Volunteer Fire Co. Inc  
 Chief Tucker  
 8557 Route 414  
 Lodi, NY 14860  
 607-229-4458

Lodi Volunteer Fire Co. Inc  
 Chief Tucker  
 8557 Route 414  
 Lodi, NY 14860  
 607-229-4458

**Exp. Date:** 12/30/2020  
**Quote No:** 23895-0005  
**Job/Order No:** 23895  
**FULL TRUCK:** MINIMAX3 Mini Pumper - CrewCab (300 or 400 gal Tank)  
**WARRANTY:** WARRANTY Limited Warranty - Use For Contracts

09/01/2021

Page 1

| PART NO           | S     | DESCRIPTION  | PG | QTY | ID  |
|-------------------|-------|--|----|-----|-----|
|                   | S <   | <b>== Mini Pumper - CrewCab (300 or 400 gal Tank) - 6.001 ==</b><br>Note: See qw order assets file SN - 1a                             | 1  | 1   | HME |
| <b>00-00-940C</b> |       | <b>Details of Contruction - Order Confirmation</b>   | 1  | 1   | HME |
| 08-22-2001        |       | > Apparatus Body Designation, Model Ahrens-Fox   |    | 1   | HME |
| 10-10-0321        |       | Ford F-550 XLT Chassis, 4x4 SD Crew Cab XLT - 22,000# GVWR   | 1  | 1   | HME |
| <b>10-40-SA02</b> |       | -- Ford Standard Crew Seating  | 2  | 1   | HME |
| <b>10-40-SD00</b> | S <   | -- Cab Console (Ford and RAM)<br>Havis #C-EB35-S38-1P  | 3  | 1   | HME |
| <b>10-40-SD02</b> |       | -- No Console Options Required   |    | 1   | HME |
| <b>10-40-SE10</b> | S     | -- Back-Up Camera - FORD chassis supplied  | 3  | 1   | HME |
| <b>10-40-SD90</b> |       | -- No Rear Cab Console Required  |    | 1   | HME |
| <b>14-10-GW01</b> |       | -- Tire Pressure Monitoring Device - 2 Axles - LED Alert   | 3  | 1   | HME |
| <b>14-14-W010</b> |       | -- Drivelines  | 3  | 1   | HME |
| <b>14-40-A015</b> |       | -- Buckstop Front Bumper / Brush Guard / Driving Lights  | 4  | 1   | HME |
| <b>14-40-A018</b> |       | -- Winch Mounting Carrier Bracket - up to 9.5K winch   | 4  | 1   | HME |
| <b>14-40-A020</b> |       | -- Winch, 9500# Warn - 100' Synthetic Rope   | 4  | 1   | HME |
| <b>14-40-AB22</b> |       | -- Stainless Cab Entrance Bars   | 4  | 1   | HME |
| <b>14-40-DE34</b> |       | -- Door Reflective Material, SecuriTrim - 4 Door   | 4  | 1   | HME |
| <b>14-40-H200</b> | S <   | -- Electronic Siren - SoundOff - Model ETSA481CSR<br>Notes: Soundoff Siren. Red/White Switch shall be wired using the siren controller | 5  | 1   | HME |
| <b>14-40-H202</b> | S     | -- Speaker, Siren - 100w   | 5  | 1   | HME |
| <b>14-40-Q001</b> | S < > | -- Ford Single Color Paint<br>Note: Painted Vermillion Red by Ford   | 5  | 1   | HME |
| <b>14-45-T010</b> |       | -- 40 Amp - Battery Charger - ProMariner 1240  | 5  | 1   | HME |
| <b>14-45-T012</b> |       | -- Kussmaul 20 AMP - 120v - Super Auto Eject   | 6  | 1   | HME |
| <b>14-40-H300</b> | U     | Sound Off Signal BluePrint   | 6  | 1   | HME |
|                   |       | <b>PUMP ENCLOSURES, PUMPS, VALVES, INLETS, OUTLETS</b>   |    | 1   | HME |
| 20-02-0100        |       | > HydraTechnology, Pump House Design Requirement   | 7  | 1   | HME |
| 20-02-0204        |       | Pump Enclosure, Side Mount, 24" Wide   | 8  | 1   | HME |
| <b>20-04-0100</b> |       | -- Running Boards, L/S, R/S w/Laser Grip S/S Step Surface  | 8  | 1   | HME |
| <b>20-04-0410</b> |       | -- No Pumphouse Running Board LED's Required   |    | 1   | HME |
| <b>20-10-1400</b> | S     | -- Pump Compartment Front Panel  | 8  | 1   | HME |
| 20-12-0200        |       | -- No Pump Enclosure Heater Required   |    | 1   | HME |
| 20-12-1000        |       | -- No Heat Pan Enclosure Required  |    | 1   | HME |

| PART NO           | S             | DESCRIPTION  | PG        | QTY      | ID         |
|-------------------|---------------|--|-----------|----------|------------|
| 20-14-0104        |               | -- Pump Service Access   | 8         | 1        | HME        |
| 20-14-0306        |               | -- Control Panel, Side Mount Module  | 9         | 1        | HME        |
| 20-15-0110        |               | -- Identification Labels - Metal Tags  | 9         | 1        | HME        |
| 20-15-0200        |               | -- HME Standard Color Coding for Pump House Tags                                 |           | 1        | HME        |
| 20-16-0200        |               | -- Pump Panel Finish, Brushed Stainless Steel                                    | 9         | 1        | HME        |
| 20-18-0404        |               | -- Controls & Gauges, Side Mount   | 9         | 1        | HME        |
| 20-18-1420        |               | -- FRC In Control 400 Pressure Governor, Engine Monitor and<br>Pressure Display  | 9         | 1        | HME        |
| 20-18-1550        |               | -- 2-1/2" Pressure Gauges, 0-400 psig - English                                  | 10        | 1        | HME        |
| 20-18-1558        |               | -- 2-1/2" Pressure Gauge LED Lighting  | 11        | 1        | HME        |
| <b>20-18-1570</b> | <b>S &lt;</b> | <b>-- Pump Panel LED Lighting - WHITE/RED</b>                                    | <b>11</b> | <b>1</b> | <b>HME</b> |
|                   |               | <b>Note: Red/White Switch wired using siren controller</b>                       |           |          |            |
| 30-26-0410        |               | -- Gauge, (1) Water Tank Level - FRC Tank Vision                                 | 11        | 1        | HME        |
|                   |               | <b>Side Mount Pumps - STANDARD Height Crosslays</b>                              |           | <b>1</b> | <b>HME</b> |
| 20-21-2300        |               | -- Pump, Midship, Hale "DSD", 750-1500 GPM                                       | 12        | 1        | HME        |
| 20-26-1000        |               | -- Pump Rating, Hale, 1500 GPM   | 13        | 1        | HME        |
| 20-27-0100        |               | -- Altitude Requirements, 0' to 2000 Feet Above Sea Level                        | 13        | 1        | HME        |
| 22-06-0400        |               | -- Primer, Oil-less, Hale ESP  | 13        | 1        | HME        |
| 22-08-0200        |               | -- Pump Shift, Pneumatic w/Label, Indicator Lgts, Mtd Cab/PPnl                   | 13        | 1        | HME        |
| 22-08-0500        |               | -- No Pump Shift Override Required At This Time                                  |           | 1        | HME        |
| 22-10-0825        |               | -- Mechanical Seal, Inboard Side, Spring Loaded, Self Adjusting                  | 14        | 1        | HME        |
| 22-11-0200        |               | -- Anode, Water Pump, Indicator Weep Hole  | 14        | 1        | HME        |
| <b>22-14-1000</b> |               | <b>-- Thermal Relief Valve, TRV-L, Automatic</b>                                 | <b>14</b> | <b>1</b> | <b>HME</b> |
| 22-14-1700        |               | -- Intake Pressure Relief Valve, TFT   | 14        | 1        | HME        |
| 22-18-0400        |               | -- Master Drain, Manual Mtd Pump Panel   | 15        | 1        | HME        |
| <b>22-20-0210</b> |               | <b>-- Third Party Test - TUV, US/Territories, Completed Apparatus</b>            | <b>15</b> | <b>1</b> | <b>HME</b> |
|                   |               | <b>Certificate</b>   |           |          |            |
| 22-24-0200        |               | -- Pump Warranty, Hale, Five Year  | 15        | 1        | HME        |
| 22-30-0200        |               | -- Electronic Manuals, Pump Service and Operation                                | 15        | 1        | HME        |
|                   |               | <b>Steamer Inlets</b>  |           | <b>1</b> | <b>HME</b> |
| 24-02-0400        |               | -- Steamer Inlet, 6" NST Thread, L/S w/Strainer - No Intake Valves               | 15        | 1        | HME        |
| 30-40-1060        |               | -- Cap, 6" Long Handle - HME Logo  | 16        | 1        | HME        |
| 30-40-2002        |               | -- No Storz Adapter Required   |           | 1        | HME        |
| 24-02-0500        |               | -- Steamer Inlet, 6" NST Thread, R/S w/Strainer - No Intake Valves               | 16        | 1        | HME        |
| 30-40-1060        |               | -- Cap, 6" Long Handle - HME Logo  | 16        | 1        | HME        |
| 30-40-2002        |               | -- No Storz Adapter Required   |           | 1        | HME        |
|                   |               | <b>Left Side Small Intake</b>  |           | <b>1</b> | <b>HME</b> |
| 24-21-0034        |               | -- Pump Side Intake, Left Side   | 16        | 1        | HME        |
| 24-21-0426        |               | -- Suction Inlet, Side 2.5" - Side Operated Module                               | 16        | 1        | HME        |
| 24-21-1055        |               | -- Suction Valve Control, Swing Type, Side, Adj To Valve                         | 16        | 1        | HME        |
| 30-40-1125        |               | -- Intake Plug, (Qty) 2.5" w/Cap & Chain   | 16        | 1        | HME        |
|                   |               | <b>Left Side Pump Panel Discharges</b>   |           | <b>1</b> | <b>HME</b> |
| 26-03-0190        |               | -- Discharge, Left Side  | 16        | 1        | HME        |
| 26-03-0425        |               | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control                      | 16        | 1        | HME        |
| 30-41-5025        |               | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug                            | 17        | 1        | HME        |
|                   |               | w/Chain  |           |          |            |
|                   |               | <b>Right Side Pump Panel Discharges</b>  |           | <b>1</b> | <b>HME</b> |
| 26-03-0300        |               | -- Discharge, Right Side Front   | 17        | 1        | HME        |
| 26-03-0430        |               | -- Discharge, Side, 3" - 30 degree Elbow - Manual Control                        | 17        | 1        | HME        |
| 30-41-5030        |               | -- Discharge Cap, (Qty) 3" Chrome Vented Rocker Lug w/Chain                      | 17        | 1        | HME        |
| 26-03-0340        |               | -- Discharge, Right Side Rear  | 17        | 1        | HME        |
| 26-03-0440        |               | -- Discharge, Side, 4" - Straight - Electric Control                             | 17        | 1        | HME        |
| 26-10-2008        |               | -- Controller, Elkhart Apex 200 Controller (Pressure Only)                       | 17        | 1        | HME        |
| 30-40-4453        |               | -- 4" NST F to 5" Storz - 30degree - Swvl Rkr Lug - (Qty)                        | 18        | 1        | HME        |
| 30-40-5012        |               | -- (Qty) 5" Storz w/Cap & Lanyard  | 18        | 1        | HME        |
|                   |               | <b>Front Bumper Jumphines</b>  |           | <b>1</b> | <b>HME</b> |
| 26-08-0200        |               | -- No Front Jumphline Required   |           | 1        | HME        |
|                   |               | <b>Crosslay Assemblies</b>   |           | <b>1</b> | <b>HME</b> |
| 28-11-0810        |               | -- Pump House Crosslay, (2) Beds, 1-1/2 double stacks                            | 18        | 1        | HME        |
| 28-12-2200        |               | -- Cover, Crosslay, Vinyl w/End Flaps  | 18        | 1        | HME        |
| 28-14-0400        |               | -- Cover Color, Crosslay, Vinyl, Midnight Black                                  | 18        | 1        | HME        |
|                   |               | <b>Hosebed Preconnects</b>   |           | <b>1</b> | <b>HME</b> |
| <b>28-30-0820</b> |               | <b>-- Rear Hosebed Preconnect (rear of hosebed) R/S 2-1/2" NST -<br/>MiniEvo</b> | <b>18</b> | <b>1</b> | <b>HME</b> |

| PART NO           | S             | DESCRIPTION  | PG        | QTY      | ID         |
|-------------------|---------------|--|-----------|----------|------------|
| <b>30-41-6002</b> |               | <b> -- No Discharge Reducer Required</b>                         |           | <b>1</b> | <b>HME</b> |
|                   |               | <b>Ball Valves</b>   |           | <b>1</b> | <b>HME</b> |
| 30-00-0300        |               | -- Ball Valves, Elkhart, Brass                                   | 19        | 1        | HME        |
|                   |               | <b>Tank Plumbing and Indicators / Gauges</b>                     |           | <b>1</b> | <b>HME</b> |
| 30-20-0600        |               | -- Piping, Tank To Pump, 3" w/3" Air Operated Ball Valve         | 19        | 1        | HME        |
| 30-20-2500        |               | -- No Additional Tank To Pump Valve Control Required             |           | 1        | HME        |
| 30-22-0400        |               | -- Tank Refill, 2" Line w/ 1/4 Trn Bil Vlv                       | 19        | 1        | HME        |
|                   |               | <b>Direct Tank Fill - Left Rear</b>                              |           | <b>1</b> | <b>HME</b> |
| 30-23-0002        |               | -- No Left Rear Direct Tank Fill Required                        |           | 1        | HME        |
| 70-16-0010        |               | -- No Spanner/Hydrant Wrenches Required                          |           | 1        | HME        |
|                   |               | <b>Foam Systems</b>  |           | <b>1</b> | <b>HME</b> |
| 20-32-0200        |               | No Foam System Required  |           | 1        | HME        |
|                   |               | <b>Compressed Air Foam Systems</b>                               |           | <b>1</b> | <b>HME</b> |
| 20-32-5999        |               | No CAFS System Required  |           | 1        | HME        |
|                   |               | <b>APPARATUS BODY DESIGN AND CONSTRUCTION</b>                    |           | <b>1</b> | <b>HME</b> |
| 32-02-0100        |               | Body Design and Construction, Utility/Mini, Stainless Steel      | 19        | 1        | HME        |
| 32-02-9000        |               | -- Compartment Interior Finish                                   | 21        | 1        | HME        |
| 46-18-0894        |               | -- Beveled Rear Tailboard, 8", LaserGrip Stainless Steel         | 21        | 1        | HME        |
|                   |               | <b>EXTERIOR COMPARTMENTATION AND EQUIPMENT</b>                   |           | <b>1</b> | <b>HME</b> |
| 40-01-2130        |               | Frame Extension, Class IV Hitch Rear                             | 21        | 1        | HME        |
| 40-02-0180        |               | Ext Compartment Design and Construction                          | 21        | 1        | HME        |
| 40-02-0204        |               | -- Compartment Ventilation w/Filtration                          | 21        | 1        | HME        |
| 40-02-0286        |               | > Compartment Body - 400 gallon - Mini Pumper                    | 22        | 1        | HME        |
|                   |               | <b>Water / Foam Tanks and Equipment</b>                          |           | <b>1</b> | <b>HME</b> |
| 30-04-0488        |               | -- Water Tank Capacity, T-Tank, 400 US Gallons - Mini            | 22        | 1        | HME        |
| 30-02-0900        |               | -- Tank Fill Tower, 8" x 8", w/4" Vent                           | 22        | 1        | HME        |
| 30-12-0090        |               | -- Cubic Ft, Body 139/Hsbd 40, Hosebed Height, 44", 108" OAL     | 22        | 1        | HME        |
| 30-14-0200        |               | -- No Foam Tank Required   |           | 1        | HME        |
| 30-21-0100        |               | -- No Tank Drain Valve Required                                  |           | 1        | HME        |
|                   |               | <b>HOSEBED</b>   |           | <b>1</b> | <b>HME</b> |
| <b>34-02-0118</b> | <b>S &lt;</b> | <b> -- Hosebed, S/S w/15" Extnd Sds/Rmvbl HD Ext Alm Flrbrds</b> | <b>23</b> | <b>1</b> | <b>HME</b> |
|                   |               | <b>15" Extended Sides</b>  |           |          |            |
| 34-04-0710        |               | -- Divider, Hosebed, Adjustable, Smth Alum w/Radius Crnr         | 23        | 1        | HME        |
| 34-05-0100        |               | -- No Hosebed Mounted Stokes Mounting System Required            |           | 1        | HME        |
| 34-06-0310        |               | -- Hosebed Cover, Black  | 23        | 1        | HME        |
|                   |               | <b>LEFT SIDE EXTERIOR COMPARTMENT DIMENSIONS</b>                 |           | <b>1</b> | <b>HME</b> |
| 40-12-004M        |               | -- Left Side Compartments - Mini Pumper                          | 23        | 1        | HME        |
| 40-15-0094        |               | -- Roll Up Doors, L/S, Painted Finish - Mini Pumper              | 24        | 1        | HME        |
| 40-16-0400        |               | -- Door Latches, L/S, Non-Locking Lift Bar w/Door Ajar Switch    | 24        | 1        | HME        |
| 40-18-0200        |               | -- No L/S Rollup Door Straps Required At This Time               |           | 1        | HME        |
| 46-08-1199        |               | -- No Roll-Up Door Shields Required                              |           | 1        | HME        |
|                   |               | <b>FENDER CONFIGURATIONS</b>                                     |           | <b>1</b> | <b>HME</b> |
| 41-00-0001        |               | -- Wheel Area, Single Axle                                       | 24        | 1        | HME        |
| 46-02-0202        |               | -- Fuel Fill, L/S Rr Fnrd w/Door, Label                          | 24        | 1        | HME        |
| 46-06-0406        |               | -- Fenderettes and Wheel Well Liners - Stainless                 | 24        | 1        | HME        |
| 46-08-0200        |               | -- Mud Flaps, Rear   | 24        | 1        | HME        |
|                   |               | <b>RIGHT SIDE EXTERIOR COMPARTMENT DIMENSIONS</b>                |           | <b>1</b> | <b>HME</b> |
| 42-02-004M        |               | -- Right Side Compartments - Mini Pumper                         | 24        | 1        | HME        |
| 42-07-0094        |               | -- Roll Up Doors, R/S, Painted Finish - Mini Pumper              | 25        | 1        | HME        |
| 40-16-0400        |               | -- Door Latches, L/S, Non-Locking Lift Bar w/Door Ajar Switch    | 25        | 1        | HME        |
| 40-18-0200        |               | -- No L/S Rollup Door Straps Required At This Time               |           | 1        | HME        |
| 46-08-1199        |               | -- No Roll-Up Door Shields Required                              |           | 1        | HME        |
|                   |               | <b>REAR BODY EXTERIOR COMPARTMENT DIMENSIONS</b>                 |           | <b>1</b> | <b>HME</b> |
| 42-12-0798        |               | -- RR1, Ext Compt, Rear, 33-1/2" H x 48" W x 27" D, Full Height  | 25        | 1        | HME        |
| 28-22-0200        |               | -- No Compartment Mounted Booster Reel Required                  |           | 1        | HME        |
| 42-23-0204        |               | -- Roll Up Door, Rear, Satin Anodized Finish, Full Height        | 25        | 1        | HME        |
| 42-26-0200        |               | -- Door Latch, Rear, Non-Locking Lift Bar w/Door Ajar Switch     | 25        | 1        | HME        |
| 42-32-0200        |               | -- No Rear Rollup Door Straps Required                           |           | 1        | HME        |
| 46-08-1199        |               | -- No Roll-Up Door Shields Required                              |           | 1        | HME        |
| 84-04-5050        |               | -- Chevron, Diamond Grade, Rear Body NFPA, 6" - Pumper Tall Rear | 25        | 1        | HME        |
|                   |               | Door   |           |          |            |
| 84-04-8020        |               | -- Chevron Color - Red and Florescent Green Reflective           | 26        | 1        | HME        |
|                   |               | <b>EXTERIOR BODY COMPONENTS</b>                                  |           | <b>1</b> | <b>HME</b> |
| 46-06-0460        |               | -- No Painted Apparatus Body Required                            |           | 1        | HME        |

| PART NO           | S             | DESCRIPTION   | PG        | QTY      | ID         |
|-------------------|---------------|---|-----------|----------|------------|
|                   |               | <b>Compartment Top Storage</b>  |           | 1        | HME        |
| 46-09-0006        |               | -- L/S Compartment Top  |           | 1        | HME        |
| 46-09-0014        |               | -- Tray, (2) 9' Suction, L/S, Abv Cmpt - Utility  | 26        | 1        | HME        |
| <b>76-02-6100</b> |               | -- <b>Hard Suction, 9"x 6", Lightweight PVC w/NH Cplng</b>  | <b>26</b> | <b>2</b> | <b>HME</b> |
| 46-09-0008        |               | -- R/S Compartment Top  |           | 1        | HME        |
| <b>72-00-001M</b> | <b>S &lt;</b> | -- <b>Compartment Top Ladder Group - 8-Fold, 8-Roof, 22-3 Sec</b><br><b>Updated ladder group</b>                                    | <b>26</b> | <b>1</b> | <b>HME</b> |
| 72-04-0258        |               | -- Ladder, 8' Roof, Duo-Safety, Channel Rail, Aluminum  | 26        | 1        | HME        |
| 72-06-0300        |               | -- Ladder, 8' Fldng Attic, Duo-Safety, Aluminum   | 26        | 1        | HME        |
| <b>72-08-0422</b> | <b>&gt;</b>   | -- <b>Ladder, 22' Three-Sect Ext, Duo-Safety, Solid Beam</b>  | <b>26</b> | <b>1</b> | <b>HME</b> |
|                   |               | <b>Aluminum</b>   |           |          |            |
| <b>46-10-0208</b> | <b>S &lt;</b> | -- <b>Lights, Compartment, LED Strip, Armor Protected - White/Red</b><br><b>Note: Red/White Switch wired using siren controller</b> | <b>27</b> | <b>1</b> | <b>HME</b> |
| 46-14-0224        |               | -- Lights, Underbody, LED Strip, Armor Protected  | 27        | 1        | HME        |
| 46-16-0311        |               | -- Steps, Folding, Rear of Body - Three   | 27        | 1        | HME        |
| 46-18-0700        |               | -- Standard Folding Step  | 27        | 3        | HME        |
|                   |               | <b>HEADLIGHT / TAILLIGHT / TURN / ICC LIGHTING</b>  |           |          |            |
| 55-01-0124        |               | -- Commercial Cab - Mini  |           | 1        | HME        |
| 55-02-2004        |               | -- Body - LED - ICC Lighting - Reflectors   | 27        | 1        | HME        |
| <b>55-05-0124</b> | <b>S &lt;</b> | -- <b>Rear Stop/Tail/Turn/Reverse with NFPA Lower Zone C Warning</b><br><b>- SoundOff ICC Lights</b><br><b>SoundOff</b>             | <b>27</b> | <b>1</b> | <b>HME</b> |
| 55-05-0127        |               | -- Rear Stop/Tail/Turn/Reverse with NFPA Lower Zone C Warning -<br>Bright Finish  | 28        | 1        | HME        |
| 55-05-0200        |               | -- No Body Side Turn Signal Required  |           | 1        | HME        |
| 55-06-0480        |               | -- Back Up Alarm  | 28        | 1        | HME        |
| 55-06-0500        |               | -- No Center Rear Brake Light Required  |           | 1        | HME        |
| 55-06-0600        |               | -- No Backup Light Remote Switching Required  |           | 1        | HME        |
| 55-06-1000        |               | -- License Plate Bracket w/LED Light  | 28        | 1        | HME        |
| <b>57-42-1204</b> | <b>S &lt;</b> | -- <b>Rear Warning - Zone C Lower, Power Rear, SoundOff - LED</b><br><b>SoundOff</b>  | <b>28</b> | <b>1</b> | <b>HME</b> |
| 57-03-2000        |               | -- Lens Color - Both Clear  | 28        | 1        | HME        |
| 57-42-5000        |               | -- Rear Warning - Zone C Lower - Bright Finish  | 29        | 1        | HME        |
|                   |               | <b>WARNING LIGHT PACKAGES</b>   |           |          |            |
| <b>57-01-Z350</b> | <b>S</b>      | -- <b>SoundOff - LED - ULTIMATE Package - Includes Upper Rear</b><br><b>Warning Lights</b>  | <b>29</b> | <b>1</b> | <b>HME</b> |
| <b>57-04-4322</b> | <b>S &lt;</b> | -- <b>Lightbar, Frt, SoundOff 54"</b><br><b>Note: Forward cab roof mounted as spec reads</b>  | <b>29</b> | <b>1</b> | <b>HME</b> |
| <b>57-20-3408</b> | <b>S &lt;</b> | -- <b>Brush Guard Front Warning, SoundOff - LED Ultimate Package</b><br><b>SoundOff</b>   | <b>29</b> | <b>1</b> | <b>HME</b> |
| <b>57-30-3408</b> | <b>S</b>      | -- <b>Brush Guard Side Warning, SoundOff- LED Ultimate Package</b>  | <b>30</b> | <b>1</b> | <b>HME</b> |
| <b>57-34-3420</b> | <b>S &lt;</b> | -- <b>Body Side Warning, SoundOff - LED Ultimate Package</b><br><b>SoundOff</b>   | <b>30</b> | <b>1</b> | <b>HME</b> |
| <b>57-40-3422</b> | <b>S &lt;</b> | -- <b>Upper Rear, SoundOff Ultimate Package</b><br><b>SoundOff</b>  | <b>30</b> | <b>1</b> | <b>HME</b> |
| <b>57-44-0100</b> | <b>U</b>      | -- <b>SoundOff mPower, Arrow Kit</b>  | <b>31</b> | <b>1</b> |            |
|                   |               | <b>BODY WORK LIGHTS</b>   |           |          |            |
| <b>58-02-0310</b> |               | -- <b>Worklights,Maxxima, (2) LED, Mnt Frt Body Top</b>   | <b>31</b> | <b>1</b> | <b>HME</b> |
|                   |               | <b>BODY SCENE LIGHTING</b>  |           |          |            |
| <b>58-14-0160</b> |               | -- <b>FRC - LF Corner - Utility</b>   | <b>32</b> | <b>1</b> | <b>HME</b> |
| <b>58-15-1010</b> |               | -- <b>FRC, Evolution II, LED DC 20K LM</b>  | <b>32</b> | <b>1</b> | <b>HME</b> |
| <b>58-15-8004</b> |               | -- <b>Lamphead ON / OFF Switch</b>  | <b>32</b> | <b>1</b> | <b>HME</b> |
| <b>58-15-8006</b> |               | -- <b>No Lamp Wire Guard Required</b>   |           | <b>1</b> | <b>HME</b> |
| <b>58-18-0100</b> |               | -- <b>No Remote Switch for Quartz / LED Light Required - Cab</b>  |           | <b>1</b> | <b>HME</b> |
| <b>58-18-0202</b> |               | -- <b>No Remote Switch for Quartz / LED Light Required - Pump</b>   |           | <b>1</b> | <b>HME</b> |
|                   |               | <b>Panel</b>  |           |          |            |
| <b>58-15-8010</b> |               | -- <b>FRC, Bottom Raise Pole - 530</b>  | <b>32</b> | <b>1</b> | <b>HME</b> |

| PART NO    | S | DESCRIPTION  | PG | QTY | ID  |
|------------|---|--|----|-----|-----|
| 58-14-0170 |   | -- FRC - RF Corner - Utility                                 | 32 | 1   | HME |
| 58-15-1010 |   | -- FRC, Evolution II, LED DC 20K LM                          | 32 | 1   | HME |
| 58-15-8004 |   | -- Lamphead ON / OFF Switch                                  | 32 | 1   | HME |
| 58-15-8006 |   | -- No Lamp Wire Guard Required                               |    | 1   | HME |
| 58-18-0100 |   | -- No Remote Switch for Quartz / LED Light Required - Cab    |    | 1   | HME |
| 58-18-0202 |   | -- No Remote Switch for Quartz / LED Light Required - Pump   |    | 1   | HME |
|            |   | <b>Panel</b>   |    |     |     |
| 58-15-8010 |   | -- FRC, Bottom Raise Pole - 530                              | 33 | 1   | HME |
| 58-13-0130 |   | -- No Pole Lighting - Lft Rr Body Corner Required            |    | 1   | HME |
| 58-13-0140 |   | -- No Pole Lighting - Rt Rr Body Corner Required             |    | 1   | HME |
|            |   | <b>EXTERIOR BODY 12 VOLT RECEPTACLES</b>                     |    | 1   | HME |
| 46-38-0800 |   | Receptacle, 12 Volt w/Weatherproof Cover, Mtd Frnt Apparatus | 33 | 1   | HME |
| 46-38-1000 |   | Receptacle, 12 Volt w/Weatherproof Cover, Mtd Rear Apparatus | 33 | 1   | HME |
| 46-38-1200 |   | Receptacle, Trailer Lights, 7 Pole, w/Weatherproof Cover, Mt | 33 | 1   | HME |
|            |   | <b>SHELVES - MINI PUMPER PACKAGE</b>                         |    | 1   | HME |
| 48-03-2810 |   | STANDARD Shelf, Tray, Toolboard Package                      | 33 | 1   | HME |
|            |   | <b>SHELVES - MINI PUMPER</b>                                 |    | 1   | HME |
| 48-03-3210 |   | -- Shelf Package, Deep - One (1) each in R1, L1, R3, L3      | 33 | 1   | HME |
| 48-08-0200 |   | -- No Matting on Shel(ves)/Tray(s) Required                  |    | 4   | HME |
| 84-04-2898 |   | -- No Shelf Edge Striping Required                           |    | 1   | HME |
| 48-03-3300 |   | -- No Shelf Package Required - R2/L2 (over wheels)           |    | 1   | HME |
| 48-03-3410 |   | -- Shelf Package, - One (1) in RR1                           | 33 | 1   | HME |
| 48-08-0200 |   | -- No Matting on Shel(ves)/Tray(s) Required                  |    | 1   | HME |
|            |   | <b>TRAYS</b>   |    | 1   | HME |
| 48-04-0106 | > | -- Tray Package, Pullout, Floor - L1, L3, R1, R3             | 33 | 1   | HME |
| 48-08-0200 |   | -- No Matting on Shel(ves)/Tray(s) Required                  |    | 4   | HME |
|            |   | <b>FOXTRAX</b>   |    | 1   | HME |
| 48-14-01MP |   | -- Toolboards, FoxTrax, Mtd Rear Wall, L2, R2 Compartments   | 34 | 1   | HME |
|            |   | <b>WHEEL CHOCKS</b>  |    | 1   | HME |
| 70-24-1010 |   | Wheel Chocks, (2) Worden 7HY HD, Yellow Alum - OES           | 34 | 1   | HME |
|            |   | <b>STRIPING</b>  |    | 1   | HME |
| 84-02-0800 |   | Striping, 4" Scotchlite, Reflective, Vehicle Perimetr        | 34 | 1   | HME |
| 84-04-1202 |   | -- No Stripe Flare Required                                  |    | 1   | HME |
| 84-04-3010 |   | -- Base Stripe Color, White Reflective                       | 34 | 1   | HME |
| 84-04-4002 |   | -- No Stripe Outline Required                                |    | 1   | HME |
| 84-05-0011 |   | No Lettering Required  |    | 1   | HME |
|            |   | <b>WARRANTIES, MANUALS, MISCELLANEOUS DOCUMENTS</b>          |    | 1   | HME |
| 90-03-1000 |   | Water Tank Warranty - Service Life                           | 34 | 1   | HME |
|            |   | <b>v6.003 - RELEASE DATE - 06/02/2021</b>                    |    | 1   | HME |
|            |   | <b>== Limited Warranty - Use For Contracts - 4.001 ==</b>    | 35 | 1   | HM  |
| 10-00-0030 |   | Limited Warranty   | 35 | 1   | HM  |
| 20-02-0030 |   | -- General Warranty Period - 3 Years Total                   | 42 | 1   | HM  |
| 40-00-0005 |   | -- Cab & Body Paint Warranty Period - 5 Years                | 42 | 1   | HM  |
|            |   | <b>v6.003 - RELEASE DATE - 06/02/2021</b>                    |    | 1   | HM  |