



QUOTATION

HME Ahrens-Fox
 Sales
 1950 Byron Center Ave.
 Wyoming, MI 49519
 616-534-1463
 616-534-1967

HME Ahrens-Fox
 Sales
 1950 Byron Center Ave.
 Wyoming, MI 49519
 616-534-1463
 616-534-1967

Exp. Date: 05/08/2021
Quote No: 23921-0002
Job/Order No: 23921
CHASSIS: -SILVERFOX HME SilverFox SFO 96" Custom
PUMP: SFOUPUMP SilverFox & WSF Pump - Side - QMax
BODY: SFOXBODY SilverFox Body - Custom
WARRANTY: WARRANTY Limited Warranty - Use For Contracts

06/10/2022

Page 1

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|---|---|----------|-----|------------|
| == HME SilverFox SFO 96" Custom - 6.001 == | | | 1 | | HMC |
| 00-00-0012 | | NFPA-1901, Current Edition - Complete Apparatus | 1 | 1 | HMC |
| 00-00-90SF | S | > Vocation and Basic Attributes - Apparatus | 1 | 1 | HMC |
| 00-00-92SF | S | > Paint Codes and Basic Attributes - Apparatus | 2 | 1 | HMC |
| 00-00-940C | | Details of Construction - Order Confirmation | 2 | 1 | HMC |
| CHASSIS | | | | | HMC |
| 00-J0-10SF | | SilverFox 1871-SFO Chassis | | 1 | HMC |
| 00-J0-2010 | | -- Custom Chassis - Vertically Integrated Builder | 3 | 1 | HMC |
| 01-A0-01SF | | 4x2 Chassis - SilverFox 1871SFO | | 1 | HMC |
| 01-G0-1101 | | -- Single Frame Rails - SFO - SilverFox | 3 | 1 | HMC |
| 01-I0-11SF | | -- Frame Rail Finish - Galvanized, Single Rails | 4 | 1 | HMC |
| 01-I0-1500 | | -- Fastener Finish - ArmorGalv® | 4 | 1 | HMC |
| 07-A0-21SF | | -- Front Axle 18,740# - Meritor MFS | 4 | 1 | HMC |
| 07-AC-4500 | | -- 45° Cramp Angle | 4 | 1 | HMC |
| 07-B0-0100 | | -- Oil Seals - Front Axle - Factory Premium | 4 | 1 | HMC |
| 07-C0-0210 | | -- Disc Brakes - Front Axle - EX-225 | 4 | 1 | HMC |
| 07-R0-1018 | | -- Front Suspension 18,740# - Semi-Elliptical Spring | 4 | 1 | HMC |
| 07-RS-0100 | | -- Shock Absorbers - Front Axle (Semi Elliptical Spring) | 5 | 1 | HMC |
| 07-Y0-0117 | | -- Steering - 18,740# - Sheppard Single Gear | 5 | 1 | HMC |
| 10-GF-18SF | > | -- Goodyear 315/80R22.5-20PR (L) Front - G291 - 18,180#-19,450# | 5 | 1 | HMC |
| 10-GG-0032 | | -- 18,180# - Std Load Rating 315/80R22.5 L | 5 | 1 | HMC |
| 10-GV-0068 | | -- Tire Speed Rating - 68 MPH | 5 | 1 | HMC |
| 10-W0-10WF | | -- Front - Aluminum Wheels - 9.00 | 5 | 1 | HMC |
| 10-X0-0100 | | -- Stainless 'Baby Moon' Caps & Nutcovers | 5 | 1 | HMC |
| 08-AS-10WF | | -- Single Rear Axle 24,000# - Meritor RS-24-160 | 6 | 1 | HMC |
| 08-AV-F165 | | -- 160 Series Differential - Single Axle | 6 | 1 | HMC |
| 08-AV-S010 | | -- Axle Lube - Non Synthetic | 6 | 1 | HMC |
| 08-B0-0100 | | -- Oil Seals - Rear Axle - Factory Premium | 6 | 1 | HMC |
| 08-C0-0110 | > | -- Disc Brakes - Single Rear Axle - EX225 | 6 | 1 | HMC |
| 08-PA-0300 | | -- Vehicle Top Speed 65 - 68 MPH | 6 | 1 | HMC |
| 08-PA-1100 | | -- NFPA Vehicle Top Speed Statement (Revised 6/25/2018) | 6 | 1 | HMC |
| 08-R0-01WF | | -- Single Axle Suspension - 27,000# - Spring | 7 | 1 | HMC |
| 09-A0-10WF | | -- Air System - Color Coded Nylon Air Lines - Single Axle | 7 | 1 | HMC |
| 09-A0-1208 | | -- Bendix AD SP Dryer | 8 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------------|-----|--|----|-----|------------|
| 09-B0-02SF | | -- Pump Primer Air Reservoir - 2181 in^3 | 8 | 1 | HMC |
| 09-D0-0102 | | -- Air Tank Drains - Manual | 8 | 1 | HMC |
| 09-L0-04WF | | -- ABS Brake System - 4 Wheel - Meritor/Wabco | 8 | 1 | HMC |
| 09-RS-1010 | > | -- Stability Enhancement System - 4 Wheel - Meritor/Wabco | 9 | 1 | HMC |
| 10-GT-24WF | | -- Goodyear 11R22.5-16PR (H) Rear M&S - FUELMAX RTD - 24,000# | 9 | 1 | HMC |
| 10-GV-0075 | | -- Tire Speed Rating - 75 MPH | 9 | 1 | HMC |
| 10-W0-30WF | | -- Inner and Outer Rear - SA - Aluminum Wheels - 8.25 | 10 | 1 | HMC |
| 10-X0-0300 | | -- Stainless "Lincoln Hat" Hub & Nut Covers | 10 | 1 | HMC |
| 10-GW-0122 | | -- Tire Pressure Monitoring Device - 2 Axles - LED Alert | 10 | 1 | HMC |
| 08-RS-0500 | | -- Axle & Chassis Laser Alignment | 10 | 1 | HMC |
| 13-EU-54SG | S | Cummins L9 - 370 HP - 989 Radiator | 10 | 1 | HMC |
| 13-A0-09SF | | -- Engine Cooling System Radiator - 989 Sq. In. | 11 | 1 | HMC |
| 13-A0-1450 | | -- Engine Coolant Recovery System | 12 | 1 | HMC |
| 13-A0-1500 | | -- Charge Air Cooler - Engine Air Intake | 12 | 1 | HMC |
| 13-A0-1800 | | -- Long Life Coolant | 13 | 1 | HMC |
| 13-A0-19SF | | -- Premium Cooling System Hoses | 13 | 1 | HMC |
| 13-A0-1960 | | -- Constant Torque Cooling System Clamps - Entire System | 13 | 1 | HMC |
| 13-A0-1974 | | -- Heater Shut Off Valves | 13 | 1 | HMC |
| 13-L0-0002 | | -- Engine Oil - First Fill | 13 | 1 | HMC |
| 13-N0-0210 | | -- Engine Brake - Cummins L9 Engine | 13 | 1 | HMC |
| 13-P0-2300 | | -- Fast (High) Idle - Manual Select - Auto Low Voltage | 14 | 1 | HMC |
| 13-V0-0120 | | -- Auxiliary Engine Cooler - Sendure | 14 | 1 | HMC |
| 13-V0-0210 | | -- Spark Arrestor - Air Intake | 14 | 1 | HMC |
| 13-V0-3020 | | -- Fan Clutch - Fully Variable Fan Drive | 14 | 1 | HMC |
| 13-Y0-0621 | S | -- Compliant Exhaust Treatment System - L9 >360 | 14 | 1 | HMC |
| 13-Y0-1611 | S > | -- Cummins Aftertreatment System - L9 - >360 | 15 | 1 | HMC |
| 13-Y0-3010 | | -- Stainless Tailpipe - Curb Side - 90° Exit - Straight Cut End | 15 | 1 | HMC |
| 13-Y0-6010 | | -- Exhaust Tailpipe Diffuser | 15 | 1 | HMC |
| 13-Z0-0017 | | -- DEF System - 5 Gallon Reservoir | 15 | 1 | HMC |
| 14-C0-30SF | | -- Allison 3000EVS Automatic Transmission | 15 | 1 | HMC |
| 14-D0-0100 | | -- Transmission Fluid - Allison TES-389 | 16 | 1 | HMC |
| 14-ER-0100 | | -- Five Speed Allison Programming - 3000EVS | 16 | 1 | HMC |
| 14-ET-0100 | | -- Automatic Neutral Programming - 2500 EVS / 3000EVS / 4000EVS | 16 | 1 | HMC |
| 14-HF-0100 | | -- Drivertrain Fluid Monitoring System | 16 | 1 | HMC |
| 14-W0-10SF | | -- 1710 Series Drivelines | 18 | 1 | HMC |
| 25-A0-20SF | > | -- Fuel Tank - 50 Gallon - Stainless Straps | 18 | 1 | HMC |
| 25-V0-0000 | | -- Reinforced Fuel Lines | 18 | 1 | HMC |
| 25-F0-0200 | | -- Fuel Filter - Cummins - Factory | 18 | 1 | HMC |
| 45-D0-0200 | | -- 320 Amp Alternator - Leece-Neville - 4890JB | 18 | 1 | HMC |
| 13-I0-0010 | | Engine Air Intake Filter, Fleetguard | 18 | 1 | HMC |
| CAB MODEL | | | | | HMC |
| 40-D0-07SF | S < | SFO-MFDxl - Aluminum 96" Wide Cab - 12" Raised Roof | 19 | 1 | HMC |
| 14-ES-0200 | | -- Transmission Selector - Push Button Type | 22 | 1 | HMC |
| 14-ES-0400 | | -- Transmission Fluid Check - Transmission Selector | 22 | 1 | HMC |
| 40-AS-1630 | S | -- (P) SFO-MFDxl - 12" - Aluminum Cab | 22 | 1 | HMC |
| 40-DH-5200 | | -- Exterior Cab Door Handles - Bright Finish | 22 | 1 | HMC |
| 40-N0-08SF | | -- Cab Stainless Fender | 22 | 1 | HMC |
| 40-N0-0806 | | -- Cab Fender - Bright Finish | 22 | 1 | HMC |
| 40-U0-00SF | | -- Overhead Heater / Defroster - SFO - W | 22 | 1 | HMC |
| 40-U0-0450 | > | -- 45,000 BTU Air Conditioning with Heater - Single Condenser | 23 | 1 | HMC |
| 40-U0-0610 | | -- 36,000 BTU Supplemental Heater | 23 | 1 | HMC |
| 40-U0-0620 | S < | -- Cab Climate Control Insulation Package | 23 | 1 | HMC |
| 45-E0-0100 | S < | -- EMI/RFI Noise Suppression | 23 | 1 | HMC |
| 45-NS-08SF | | -- Stainless Steel Battery Tray | 24 | 1 | HMC |
| 45-NU-03SF | S < | -- Single Battery System - 4 Group 31 | 24 | 1 | HMC |
| 45-NU-0410 | | -- Battery Jumpers | 25 | 1 | HMC |
| 45-T0-01SF | | -- 40 Amp - Battery Charger - ProMariner - SFO | 25 | 1 | HMC |
| 09-X0-1400 | S < | -- Kussmaul - Auto Air 091-9B-1 - 120VAC Compressor | 26 | 1 | HMC |
| 45-Z0-12SF | | -- Kussmaul 20 AMP - 120v - Super Auto Eject | 26 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---------------------|-----|--|----|-----|------------|
| 45-Z0-1303 | | -- Yellow Auto-Eject Cover | 26 | 1 | HMC |
| 45-Z0-1314 | | -- Plain Cover | 26 | 1 | HMC |
| 45-Z0-1320 | | -- Cab Exterior Mounted - Behind the Driver's Door | 26 | 1 | HMC |
| 45-NU-0510 | | -- Battery Jumper Studs | 27 | 1 | HMC |
| CAB INTERIOR | | | | | HMC |
| 40-D0-51SF | | Cab Interior Appointments and Options - 1871SFO -- Apparatus | | 1 | HMC |
| 40-DE-0300 | S < | -- Engine Enclosure - Vinyl Covering - Acoustiblok - NO FLUID | 27 | 1 | HMC |
| CHECK HATCH | | | | | |
| 40-DE-1030 | | -- Painted Interior Door Panels | 27 | 1 | HMC |
| 40-DE-2010 | | -- Interior Padding - Standard Ceiling | 27 | 1 | HMC |
| 40-DE-2020 | | -- Interior Padding - Standard Rear Wall | 28 | 1 | HMC |
| 40-DE-2060 | | -- Floor Material - Acoustical Wear Mat | 28 | 1 | HMC |
| 40-DE-2070 | | -- * * * Rear Facing Seat Box Covering - Acoustical Wear Mat | 28 | 1 | HMC |
| 40-DE-2620 | | -- Rugged Zolotone Dash | 28 | 1 | HMC |
| 40-DE-3050 | S < | -- Door Reflective Material, Diamond Grade- Custom Chassis, 4 Door | 28 | 1 | HMC |
| 40-DE-4002 | S < | -- Cab Step Well Trim - Step Tops Only | 28 | 1 | HMC |
| 40-DE-7010 | S < | -- Steering Wheel and Column | 29 | 1 | HMC |
| 40-DH-0260 | | -- Grab Hndls - Inside - Driver's, Officer's A-Post and Both Crew Doors | 29 | 1 | HMC |
| 40-LC-0114 | S | -- Open Compartment Light - Red Flashing - Whelen OS LED | 29 | 1 | HMC |
| 40-LD-00SF | | -- Interior Lighting Group - 1871W - 1871SFO | 29 | 1 | HMC |
| 40-LD-04WF | | -- LED Strip Light Interior Light Packages | 30 | 1 | HMC |
| 40-LD-401S | S < | -- Step Nose LED Lighting - WHITE | 30 | 1 | HMC |
| 40-LD-501S | | -- Driver and Officer Door Strip Lighting - WHITE | 30 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 30 | 1 | HMC |
| 40-LD-511S | | -- Crew Cab Door Area LED Strip Lighting - WHITE | 30 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 30 | 1 | HMC |
| 40-U0-6020 | S < | -- Rugged Driver / Officer and Switch Panel Consoles | 30 | 1 | HMC |
| 40-U0-9010 | S < | -- Black Finish | 31 | 1 | HMC |
| 40-V0-01SF | S < | -- Driver Instrumentation (J1939) and Controls | 31 | 1 | HMC |
| 40-V0-0120 | | -- Audible Turn Signal Reminder | 32 | 1 | HMC |
| 40-V0-0122 | | -- Audible Lights On Reminder | 32 | 1 | HMC |
| 40-V0-0124 | | -- Audible Parking Brake Reminder | 32 | 1 | HMC |
| 40-V0-0130 | | -- Dual Trip Odometers | 32 | 1 | HMC |
| 40-V0-0148 | > | -- Odometer Activated While in Pump Mode | 32 | 1 | HMC |
| 40-V0-0150 | | -- Low Fuel Warning Light and Alarm | 32 | 1 | HMC |
| 40-V0-0152 | | -- Transmission Temperature Warning Light and Alarm | 32 | 1 | HMC |
| 40-V0-0154 | | -- Low Voltage Warning Light | 33 | 1 | HMC |
| 40-V0-0156 | | -- Air Cleaner Restriction Indicator | 33 | 1 | HMC |
| 40-V0-0160 | | -- Low Coolant Warning | 33 | 1 | HMC |
| 40-V0-0162 | | -- Wiper Control, Intermittent | 33 | 1 | HMC |
| 40-X0-11SF | S | -- Overhead SPS Panel - EsKey | 33 | 1 | HMC |
| 40-V0-0506 | < | -- Parking Brake Control - Driver's Dash | 33 | 1 | HMC |
| 45-NS-02SF | | -- Apparatus Base Digital Electrical System - Class1 EsKey | 34 | 1 | HMC |
| 45-NS-0210 | | -- Information Display Module - Driver's Position | 35 | 1 | HMC |
| 40-X0-8010 | S < | -- Doghouse Mounted Cupholder w/USB | 35 | 1 | HMC |
| 40-YC-4810 | | -- Back-Up Camera System - Pro-Vision | 35 | 1 | HMC |
| 40-Z0-9910 | | -- Fire Extinguisher and Hazard Triangle Kit | 35 | 1 | HMC |
| CAB EXTERIOR | | | | | HMC |
| 40-D0-61SF | | Cab Exterior Appointments and Options - 1871SFO -- Apparatus | | 1 | HMC |
| 40-DH-21WF | | -- Exterior Grab Handles - 24" Long | 36 | 1 | HMC |
| 40-DH-4110 | | -- Warning Light / Turn Signal, Cab Handrails | 36 | 1 | HMC |
| 40-DH-5100 | | -- Exterior Grab Handles - Bright Finish | 36 | 1 | HMC |
| 40-DZ-01WF | S < | -- Stylized Full Stainless Front Grille | 36 | 1 | HMC |
| 40-DZ-3001 | | -- Cab Grilles- Bright Finish | 36 | 1 | HMC |
| 40-G0-1010 | | -- Cab Front Mud flaps | 37 | 1 | HMC |
| 40-G0-1300 | | -- Cab Ground Lights - LED Strip Lights | 37 | 1 | HMC |
| 40-J0-2800 | S < | -- Mekra Lang - Smooth Chrome - Htd & Remote Control Mirrors w/Convex | 37 | 1 | HMC |
| 40-J0-2802 | | -- No Mirror Options | 37 | 1 | HMC |
| 40-KA-4010 | | -- Dark Gray-Lite Door Glass - Crew Side Doors | 37 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---------------------------------------|---|---|----|-----|-----|
| 40-LE-1002 | | -- Engine Maintenance Lights LED - Custom | 37 | 1 | HMC |
| 40-N0-1400 | | -- Exterior Rear Wall - Diamond Plate Overlay - Bright Finish | 37 | 1 | HMC |
| 40-P0-01RS | | -- Cab Tilt - Electric Pump | 38 | 1 | HMC |
| 40-P0-0400 | | -- Cab Tilt Road Interlock | 38 | 1 | HMC |
| CAB AND CHASSIS PAINT | | | | | |
| 40-Q0-00SF | | Cab & Chassis Paint | | 1 | HMC |
| 40-Q0-12SF | | -- Black Interior Paint | 38 | 1 | HMC |
| 40-Q0-2010 | | -- Headliner - Black | 39 | 1 | HMC |
| 40-Q0-2110 | | -- Rear Wall Covering - Black | 39 | 1 | HMC |
| 40-Q0-2210 | | -- Floor Covering - Black | 39 | 1 | HMC |
| 40-Q0-2302 | | -- Door Panels - Black | 39 | 1 | HMC |
| 40-Q0-2310 | | -- Doghouse Covering - Black | 39 | 1 | HMC |
| 40-Q0-2502 | | -- Dash Housing and Officer Console - Black | 39 | 1 | HMC |
| 40-Q0-3010 | | -- Single Color Cab Exterior Paint | 39 | 1 | HMC |
| 40-Q0-3080 | > | -- Cab Exterior Paint - PPG - Urethane | 41 | 1 | HMC |
| SEATING | | | | | |
| 40-RS-0010 | | Seat Logos by Truck Model | | 1 | HMC |
| 40-RS-4SF8 | | SFO & W - 2 Rear Facing - 2 Center Fwd Facing | | 1 | HMC |
| 40-RT-0010 | | -- Seat Position 1 - Driver's Seat | 41 | 1 | HMC |
| 40-S0-1350 | | -- Highback - Air Ride Suspension - HO Bostrom - Sierra 500 - ABTS | 41 | 1 | HMC |
| 40-RT-0020 | | -- Seat Position 2 - Officer's Seat | 41 | 1 | HMC |
| 40-S0-4330 | | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 41 | 1 | HMC |
| | | - ABTS - Officer | | | |
| 40-S0-9162 | | -- Filler Pad for SCBA Seats | 41 | 1 | HMC |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 42 | 1 | HMC |
| 40-RT-0030 | | -- Seat Position 3 - Rear Facing Left Outboard - Behind Driver | 42 | 1 | HMC |
| 40-S0-5830 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 42 | 1 | HMC |
| | | - ABTS - Crew | | | |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 42 | 1 | HMC |
| 40-RT-0060 | | -- Seat Position 6 - Rear Facing Rt Outboard - Behind Officer | 42 | 1 | HMC |
| 40-S0-5830 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 42 | 1 | HMC |
| | | - ABTS - Crew | | | |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 42 | 1 | HMC |
| 40-RT-008B | | -- Seat Position 8 - Fwd Facing - Left Inside - SFOMFD-12 Only | 42 | 1 | HMC |
| 40-S0-5830 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 43 | 1 | HMC |
| | | - ABTS - Crew | | | |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 43 | 1 | HMC |
| 40-RT-009B | | -- Seat Position 9 - Fwd Facing - Right Inside - SFOMFD-12 Only | 43 | 1 | HMC |
| 40-S0-5830 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 43 | 1 | HMC |
| | | - ABTS - Crew | | | |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 43 | 1 | HMC |
| 40-S0-6110 | > | -- Forward Facing Seat Riser - w/In-Cab Storage Tray | 43 | 1 | HMC |
| 40-S0-7420 | | -- Gray / Black Durawear Seat Covering | 43 | 1 | HMC |
| 40-S0-8002 | | -- Seat Belt Warning Labels | 43 | 1 | HMC |
| 40-S0-8034 | | Vehicle Data Recorder and Seat Belt Warning System | 44 | 1 | HMC |
| 40-S0-8016 | | -- Seat Belt Warning System Monitor Panel | 44 | 1 | HMC |
| FRONT BUMPER / AUDIBLE WARNING | | | | | |
| 42-A3-0300 | | Front Bumper - Stainless Steel - SilverFox - WSF {Ctr Hsewl - Jumpline} | 44 | 1 | HMC |
| 01-V2-0124 | | -- Front Bumper Ext - 24" - SilverFox - {Thru Suc - Ctr Hsewl - Jumpline} | 44 | 1 | HMC |
| 01-T1-0120 | | -- Frt Jumpline, 1.5" w/2" Plmbg, 90° Swivel Adapter | 44 | 1 | HMC |
| 01-T1-0810 | | -- Swivel On Gravelshield Next to Hosewell | 45 | 1 | HMC |
| 01-T2-0140 | | -- Drain Valve, Class 1, 3/4", Automatic | 45 | 1 | HMC |
| 01-W0-0700 | | -- Chromed Tow Hooks Beneath Bumper | 45 | 1 | HMC |
| 01-Z0-8044 | | -- Front Gravelshield - SilverFox/SilverFox Urban | 45 | 1 | HMC |
| 01-Z0-8065 | | -- Bright Finish Gravelshield | 45 | 1 | HMC |
| 01-Z0-8450 | > | -- Center Hosewell - Large - SilverFox / SilverFox Urban | 45 | 1 | HMC |
| 01-Z0-8720 | | -- Hosewell Cover - Vinyl | 46 | 1 | HMC |
| 01-Z0-8726 | | -- Hosewell Cover Color, Vinyl, Midnight Black | 46 | 1 | HMC |
| 40-H0-11SF | > | -- Dual Stutter Tone Air Horns - Bumper Recessed | 46 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|-----|---|-----------|-----|------------|
| 40-H0-1201 | | -- Air Horn Circuit Powered - Battery and Ignition | 46 | 1 | HMC |
| 40-H0-1210 | | -- Air Horn Control - Lanyard | 46 | 1 | HMC |
| 40-H0-1302 | | -- Air/Elec Horn-Strg Wheel Cntrl - {Siren Switch Upgrade Here} | 46 | 1 | HMC |
| 40-H0-22SF | S < | -- Electronic Siren - Whelen - Model 295HFS2 | 46 | 1 | HMC |
| 40-H0-5410 | S < | -- Siren Head Mounting - Recess Mounted | 47 | 1 | HMC |
| 40-H0-33SF | | -- Q2B Mechanical Siren - Gravelshield Mtd - Driver's Side | 47 | 1 | HMC |
| 40-H0-3360 | | -- Q2B Mechanical Siren - Bright Finish | 47 | 1 | HMC |
| 40-H0-5110 | | -- Siren Circuit Powered - Master Warning Light Switch | 47 | 1 | HMC |
| 40-H0-5230 | | -- Siren Brake Switch - Driver and Officer Control | 47 | 1 | HMC |
| 40-H0-5350 | | -- Siren Control - Driver & Officer Foot Switches | 47 | 1 | HMC |
| 40-HA-2020 | | -- Siren Speaker - Cast Products - Recess Mtd - Left Side | 47 | 1 | HMC |
| 69-C0-0100 | S < | On Board USB Electronic Operator's Manual w/Parts List | 48 | 1 | HMC |
| 69-C0-0300 | | FAMA Fire Apparatus Safety Guide | 48 | 1 | HMC |
| | | v6.003 - RELEASE DATE - 06/02/2021 | | | HMC |
| | | == SilverFox & WSF Pump - Side - QMax - 6.001 == | 48 | | HME |
| 20-02-02UF | | Pump Enclosure, Side Mount, 47" Wide, SilverFox Urban - QMax | 48 | 1 | HME |
| 20-04-02SF | | -- Running Boards, L/S, R/S w/Laser Grip S/S Step Surface | 49 | 1 | HME |
| 20-06-08SF | | -- Dunnage Compt, w/Floor | 49 | 1 | HME |
| 20-06-1610 | | -- Grabrails, (2) Access Dunnage Compt, Mtd L/ R Side of Compt | 49 | 1 | HME |
| 20-10-1225 | | -- Work Light, (1) LED, Strip Light, Mtd Pump Compt w/Switch | 50 | 1 | HME |
| 20-14-0100 | | -- Pump Service Access Requirements | 50 | 1 | HME |
| 20-14-04UF | | -- Control Panel, Side Mount Module - SilverFox Urban - QMax | 50 | 1 | HME |
| 20-15-01SF | | -- Identification Labels - Engraved Plastic | 50 | 1 | HME |
| 20-16-0200 | | -- Pump Panel Finish, Brushed Stainless Steel | 51 | 1 | HME |
| 20-18-10SF | | -- Controls & Gauges, Side Mount - SilverFox | 51 | 1 | HME |
| 20-18-1420 | | -- FRC In Control 400 Pressure Governor, Engine Monitor and Pressure Display | 51 | 1 | HME |
| 20-18-1550 | | -- 2-1/2" Pressure Gauges, 0-400 psig - English | 52 | 1 | HME |
| 20-18-1558 | | -- 2-1/2" Pressure Gauge LED Lighting | 53 | 1 | HME |
| 20-18-1568 | | -- Pump Panel LED Lighting - WHITE | 53 | 1 | HME |
| 20-18-2040 | | -- Drain Discharges - 90° Ports | 53 | 1 | HME |
| 20-18-2404 | | -- Switch, Air Horn Activation, Mtd PPanel, Push Button w/Lbl | 53 | 1 | HME |
| 30-26-0410 | | -- Gauge, (1) Water Tank Level - FRC Tank Vision | 53 | 1 | HME |
| | | Side Mount Pumps - STANDARD Height Crosslays | | | HME |
| 20-21-08SF | | -- Pump, Midship, Hale "Q-Max", 1500 GPM - WSF | 54 | 1 | HME |
| 20-26-1000 | | -- Pump Rating, Hale, 1500 GPM | 55 | 1 | HME |
| 20-27-0100 | | -- Altitude Requirements, 0' to 2000 Feet Above Sea Level | 55 | 1 | HME |
| 22-02-0400 | | -- Pump T-Case Cooling Line, 3/8" w/Class 1 Valve | 55 | 1 | HME |
| 22-06-0890 | > | -- Primer, Air Primer, Trident, On Hale Pump | 56 | 1 | HME |
| 22-06-0930 | | -- Manual Primer Control Valve | 56 | 1 | HME |
| 22-06-0970 | | -- Trident Warranty, 5 Year Parts | 56 | 1 | HME |
| 22-08-0200 | | -- Pump Shift, Pneumatic w/Label, Indicator Lgts, Mtd Cab/PPnl | 56 | 1 | HME |
| 22-10-0800 | | -- Mechanical Seal, Inboard Side, Spring Loaded, Self Adjusting | 57 | 1 | HME |
| 22-11-0200 | | -- Anode, Water Pump, Indicator Weep Hole | 57 | 1 | HME |
| 22-14-1700 | | -- Intake Pressure Relief Valve, TFT | 57 | 1 | HME |
| 22-18-0400 | | -- Master Drain, Manual Mtd Pump Panel | 58 | 1 | HME |
| 22-20-0210 | | -- Third Party Test - TUV, US/Territories, Completed Apparatus Certificate | 58 | 1 | HME |
| 22-24-0200 | | -- Pump Warranty, Hale, Five Year | 58 | 1 | HME |
| 22-30-0200 | | -- Electronic Manuals, Pump Service and Operation | 58 | 1 | HME |
| | | Steamer Inlets | | | HME |
| 24-02-10SF | | -- Steamer Inlet, 6" NST Thread, L/S w/Strainer | 58 | 1 | HME |
| 30-40-1060 | | -- Cap, 6" Long Handle - HME Logo | 58 | 1 | HME |
| 24-02-12SF | | -- Steamer Inlet, 6" NST Thread, R/S w/Strainer | 58 | 1 | HME |
| 30-40-1060 | | -- Cap, 6" Long Handle - HME Logo | 59 | 1 | HME |
| | | Tank Fill - Pump Panel Options | | | HME |
| | | Rear Pump Inlets / Suctions | | | HME |
| | | Left Side Small Intake | | | HME |
| 24-21-003S | | -- Pump Side Intake, Left Side - Rear - Side Operated | 59 | 1 | HME |
| 24-21-042S | | -- Suction Inlet, Side 2.5" - Side Operated Module | 59 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|--|---------|--|----|-----|-----|
| 24-21-1025 | | -- Suction Valve Control, Push-Pull Type, Side, Adj To Valve | 59 | 1 | HME |
| 30-40-1125 | | -- Intake Plug, (Qty) 2.5" w/Cap & Chain | 59 | 1 | HME |
| Right Side Small Intake | | | | | |
| 24-21-2004 | | -- No Right Rear Intake Required - Pump Side | | 1 | HME |
| Left Side Pump Panel Discharges | | | | | |
| 26-03-002S | | -- #1 Discharge, Left Side - Side Operated | 59 | 1 | HME |
| 26-03-042S | | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control | 59 | 1 | HME |
| 30-41-5025 | | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug | 59 | 1 | HME |
| | w/Chain | | | | |
| 26-03-003S | | -- #2 Discharge, Left Side - Side Operated | 59 | 1 | HME |
| 26-03-042S | | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control | 60 | 1 | HME |
| 30-41-5025 | | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug | 60 | 1 | HME |
| | w/Chain | | | | |
| 26-03-0040 | | -- No Left Side #2R Discharge Required | 60 | 1 | HME |
| Right Side Pump Panel Discharges | | | | | |
| 26-03-022S | | -- #3 Discharge, Right Side - Side or Top Operated | 60 | 1 | HME |
| 26-03-042S | | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control | 60 | 1 | HME |
| 30-41-5025 | | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug | 60 | 1 | HME |
| | w/Chain | | | | |
| 26-03-023S | | -- #4 Discharge, Right Side - Side or Top Operated | 60 | 1 | HME |
| 26-03-043S | | -- Discharge, Side, 3" - 30 degree Elbow - Manual Control | 60 | 1 | HME |
| 30-41-5030 | | -- Discharge Cap, (Qty) 3" Chrome Vented Rocker Lug w/Chain | 61 | 1 | HME |
| 26-03-0240 | | -- No Right Side #4R Discharge Required | 61 | 1 | HME |
| Rear Discharges | | | | | |
| 26-06-04WF | | -- Discharge, 2.5" R/S Rear w/1/4Trn, SwngOut Vlv & 30Deg Elbw | 61 | 1 | HME |
| 26-06-0620 | | -- Discharge, 2.5" L/S Rear w/1/4Trn, SwngOut Vlv & 30Deg Elbw | 61 | 1 | HME |
| 30-24-0400 | > | -- Water Tank Sleeve, (1) 4" Rear Intake/Discharge | 61 | 1 | HME |
| 30-41-5025 | | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug | 61 | 1 | HME |
| | w/Chain | | | | |
| 30-24-0400 | > | -- Water Tank Sleeve, (1) 4" Rear Intake/Discharge | 61 | 1 | HME |
| 30-41-5025 | | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug w/Chain | 62 | 1 | HME |
| Deluge (Deck Gun) Piping | | | | | |
| 28-02-04SF | > | -- Piping, 3" Deluge Riser, AbvPmp w/ 3" 1/4Trn & S/S Pipe | 62 | 1 | HME |
| 26-12-0400 | | -- Drain Valve - Manual - Manual 1/4 Turn | 62 | 1 | HME |
| 28-02-0555 | | -- Fixed Riser Piping, NPT Termination | 62 | 1 | HME |
| 28-02-0800 | | -- Deck Gun Cntrl, 3" Manual Slow Close | 62 | 1 | HME |
| Crosslay Assemblies | | | | | |
| 28-11-112S | | -- Crosslay, (2) Beds, 1.5" NST Dbl Stk / 1.5" NST Dbl Stk - SilverFox | 62 | 1 | HME |
| 28-11-511S | | -- #1 Crosslay, Dbl Stk 1-1/2" NST w/2" Piping and Valve | 62 | 1 | HME |
| 26-12-0400 | | -- Drain Valve - Manual - Manual 1/4 Turn | 63 | 1 | HME |
| 28-11-611S | | -- #2 Crosslay, Dbl Stk, 1-1/2" NST w/2" Piping and Valve | 63 | 1 | HME |
| 26-12-0400 | | -- Drain Valve - Manual - Manual 1/4 Turn | 63 | 1 | HME |
| 28-11-7810 | | -- Crosslay Hose Guides | 64 | 1 | HME |
| 28-12-22SF | | -- Cover, Crosslay, Vinyl w/End Flaps | 64 | 1 | HME |
| 28-14-0400 | | -- Cover Color, Crosslay, Vinyl, Midnight Black | 64 | 1 | HME |
| Ball Valves | | | | | |
| 30-00-0300 | | -- Ball Valves, Elkhart, Brass | 64 | 1 | HME |
| Tank Plumbing and Indicators / Gauges | | | | | |
| 30-20-0200 | | -- Piping, Tank To Pump, 3" w/3" Ball Vlv | 64 | 1 | HME |
| 30-22-0200 | | -- Tank Refill, 1.5" Line w/ 1/4 Trn Bil Vlv | 64 | 1 | HME |
| Foam Systems | | | | | |
| 22-02-0800 | > | Heat Exchanger Line, Gated, Custom | 64 | 1 | HME |
| Discharge Special Thread Adapters | | | | | |
| == SilverFox Body - Custom - 6.001 == | | | | | |
| 08-22-2000 | > | Apparatus Body Designation, Model Silver-Fox | | 1 | HME |
| Water / Foam Tanks and Equipment | | | | | |
| 30-02-03SF | | Water Tank Cnstrctn, Poly w/Tnk Lid, FillTwr, Ovrflw | 65 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|---|---|----|-----|------------|
| 30-14-30SI | | -- Foam Tank, (1) 30 Glns, Cls A, Poly, Internal | 65 | 1 | HME |
| 30-18-02SF | | -- Tank Mounting, Cradle Mtd, 8" x 8" x 4" x .250" | 66 | 1 | HME |
| 30-18-0600 | | -- Tank Cradle - Painted to Match Axles Color | 66 | 1 | HME |
| APPARATUS BODY DESIGN AND CONSTRUCTION | | | | | HME |
| 32-02-02SF | | Body Design and Construction, Pumper, Stainless Steel | 66 | 1 | HME |
| 32-02-9000 | | -- Compartment Interior Finish | 68 | 1 | HME |
| 32-05-0100 | | -- Brushed Stainless Compartment Roof - Not a Stepping Surface | 68 | 1 | HME |
| 46-18-10SF | | -- Rear Tailboard, 12", LaserGrip Stainless Steel | 69 | 1 | HME |
| EXTERIOR COMPARTMENTATION AND EQUIPMENT | | | | | HME |
| 40-01-21SF | | Frame Extension, Rear - SilverFox / WSF | 69 | 1 | HME |
| 40-01-2200 | | -- Rear Frame Extension - Painted to Match Frame Color | 69 | 1 | HME |
| 40-02-02SF | | Ext Compartment Design and Construction, Modular, Bolted | 69 | 1 | HME |
| 40-02-0202 | | -- Compartment Ventilation | 69 | 1 | HME |
| 46-28-0710 | | -- No Exhaust Tailpipe Heatshield Required | | 1 | HME |
| 40-06-10SF | > | 7) 74"/74", FH/RD Ext Cmpts w/ThruTnk, TTnk, 1000 Gls, 63" HB - SilverFox | | 1 | HME |
| 30-08-22SF | | -- Water Tank Capacity, T-Tank, 1000 US Gallons - SilverFox 63" HB | 69 | 1 | HME |
| 30-02-1000 | | -- Tank Fill Tower, 10" x 14", w/4" Vent | 69 | 1 | HME |
| 30-12-3200 | | -- Cubic Ft, Body 159, 148" OAL | 70 | 1 | HME |
| HOSEBED | | | | | HME |
| 34-02-0020 | | -- Hosebed, Double High Side Pumper Body - Ladders Thru & Beam | 70 | 1 | HME |
| 34-02-02SF | | -- Hosebed, S/S w/14" Extnd Sds/Rmvbl HD Ext Alm Flrbrds | 70 | 1 | HME |
| 34-04-0600 | > | -- Dividers, (Qty) Hosebed, Adjustable, Smth Alum w/Radius Crnr | 70 | 1 | HME |
| 42-14-02SF | | -- RR2, Ladder Stg Compt, Rear - Thru Tank - Std w/Multi Opt | 71 | 1 | HME |
| 42-18-04SF | | -- RR2a, Multipurpose Storage, Inside Tank Compt, Upper Rear | 71 | 1 | HME |
| 42-18-0520 | > | -- Second Compt - (3) 6" Suction and Long Handled Tools | 71 | 1 | HME |
| 42-28-02SF | | -- Hinged Door, Rear, Ladder Storage | 71 | 1 | HME |
| 72-00-001S | | -- Thru The Tank Ladder Group - 10-Fold, 14-Roof, 24-2 Sec | 71 | 1 | HME |
| 72-04-0400 | | -- Ladder, 14' Roof, Duo-Safety, Channel Rail, Aluminum | 71 | 1 | HME |
| 72-06-0400 | | -- Ladder, 10' Fldng Attic, Duo-Safety, Aluminum | 72 | 1 | HME |
| 72-08-0400 | | -- Ladder, 24' Two-Sect Ext, Duo-Safety, Solid Beam Aluminum | 72 | 1 | HME |
| 34-06-0400 | | -- Hosebed Cover, Black | 72 | 1 | HME |
| LEFT SIDE EXTERIOR COMPARTMENT DIMENSIONS | | | | | HME |
| 40-12-1400 | | -- 74"/74", Ext Cmpts, L/S, 48"/52"/43" W x 12"/24" D, FH/RD | 72 | 1 | HME |
| 40-14-9004 | | -- Roll Up Doors, ROM | 72 | 1 | HME |
| 40-15-014S | | -- Roll Up Doors, L/S, Satin Anodized Finish - Med Bdy - LSL | 73 | 1 | HME |
| 40-16-0400 | | -- Door Latches, L/S, Non-Locking Lift Bar w/Door Ajar Switch | 73 | 1 | HME |
| FENDER CONFIGURATIONS | | | | | HME |
| 41-00-04WF | | -- Wheel Area, Single Axle - 7 SCBA Tubes - Fuel Door | 73 | 1 | HME |
| 46-02-02WF | | -- Fuel Fill, L/S Rr Fnrd w/Door, Label, Vent Line | 73 | 1 | HME |
| 46-02-0500 | | -- Fuel Fill Door - Bright Finish | 74 | 1 | HME |
| 46-06-0402 | | -- Fenderettes and Wheel Well Liners - Stainless | 74 | 1 | HME |
| 46-06-0408 | | -- Fenderettes and Wheelwell Liners - Bright Finish | 74 | 1 | HME |
| 46-08-0200 | | -- Mud Flaps, Rear | 74 | 1 | HME |
| 46-28-04WF | | -- SCBA Tubes, (7) Rear Wheelwell, (3) L/S - (4) R/S, Sngl Axle | 74 | 1 | HME |
| 46-28-0660 | | -- SCBA Tube Doors - Bright Finish | 74 | 1 | HME |
| 46-28-0680 | | -- SCBA Bottle Retention Strap(s) | 74 | 1 | HME |
| RIGHT SIDE EXTERIOR COMPARTMENT DIMENSIONS | | | | | HME |
| 42-02-1600 | | -- 74"/74", Ext Cmpts, R/S, 48"/52"/43" W x 12"/24" D, FH/RD | 75 | 1 | HME |
| 42-07-014S | | -- Roll Up Doors, R/S, Satin Anodized Finish - Med Bdy - LSL | 75 | 1 | HME |
| 42-08-0400 | | -- Door Latches, R/S, Non-Locking Lift Bar w/Door Ajar Switch | 75 | 1 | HME |
| REAR BODY EXTERIOR COMPARTMENT DIMENSIONS | | | | | HME |
| 42-12-02SF | | -- RR1, Ext Compt, Rear, 29" H x 48" W x 22" D, Half Height | 75 | 1 | HME |
| 42-25-02SF | | -- Hinged Doors, Flush Mount, Double Pan Stainless | 75 | 1 | HME |
| 42-08-0210 | | -- Door Latches, R/S, Hansen, Slam w/"D" Ring, Non-Locking | 76 | 1 | HME |
| 42-08-0550 | | -- Door Latches - Bright Finish | 76 | 1 | HME |
| 84-04-5010 | | -- Chevron, Diamond Grade Rear Body NFPA, 6" - Pumper Low | 76 | 1 | HME |
| | | Rear Door | | | |
| 84-04-8020 | | -- Chevron Color - Red and Florescent Green Reflective | 76 | 1 | HME |
| EXTERIOR BODY COMPONENTS | | | | | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|---|--|----|-----|------------|
| 46-05-063S | | -- Rubrail, Body, LED Strip, Armor Guard, Warning/Ground - Medium Body | 76 | 1 | HME |
| 46-05-0700 | | -- Rubrail, Body - Bright Finish | 76 | 1 | HME |
| 46-06-046S | | -- Painted Apparatus Body | 76 | 1 | HME |
| 46-06-0602 | | -- Painted Apparatus Body, Wheel Well Fender Panels | 76 | 1 | HME |
| 46-06-0610 | > | -- Painted Hosebed / Coffin Cmpt Exterior Side Walls | 77 | 1 | HME |
| 46-06-0612 | > | -- Painted Hosebed / Coffin Cmpt Exterior Front Wall | 77 | 1 | HME |
| 46-10-0600 | | -- Lights, Compartment, LED Strip, Armor Protected - White | 77 | 1 | HME |
| 46-12-0250 | | -- Lights, Rear Body, LED Strip Intermediate Step, Activate w/Parking Brk | 77 | 1 | HME |
| 46-16-03SF | | -- Steps, Folding, Mounted Front / Rear of Body, Per NFPA | 77 | 1 | HME |
| 46-18-0700 | | -- Standard Folding Step | 77 | 8 | HME |
| 46-20-0200 | | -- Step, Intermediate, (1) Upper, Laser Grip, 8" Deep x Full Width | 77 | 1 | HME |
| 46-20-0400 | | -- Steps, Intermediate, (2) Lower, Corners, Laser Grip, 8" Deep | 77 | 1 | HME |
| 46-26-0402 | | -- Handrails, (3) Rear, (2) 24" Vertical/(1) 69" Horizontal | 78 | 1 | HME |
| 46-26-0650 | | -- Handrails - Bright Finish | 78 | 1 | HME |
| 46-26-0710 | | -- Lighting, Rear Horizontal Handrails | 78 | 1 | HME |
| 46-26-0810 | | -- Lighting, White Color | 78 | 1 | HME |
| | | Exterior Body Equipment / Mounting Devices | | | HME |
| 58-02-01SF | | -- Floodlight, Maxxima (1) MWL-36 -2100 Lumens, Mnt Frt R/S Hsbd | 78 | 1 | HME |
| | | EXTERIOR COMPARTMENT COMPONENTS | | | HME |
| 48-00-0100 | | Body Interior Components - Shelves, Trays, Pullouts SHELVES | 78 | 1 | HME |
| 48-03-01SG | | -- Shelves Shallow, (4) Adjustable - one each L1, L3, R1 and R3 TRAYS | 78 | 1 | HME |
| 48-04-0104 | > | -- Trays, Pullout - L1, L3, RR1, R1, R3 FOXTRAX | 78 | 1 | HME |
| 48-14-01SF | | -- Toolboards, FoxTrax, Mtd Rear Wall, L2, R2 Compartments 12 VOLT ELECTRICAL SYSTEM | 79 | 1 | HME |
| 50-02-0200 | | Electrical System, 12V, Body, Multiplexed w/Circuit Brkr Pnl LIGHTING SELECTION | 79 | 1 | HME |
| 54-90-0910 | | ICC & Ultimate Warning Light Package HEADLIGHT / TAILLIGHT / TURN / ICC LIGHTING | 79 | 1 | HME |
| 55-01-001F | | -- Custom Cab - Double Hi Side Body | | 1 | HME |
| 55-02-10WF | | -- Custom Cab - Cab - LED - ICC Lighting - Whelen OS Series | 79 | 1 | HME |
| 55-02-1120 | | -- Custom Cab - Cab - LED - ICC Lighting - Bright Finish | 80 | 1 | HME |
| 55-02-200F | | -- Body - LED - ICC Lighting with Body Side Clearance LED & Reflector | 80 | 1 | HME |
| 55-02-2020 | | -- Body - LED - ICC Lighting - Bright Finish | 80 | 1 | HME |
| 55-03-010W | | -- Headlights - LED - Daytime Running - Custom Cab - Upper Position | 80 | 1 | HME |
| 55-04-0750 | | -- Frt Turn Signal - TecNiq Arrow Mask - Outside Warning Lights | 80 | 1 | HME |
| 55-05-012W | | -- Rear Stop/Tail/Turn/Reverse with NFPA Lower Zone C Warning - Techniq ICC Lights | 81 | 1 | HME |
| 55-05-0127 | | -- Rear Stop/Tail/Turn/Reverse with NFPA Lower Zone C Warning - Bright Finish | 81 | 1 | HME |
| 55-06-0480 | | -- Back Up Alarm | 81 | 1 | HME |
| 55-06-1000 | | -- License Plate Bracket w/LED Light | 81 | 1 | HME |
| 57-42-12WF | | -- Rear Warning - Zone C Lower, Power Rear, TecNiq - LED | 81 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 82 | 1 | HME |
| 57-42-5000 | | -- Rear Warning - Zone C Lower - Bright Finish | 82 | 1 | HME |
| | | CHASSIS WARNING LIGHT SELECTIONS | | | HME |
| 57-01-033F | > | -- Warning Light Package - LED - CUSTOM - QUADS - SilverFox & WSF | | 1 | HME |
| 57-04-3305 | | -- Lightbar, Frt, Whelen - Freedom - LED - loaded | 82 | 1 | HME |
| 57-20-231S | | -- Cab, Lwr, Frt, TecNiq LED | 82 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 83 | 1 | HME |
| 57-20-232S | | -- Cab, Lwr, Frt, Techniq LED - For Quads | 83 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 83 | 1 | HME |
| 57-30-2305 | > | -- Bumper Side, TecNiq - LED | 83 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|---|--|----|-----|-----|
| 57-03-1000 | | -- Lens Color - Both Red | 84 | 1 | HME |
| 57-30-4001 | | -- Bumper Side Warning Lights - Bright Finish | 84 | 1 | HME |
| APPARATUS WARNING LIGHT SELECTIONS | | | | | |
| 57-02-032G | | -- LED - Double Hi Side Body - Ultimate Lighting | | 1 | HME |
| 57-34-2305 | | -- Body, Side over Wheel TecNiq - LED | 84 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 84 | 1 | HME |
| 57-34-5001 | | -- Body Side Warning Lights - Bright Finish | 84 | 1 | HME |
| 57-40-230W | | -- Upper Rear, AF Upper Warn Lts - Stanchions - 2 Tier LED | 84 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 85 | 1 | HME |
| 57-44-3303 | | Whelen - LED - TAL85 Traffic Advisor | 85 | 1 | HME |
| SCENE LIGHTING - PUMPER | | | | | |
| BODY REAR SCENE LIGHTING | | | | | |
| 58-09-4012 | | -- Body Rear Scene Lights Required | 85 | 1 | HME |
| 58-09-5140 | | -- Scene Lights, TecNiq K90 Series LED 7" x 9" | 85 | 2 | HME |
| 58-09-5810 | | -- Bright Finished Bezels | 85 | 2 | HME |
| 58-09-6020 | | -- Rear Scene Light Switch w/Pkg Brk Over-Ride | 86 | 1 | HME |
| 58-09-7002 | | -- Driver's Scene Light Switch | 86 | 1 | HME |
| 58-14-011W | | -- FRC - RF Corner - High Side | 86 | 1 | HME |
| 58-15-09WF | | -- FRC, Spectra, Ultrabright LED, 20,000 Lumens, 12VDC | 86 | 1 | HME |
| 58-15-8004 | | -- Lamphead ON / OFF Switch | 86 | 1 | HME |
| 58-15-8010 | | -- FRC, Bottom Raise Pole - 530 | 86 | 1 | HME |
| 58-14-01WF | | -- FRC - LF Corner - High Side | 86 | 1 | HME |
| 58-15-09WF | | -- FRC, Spectra, Ultrabright LED, 20,000 Lumens, 12VDC | 86 | 1 | HME |
| 58-15-8004 | | -- Lamphead ON / OFF Switch | 87 | 1 | HME |
| 58-15-8010 | | -- FRC, Bottom Raise Pole - 530 | 87 | 1 | HME |
| COMMUNICATION, MISC EQUIPMENT, LADDERS | | | | | |
| 70-02-0400 | | Labels, Identification & Safety, Mtd Drvr's Compt/Pump Panel | 87 | 1 | HME |
| 70-24-1000 | | Wheel Chocks, (2) Worden HWGY, Yellow Alum w/Slid-Out Brkt | 88 | 1 | HME |
| HARD SUCTION HOSE | | | | | |
| 76-02-6200 | | Hard Suction, 10' x 6", Lightweight PVC w/NH Cplng | 88 | 2 | HME |
| STRIPING | | | | | |
| 84-02-0800 | | Striping, 4" Scotchlite, Reflective, Vehicle Perimetr | 88 | 1 | HME |
| 84-04-3010 | | -- Base Stripe Color, White Reflective | 88 | 1 | HME |
| 84-05-0012 | > | Lettering - Bid Process | 88 | 1 | HME |
| WARRANTIES, MANUALS, MISCELLANEOUS DOCUMENTS | | | | | |
| 90-03-1000 | | Water Tank Warranty - Service Life | 88 | 1 | HME |
| v6.003 - RELEASE DATE - 06/02/2021 | | | | | |
| == Limited Warranty - Use For Contracts - 4.001 == | | | | | |
| 10-00-0030 | | Limited Warranty | 89 | 1 | HM |
| 20-02-0030 | | -- General Warranty Period - 3 Years Total | 96 | 1 | HM |
| 40-00-0005 | | -- Cab & Body Paint Warranty Period - 5 Years | 96 | 1 | HM |
| v6.003 - RELEASE DATE - 06/02/2021 | | | | | |