



QUOTATION

HME Ahrens-Fox
 Sales
 1950 Byron Center Ave.
 Wyoming, MI 49519
 616-534-1463
 616-534-1967

HME Ahrens-Fox
 Sales
 1950 Byron Center Ave.
 Wyoming, MI 49519
 616-534-1463
 616-534-1967

Exp. Date: 10/31/2020
Quote No: 23989-0000
Job/Order No: 23989
CHASSIS: -1871W AF HME Ahrens-Fox 1871W Chassis - L9 Engines
PUMP: SIDE MNT Pump Module, 47" Side Mnt, Gen III
BODY: PUMPERS Pumper Components & Equipment
WARRANTY: WARRANTY Limited Warranty - Use For Contracts

04/18/2022

Page 1

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|--|----------|---|----------|----------|------------|
| == HME Ahrens-Fox 1871W Chassis - L9 Engines - 6.006 03/24/22 == | | | 1 | 1 | HMC |
| 00-00-0005 | | DataBook v6.006 Release: 03.24.22 | | 1 | HMC |
| 00-00-0012 | | NFPA-1901, Current Edition - Complete Apparatus | 1 | 1 | HMC |
| 00-00-90SF | | > Vocation and Basic Attributes - Apparatus | 1 | 1 | HMC |
| 00-00-92SF | S | > Paint Codes and Basic Attributes - Apparatus | 2 | 1 | HMC |
| | | CHASSIS | | 1 | HMC |
| 00-J0-13AF | | 1871W Custom Chassis | | 1 | HMC |
| 00-J0-2010 | | -- Custom Chassis - Vertically Integrated Builder | 2 | 1 | HMC |
| 01-A0-0100 | | 4x2 Chassis Vocation - Two Axle - Rear Wheel Drive - MFS Frt | | 1 | HMC |
| 01-G0-1100 | | > -- Single Frame Rails | 3 | 1 | HMC |
| 01-I0-1100 | | -- Frame Rail Finish - Galvanized, Single Rails | 3 | 1 | HMC |
| 01-I0-1500 | | -- Fastener Finish - ArmorGalv® | 3 | 1 | HMC |
| 01-J0-4000 | | -- Cab Main Frame Crossmember | 3 | 1 | HMC |
| 07-A0-2020 | | -- Front Axle 20,000# - Meritor MFS | 4 | 1 | HMC |
| 07-AC-4500 | | -- 45° Cramp Angle | 4 | 1 | HMC |
| 07-B0-0100 | | -- Oil Seals - Front Axle - Factory Premium | 4 | 1 | HMC |
| 07-C0-0210 | | -- Disc Brakes - Front Axle - EX-225 | 4 | 1 | HMC |
| 07-R0-1020 | | -- Front Suspension 20,000# - Semi-Elliptical Spring | 4 | 1 | HMC |
| 07-RS-0100 | | -- Shock Absorbers - Front Axle (Semi Elliptical Spring) | 4 | 1 | HMC |
| 07-Y0-0122 | | -- Steering - 21,500# - Sheppard Dual Gear | 4 | 1 | HMC |
| 10-GF-2100 | | > -- Goodyear 425/65R22.5-20PR (L) Front - G296 - 24,600#-26,320# | 5 | 1 | HMC |
| 10-GG-0044 | | -- 22,800# - Std Load Rating G296 425/65R22.5 L | 5 | 1 | HMC |
| 10-GV-0068 | | -- Tire Speed Rating - 68 MPH | 5 | 1 | HMC |
| 10-W0-0010 | | -- Steel Disc Wheels, Front | 5 | 1 | HMC |
| 08-AS-1027 | | -- Single Rear Axle 27,000# - Meritor RS-25-160 | 5 | 1 | HMC |
| 08-AV-F160 | | -- 160 Series Differential - Single Axle | 5 | 1 | HMC |
| 08-AV-S010 | | -- Axle Lube - Non Synthetic | 5 | 1 | HMC |
| 08-B0-0100 | | -- Oil Seals - Rear Axle - Factory Premium | 6 | 1 | HMC |
| 08-C0-0110 | | > -- Disc Brakes - Single Rear Axle - EX225 | 6 | 1 | HMC |
| 08-PA-0300 | | -- Vehicle Top Speed 65 - 68 MPH | 6 | 1 | HMC |
| 08-PA-1100 | | -- NFPA Vehicle Top Speed Statement (Revised 6/25/2018) | 6 | 1 | HMC |
| 08-R0-0100 | | -- Single Axle Suspension - 27,000# - Spring | 6 | 1 | HMC |
| 08-RS-0100 | | > -- Shock Absorbers - Single Rear Axle | 7 | 1 | HMC |
| 09-A0-1000 | | -- Air System - Color Coded Nylon Air Lines - Single Axle | 7 | 1 | HMC |
| 09-A0-1208 | | -- Bendix AD SP Dryer | 7 | 1 | HMC |
| 09-D0-0102 | | -- Air Tank Drains - Manual | 8 | 1 | HMC |
| 09-L0-0400 | | -- ABS Brake System - 4 Wheel - Meritor/Wabco | 8 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|-----|--|----|-----|-----|
| 09-RS-1010 | > | -- Stability Enhancement System - 4 Wheel - Meritor/Wabco | 8 | 1 | HMC |
| 10-GT-3010 | S < | -- Goodyear 315/80R22.5-20PR (L) Rear - G751 - 33,080# | 9 | 1 | HMC |
| | | Tire Update | | | |
| 10-GU-0050 | S | -- 33,080# - Std Load Rating G751 315/80R22.5 | 9 | 1 | HMC |
| 10-GV-0075 | S | -- Tire Speed Rating - 68 MPH | 9 | 1 | HMC |
| 10-W0-3020 | | -- Inner and Outer Rear - SA - Aluminum Wheels - 9.00 | 9 | 1 | HMC |
| 10-X0-0300 | | -- Stainless "Lincoln Hat" Hub & Nut Covers (Rear Wheels) | 9 | 1 | HMC |
| 10-GW-0122 | | -- Tire Pressure Monitoring Device - 2 Axles - LED Alert | 9 | 1 | HMC |
| 08-RS-0500 | | -- Axle & Chassis Laser Alignment | 10 | 1 | HMC |
| 13-EU-6425 | | Cummins L9 - 450 HP - 1400 Radiator | 10 | 1 | HMC |
| 13-A0-1400 | | -- Engine Cooling System Radiator - 1400 Sq. In. | 10 | 1 | HMC |
| 13-A0-1450 | | -- Engine Coolant Recovery System | 11 | 1 | HMC |
| 13-A0-1500 | | -- Charge Air Cooler - Engine Air Intake | 12 | 1 | HMC |
| 13-A0-1800 | | -- Long Life Coolant | 12 | 1 | HMC |
| 13-A0-1900 | | -- Premium Cooling System Hoses | 12 | 1 | HMC |
| 13-A0-1960 | | -- Constant Torque Cooling System Clamps - Entire System | 12 | 1 | HMC |
| 13-A0-1974 | | -- Heater Shut Off Valves | 13 | 1 | HMC |
| 13-EW-0010 | | -- Cummins Tariff - L9 Engines | 13 | 1 | HMC |
| 13-I0-0010 | | -- Engine Air Intake Filter, Fleetguard | 13 | 1 | HMC |
| 13-L0-0002 | | -- Engine Oil - First Fill | 13 | 1 | HMC |
| 13-LD-5100 | | -- Engine Magnetic Drain Plug | 13 | 1 | HMC |
| 13-N0-0210 | | -- Engine Brake - Cummins L9 Engine | 13 | 1 | HMC |
| 13-P0-2300 | | -- Fast (High) Idle - Manual Select - Auto Low Voltage | 13 | 1 | HMC |
| 13-V0-0120 | | -- Auxiliary Engine Cooler - Sendure | 14 | 1 | HMC |
| 13-V0-0210 | | -- Spark Arrestor - Air Intake | 14 | 1 | HMC |
| 13-V0-3020 | | -- Fan Clutch - Fully Variable Fan Drive | 14 | 1 | HMC |
| 13-Y0-0621 | | -- Compliant Exhaust Treatment System - L9 >360 | 14 | 1 | HMC |
| 13-Y0-1611 | > | -- Cummins Aftertreatment System - L9 - >360 | 14 | 1 | HMC |
| 13-Y0-3010 | | -- Stainless Tailpipe - Curb Side - 90° Exit - Straight Cut End | 14 | 1 | HMC |
| 13-Y0-6010 | | -- Exhaust Tailpipe Diffuser | 15 | 1 | HMC |
| 13-Z0-0015 | | -- DEF System - 5 Gallon Reservoir - ISL | 15 | 1 | HMC |
| 13-Z0-0100 | | -- Shaw Dev - Semiconductor Surcharge | | 1 | HMC |
| 14-C0-3040 | | -- Allison 3000EVS Automatic Transmission | 15 | 1 | HMC |
| 14-C0-5100 | | -- Transmission Magnetic Drain Plug | 15 | 1 | HMC |
| 14-D0-0100 | | -- Transmission Fluid - Allison TES-389 | 15 | 1 | HMC |
| 14-ER-0100 | | -- Five Speed Allison Programming - 3000EVS | 16 | 1 | HMC |
| 14-ET-0100 | | -- Automatic Neutral Programming - 2500 EVS / 3000EVS / 4000EVS | 16 | 1 | HMC |
| 14-HF-0100 | | -- Drivertrain Fluid Monitoring System | 16 | 1 | HMC |
| 14-W0-1100 | | -- 1760 Series Drivelines | 17 | 1 | HMC |
| 25-A0-2000 | > | -- Fuel Tank - 50 Gallon - Stainless Straps | 17 | 1 | HMC |
| 25-U0-1002 | | -- Electric Fuel Re-Prime Pump | 18 | 1 | HMC |
| 25-V0-1000 | | -- Wire Braided Fuel Lines | 18 | 1 | HMC |
| 25-V0-1102 | | -- Fuel Shut Off Valve | 18 | 1 | HMC |
| 25-F0-0200 | | -- Fuel Filter - Cummins - Factory | 18 | 1 | HMC |
| 45-D0-2400 | > | -- 415 Amp Alternator - Niehoff | 18 | 1 | HMC |
| | | CAB MODEL | | 1 | HMC |
| 40-D0-0104 | | 3/16" Alum - MFDxl - 1871W - 12" Raised Roof - FULL LENGTH DOORS | 19 | 1 | HMC |
| 14-ES-0200 | | -- Transmission Selector - Push Button Type | 22 | 1 | HMC |
| 14-ES-0400 | | -- Transmission Fluid Check - Transmission Selector | 22 | 1 | HMC |
| 40-DH-5200 | | -- Exterior Cab Door Handles - Bright Finish | 22 | 1 | HMC |
| 40-DH-6010 | | -- Cab Entry Steps, Full Length Doors, 100" W cabs | 22 | 1 | HMC |
| 40-DH-7010 | | -- DEF Fill, Left Rear Crew Step Area | 23 | 1 | HMC |
| 40-U0-0194 | | -- Overhead Heater / Defroster - 1871W | 23 | 1 | HMC |
| 40-U0-0470 | > | -- 45K BTU AC / 33.4K BTU Heat - Ceiling Mounted Evaporator - Single Condenser | 23 | 1 | HMC |
| 40-U0-0620 | | -- Cab Climate Control Insulation Package | 23 | 1 | HMC |
| 45-E0-0100 | | -- EMI/RFI Noise Suppression | 24 | 1 | HMC |
| 45-NS-0802 | | -- Stainless Steel Battery Tray | 24 | 1 | HMC |
| 45-NS-0806 | | -- Stainless Steel Cover for Battery Tray | 24 | 1 | HMC |
| 45-NU-0304 | | -- Single Battery System - 4 Group 31 | 24 | 1 | HMC |
| 45-NU-0410 | | -- Battery Jumpers | 25 | 1 | HMC |
| 45-NU-0462 | | -- Battery On Indicator Light - External View | 25 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|---|--|----|-----|-----|
| 45-T0-0110 | | -- 40 Amp - Battery Charger Plus Air Compressor - ProMariner | 25 | 1 | HMC |
| 09-X0-1400 | | -- Kussmaul - Auto Air 091-9B-1 - 120VAC Compressor | 26 | 1 | HMC |
| 45-T0-6112 | | -- Kussmaul 91-94-12 Remote Charge Indicator - ProTech | 26 | 1 | HMC |
| | | Charger | | | |
| 45-T0-6210 | | -- Charge Indicator Panel on Driver's Seat Box | 26 | 1 | HMC |
| 45-Z0-1200 | | -- Kussmaul 20 AMP - 120v - Super Auto Eject | 26 | 1 | HMC |
| 45-Z0-1302 | | -- Yellow Auto-Eject Cover | 27 | 1 | HMC |
| 45-Z0-1314 | | -- Plain Cover | 27 | 1 | HMC |
| 45-Z0-1320 | | -- Cab Exterior Mounted - Behind the Driver's Door | 27 | 1 | HMC |
| 45-NU-0510 | | -- Battery Jumper Studs | 27 | 1 | HMC |
| | | CAB INTERIOR | | | |
| 40-D0-5112 | | Cab Interior Appointments and Options - 1871W -- Apparatus | | 1 | HMC |
| 40-DE-0300 | < | -- Engine Enclosure - Vinyl Covering - Acoustiblok - NO FLUID | 27 | 1 | HMC |
| | | CHECK HATCH | | | |
| 40-DE-1030 | | -- Painted Interior Door Panels | 28 | 1 | HMC |
| 40-DE-2010 | | -- Interior Padding - Standard Ceiling | 28 | 1 | HMC |
| 40-DE-2030 | | -- Interior Padding - Hushcloth Rugged Rear Wall | 28 | 1 | HMC |
| 40-DE-2060 | | -- Floor Material - Acoustical Wear Mat | 28 | 1 | HMC |
| 40-DE-2070 | | -- * * * Rear Facing Seat Box Covering - Acoustical Wear Mat | 28 | 1 | HMC |
| 40-DE-3050 | | -- Door Reflective Material, SecuriTrim - Custom Chassis, 4 Door | 29 | 1 | HMC |
| 40-DE-7010 | | -- Steering Wheel and Column | 29 | 1 | HMC |
| 40-DH-0260 | | -- Grab Hndls - Inside - Driver's, Officer's A-Post and Both Crew | 29 | 1 | HMC |
| | | Doors | | | |
| 40-DH-1210 | | -- Officer's Radio Compartment - No Door Required | 29 | 1 | HMC |
| 40-LC-0114 | | -- Open Compartment Light - Red Flashing - Whelen OS LED | 29 | 1 | HMC |
| 40-LD-0100 | | -- Interior Lighting Group - 1871W - 1871SFO | 30 | 1 | HMC |
| 40-LD-0420 | | -- LED Strip Light Interior Light Packages | 30 | 1 | HMC |
| 40-LD-4010 | | -- Step Nose LED Lighting - WHITE/RED | 30 | 1 | HMC |
| 40-LD-5012 | | -- Driver and Officer Door Strip Lighting - WHITE/RED | 30 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 30 | 1 | HMC |
| 40-LD-5186 | > | -- Red Lighting Driver Switch Controlled | 30 | 1 | HMC |
| 40-LD-5193 | > | -- White Lighting Driver Switch Controlled | 30 | 1 | HMC |
| 40-LD-5102 | | -- Forward Crew Area LED Strip Lighting - WHITE/RED | 30 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 30 | 1 | HMC |
| 40-LD-5104 | | -- Rear Crew Area (Full Width) LED Strip Lighting - WHITE/RED | 31 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 31 | 1 | HMC |
| 40-LD-5112 | | -- Crew Cab Door Area LED Strip Lighting - WHITE/RED | 31 | 1 | HMC |
| 40-LD-5184 | | -- Cab Door Controlled | 31 | 1 | HMC |
| 40-LD-5188 | > | -- Crew Area Toggle Switch Controlled | 31 | 1 | HMC |
| 40-LD-5182 | | -- Interior Cab Light Color Control | 31 | 1 | HMC |
| 40-U0-6030 | | -- Rugged Driver / Officer and Switch Panel Consoles | 31 | 1 | HMC |
| 40-U0-9010 | | -- Black Finish | 31 | 1 | HMC |
| 40-X0-1416 | | -- Dual Port USB Charging Port - Officer and Driver's Area | 32 | 1 | HMC |
| 40-X0-6302 | | -- Recessed Cup Holders - Console Mounted | 32 | 1 | HMC |
| 40-V0-0100 | | -- Driver Instrumentation (J1939) and Controls | 32 | 1 | HMC |
| 40-V0-0120 | | -- Audible Turn Signal Reminder | 33 | 1 | HMC |
| 40-V0-0122 | | -- Audible Lights On Reminder | 33 | 1 | HMC |
| 40-V0-0124 | | -- Audible Parking Brake Reminder | 33 | 1 | HMC |
| 40-V0-0130 | | -- Dual Trip Odometers | 33 | 1 | HMC |
| 40-V0-0148 | > | -- Odometer Activated While in Pump Mode | 33 | 1 | HMC |
| 40-V0-0150 | | -- Low Fuel Warning Light and Alarm | 33 | 1 | HMC |
| 40-V0-0152 | | -- Transmission Temperature Warning Light and Alarm | 33 | 1 | HMC |
| 40-V0-0154 | | -- Low Voltage Warning Light | 34 | 1 | HMC |
| 40-V0-0156 | | -- Air Cleaner Restriction Indicator | 34 | 1 | HMC |
| 40-V0-0160 | | -- Low Coolant Warning | 34 | 1 | HMC |
| 40-V0-0162 | | -- Wiper Control, Intermittent | 34 | 1 | HMC |
| 40-X0-1112 | | -- Control Center Sw Panel - Engine Enclosure Mtg - EsKey - Aluminum Housing | 34 | 1 | HMC |
| 40-V0-0502 | | -- Parking Brake Control - Driver's Dash | 34 | 1 | HMC |
| 40-X0-1422 | | -- Outside Temperature Monitor | 34 | 1 | HMC |
| 45-NS-0200 | | -- Apparatus Base Digital Electrical System - Class1 EsKey | 35 | 1 | HMC |
| 45-NS-0210 | | -- Information Display Module - Driver's Position | 36 | 1 | HMC |
| 40-X0-1416 | | -- Dual Port USB Charging Port - Officer and Driver's Area | 36 | 1 | HMC |
| 40-X0-8000 | | -- No Engine Enclosure Mounted Cupholder | 36 | 1 | HMC |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|-------------------|---|--|-----------|----------|--------------|
| 40-X0-9000 | | -- No Rear Seat Base Mounted Cupholder | 36 | 1 | HMC |
| 40-X2-0010 | | -- Flat Aluminum Mounting Plate, Black Powder coated | 36 | 1 | HMC |
| 40-Y0-5010 | | -- HAAS Alert Collision Avoidance System | 36 | 1 | HMC |
| 40-Y0-6020 | | -- Active Air Purification System | 37 | 1 | HMC |
| 40-YC-3810 | > | -- Back-Up Camera System | 38 | 1 | HMC |
| 40-YC-3820 | | -- Observation Monitor - 7" LCD - Waterproof | 38 | 1 | HMC |
| 40-YC-4002 | | -- Monitor Mounting - Ceiling Mounted - Driver - Flip Down | 38 | 1 | HMC |
| 40-YC-3835 | | -- Camera - Color - Rear - High Performance - Black Housing | 38 | 1 | HMC |
| 40-YC-4100 | | -- Operation - Battery Powered | 38 | 1 | HMC |
| 40-YC-4200 | | -- Camera Mounting - Body Rear - Below Hosebed | 38 | 1 | HMC |
| 40-YC-4220 | | -- Guard, Rear Camera, Cast Products | 39 | 1 | HMC |
| 40-Z0-3700 | | -- AM/FM Stereo CD/Weather Band Radio w/Four Speakers | 39 | 1 | HMC |
| 40-Z0-9910 | | -- Fire Extinguisher and Hazard Triangle Kit | 39 | 1 | HMC |
| | | CAB EXTERIOR | | | 1 HMC |
| 40-D0-6112 | | Cab Exterior Appointments and Options - 1871W -- Apparatus | | 1 | HMC |
| 40-D0-0900 | | -- Cab Crashworthiness Test | 39 | 1 | HMC |
| 40-DH-2100 | | -- Exterior Grab Handles - 24" Long | 39 | 1 | HMC |
| 40-DH-4110 | | -- Warning Light / Turn Signal, Cab Handrails | 39 | 1 | HMC |
| 40-DH-5100 | | -- Exterior Grab Handles - Bright Finish | 40 | 1 | HMC |
| 40-DZ-0110 | | -- Stylized Stainless Front Grille | 40 | 1 | HMC |
| 40-DZ-2015 | | -- Grille Wrap, American Flag | 40 | 1 | HMC |
| 40-DZ-3001 | | -- Cab Grilles- Bright Finish | 40 | 1 | HMC |
| 40-G0-1010 | | -- Cab Front Mud flaps | 40 | 1 | HMC |
| 40-G0-1300 | | -- Cab Ground Lights - LED Strip Lights | 40 | 1 | HMC |
| 40-J0-2800 | | -- Mekra Lang - Smooth Chrome - Htd & Remote Control Mirrors | 41 | 1 | HMC |
| | | w/Convex | | | |
| 40-J0-2802 | | -- No Mirror Options | 41 | 1 | HMC |
| 40-K0-1000 | | -- Cab Side Windows - Fixed Glass | 41 | 1 | HMC |
| 40-K0-2020 | | -- Electric Windows - Four Doors - Driver Additional Controls | 41 | 1 | HMC |
| 40-K0-3010 | | -- Powered Door Locks - Four Doors | 41 | 1 | HMC |
| 40-KA-4022 | | -- Dark Gray-Lite Door Glass - Cab Side, Crew Doors and Rear (when spec'd) | 41 | 1 | HMC |
| 40-LE-1002 | | -- Engine Maintenance Lights LED - Custom | 42 | 1 | HMC |
| 40-N0-0805 | | -- Cab Stainless Fender | 42 | 1 | HMC |
| 40-N0-0806 | | -- Cab Fender - Bright Finish | 42 | 1 | HMC |
| 40-N0-1400 | | -- Exterior Rear Wall - Diamond Plate Overlay - Bright Finish | 42 | 1 | HMC |
| 40-P0-0110 | | -- Cab Tilt - Electric Pump with Manual Back Up | 42 | 1 | HMC |
| 40-P0-0400 | | -- Cab Tilt Road Interlock | 43 | 1 | HMC |
| | | CAB AND CHASSIS PAINT | | | 1 HMC |
| 40-Q0-1001 | | Cab & Chassis Paint - 1871W | | 1 | HMC |
| 40-Q0-1200 | | -- Black Interior Paint | 43 | 1 | HMC |
| 40-Q0-2010 | | -- Headliner - Black | 43 | 1 | HMC |
| 40-Q0-2110 | | -- Rear Wall Covering - Black | 43 | 1 | HMC |
| 40-Q0-2210 | | -- Floor Covering - Black | 43 | 1 | HMC |
| 40-Q0-2302 | | -- Door Panels - Black | 44 | 1 | HMC |
| 40-Q0-2310 | | -- Engine Enclosure Covering - Black | 44 | 1 | HMC |
| 40-Q0-2502 | | -- Dash Housing and Officer Console - Black | 44 | 1 | HMC |
| 40-Q0-3010 | | -- Single Color Cab Exterior Paint | 44 | 1 | HMC |
| 40-Q0-3080 | > | -- Cab Exterior Paint - PPG - Urethane | 45 | 1 | HMC |
| | | SEATING | | | 1 HMC |
| 40-RS-2010 | > | 1871W - MFDxl - LFD - 2 Rear Facing - 2 Center Fwd Face | | 1 | HMC |
| 40-S0-0010 | | -- Seat Position 1 - Driver's Seat | 45 | 1 | HMC |
| 40-S0-1350 | | -- Highback - Air Ride Suspension - HO Bostrom - Sierra 500 - ABTS | 45 | 1 | HMC |
| 40-S0-0020 | | -- Seat Position 2 - Officer's Seat | 46 | 1 | HMC |
| 40-S0-4310 | | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 46 | 1 | HMC |
| | | - ABTS | | | |
| 40-S0-9162 | | -- Filler Pad for SCBA Seats | 46 | 1 | HMC |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 46 | 1 | HMC |
| 40-S0-0030 | | -- Seat Position 3 - Rear Facing Left Outboard - Behind Driver | 46 | 1 | HMC |
| 40-S0-5810 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 46 | 1 | HMC |
| | | - ABTS | | | |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 46 | 1 | HMC |
| 40-S0-0060 | | -- Seat Position 6 - Rear Facing Rt Outboard - Behind Officer | 46 | 1 | HMC |
| 40-S0-5810 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 47 | 1 | HMC |
| | | - ABTS | | | |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|-------------------|---|---|-----------|----------|------------|
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 47 | 1 | HMC |
| 40-S0-0070 | > | -- Seat Position 7 - Fwd Facing Left Outboard - Flip Seat Only | 47 | 1 | HMC |
| 40-S0-5700 | | -- No Flip Seat Required | 47 | 1 | HMC |
| 40-S0-0080 | | -- Seat Position 8 - Fwd Facing - Left Inside | 47 | 1 | HMC |
| 40-S0-5810 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 47 | 1 | HMC |
| | | - ABTS | | | |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 47 | 1 | HMC |
| 40-S0-0090 | | -- Seat Position 9 - Fwd Facing - Right Inside | 47 | 1 | HMC |
| 40-S0-5810 | > | -- SCBA Fixed Bottom Cush - Fixed Mtg - HO Bostrom - Tanker 500 | 47 | 1 | HMC |
| | | - ABTS | | | |
| 40-S0-9220 | | -- HO Bostrom SecurAll SCBA Locking Bracket | 47 | 1 | HMC |
| 40-S0-0100 | > | -- Seat Position 10 - Fwd Facing Rt Outboard - Flip Seat Only | 48 | 1 | HMC |
| 40-S0-5700 | | -- No Flip Seat Required | 48 | 1 | HMC |
| 40-S0-6100 | | -- Forward Facing Seat Riser | 48 | 1 | HMC |
| 40-S0-7420 | | -- Gray / Black Durawear Seat Covering | 48 | 1 | HMC |
| 40-S0-7810 | | -- No Heated Seat Cushions | 48 | 1 | HMC |
| 40-S0-8002 | | -- Seat Belt Warning Labels | 48 | 1 | HMC |
| 40-S0-8014 | | Vehicle Data Recorder and Seat Belt Warning System | 48 | 1 | HMC |
| 40-S0-8018 | | -- Seat Belt Warning System Graphic Monitor Panel | 49 | 1 | HMC |
| | | FRONT BUMPER / AUDIBLE WARNING | | | |
| 42-A3-0260 | | Front Bumper - Ptd Frmd - W/SFO {Thru Suc - Ctr Hsewl - Thru Q2B -Jumpline} | 49 | 1 | HMC |
| 01-V2-0034 | | -- Front Bumper Ext - 24" - W/SFO{Thru Suc - Ctr Hsewl - Thru Q2B - Jumpline} | 49 | 1 | HMC |
| 01-T1-0200 | | -- Frt Jumpline, 1.5" w/2" Piping, 90° Swivel Adapter - {Rt Hosewl} | 49 | 1 | HMC |
| 01-T1-0710 | | -- Swivel on Gravelshield, Right of the Center Hosewell | 50 | 1 | HMC |
| 01-T2-0140 | | -- Drain Valve, Class 1, 3/4", Automatic | 50 | 1 | HMC |
| 01-T4-0120 | | -- Discharge Cap, (Qty) 1.5" Chrome Vented Rocker Lug w/Chain | 50 | 1 | HMC |
| 01-W0-0700 | | -- Chromed Tow Hooks Beneath Bumper | 50 | 1 | HMC |
| 01-Z0-8042 | | -- Front Gravelshield - W / SFO | 50 | 1 | HMC |
| 01-Z0-8065 | | -- Bright Finish Gravelshield | 50 | 1 | HMC |
| 01-Z0-8406 | > | -- Center Hosewell - Medium - 24" Ext. - W / SFO | 50 | 1 | HMC |
| 01-Z0-8760 | | -- Hosewell Cover, Center - Hinged Diamondplate | 50 | 1 | HMC |
| 01-Z0-8826 | | -- LED Lighting, Hosewell - W - SFO | 51 | 1 | HMC |
| 01-Z0-8802 | | -- Open Grate Mat, Hosewell | 51 | 1 | HMC |
| 40-G0-1420 | | -- Bumper Ground Lights - LED Strip Lights | 51 | 1 | HMC |
| 40-H0-1109 | | -- Dual Stutter Tone Air Horns - Bumper Recessed - W - SFO | 51 | 1 | HMC |
| 40-H0-1201 | | -- Air Horn Circuit Powered - Battery and Ignition | 51 | 1 | HMC |
| 40-H0-1210 | | -- Air Horn Control - Lanyard | 51 | 1 | HMC |
| 40-H0-1302 | | -- Air/Elec Horn-Strg Wheel Cntrl - {Siren Switch Upgrade Here} | 51 | 1 | HMC |
| 40-H0-2130 | | -- Electronic Siren - Whelen - Model 295SLSA1 | 52 | 1 | HMC |
| 40-H0-5410 | | -- Siren Head Mounting - Mounted on Engine Enclosure | 52 | 1 | HMC |
| 40-H0-3322 | | -- Q2B Mechanical Siren - Bumper Recess Mtd - Driver's Side - W / SFO | 52 | 1 | HMC |
| 40-H0-3360 | | -- Q2B Mechanical Siren - Bright Finish | 52 | 1 | HMC |
| 40-H0-5110 | | -- Siren Circuit Powered - Master Warning Light Switch | 52 | 1 | HMC |
| 40-H0-5230 | | -- Siren Brake Switch - Driver and Officer Control | 52 | 1 | HMC |
| 40-H0-5350 | | -- Siren Control - Driver & Officer Foot Switches | 52 | 1 | HMC |
| 40-HA-2066 | | -- Siren Speakers - Two - Cast Products - Inboard Mtd | 52 | 1 | HMC |
| 40-HA-2070 | | -- Siren Speaker - Bright Finish | 53 | 1 | HMC |
| 40-Q0-1074 | | -- Color Painted Bumper - Cab Exterior Color | 53 | 1 | HMC |
| 40-Q0-1140 | > | -- Chevron, Front Bumper - Red/Florescent Lime Diamond Grade | 53 | 1 | HMC |
| 69-C0-0100 | | On Board USB Electronic Operator's Manual w/Parts List | 53 | 1 | HMC |
| 69-C0-0200 | | Electronic Operator's Manual w/Parts List - One Set | 54 | 1 | HMC |
| 69-C0-0300 | | -- FAMA Fire Apparatus Safety Guide | 54 | 1 | HMC |
| | | == Pump Module, 47" Side Mnt, Gen III - 6.006 03/24/22 == | 54 | 1 | HME |
| 20-02-0240 | > | Pump Enclosure, Side Mount, 47" Wide, Gen III | 54 | 1 | HME |
| 20-04-0200 | | -- Running Boards, L/S, R/S w/Laser Grip S/S Step Surface | 55 | 1 | HME |
| 20-06-0800 | | -- Dunnage Compt, w/Floor | 55 | 1 | HME |
| 20-06-1610 | | -- Grabrails, (2) Access Dunnage Compt, Mtd L/ R Side of Compt | 55 | 1 | HME |
| 20-10-1225 | | -- Work Light, (1) LED, Strip Light, Mtd Pump Compt w/Switch | 55 | 1 | HME |
| 20-14-0100 | | -- Pump Service Access Requirements | 56 | 1 | HME |
| 20-14-0403 | | -- Control Panel, Side Mount Module - Gen III | 56 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|---|---|----|-----|-----|
| 20-15-0100 | | -- Identification Labels - Engraved Plastic | 56 | 1 | HME |
| 20-16-0200 | | -- Pump Panel Finish, Brushed Stainless Steel | 57 | 1 | HME |
| 20-18-1012 | | -- Controls & Gauges, Side Mount - Standard Width - FRC | 57 | 1 | HME |
| 20-18-1280 | | -- Pump Boss Governor and 4-1/2" Master Gauges | 57 | 1 | HME |
| 20-18-1402 | | -- FRC Pump Boss Pressure Governor / Monitoring Display | 57 | 1 | HME |
| 20-18-1501 | | -- Backlit 4-1/2" Master Pump Gauges, -30-0-400 psig - | 58 | 1 | HME |
| | | English | | | |
| 20-18-1550 | | -- 2-1/2" Pressure Gauges, 0-400 psig - English | 59 | 1 | HME |
| 20-18-1558 | | -- 2-1/2" Pressure Gauge LED Lighting | 59 | 1 | HME |
| 20-18-1570 | | -- Pump Panel LED Lighting - WHITE/RED | 59 | 1 | HME |
| 20-18-2040 | | -- Drain Discharges - 90° Ports | 60 | 1 | HME |
| 20-18-2404 | | -- Switch, Air Horn Activation, Mtd PPanel, Push Button w/Lbl | 60 | 1 | HME |
| 20-18-2682 | > | -- Gauge, Fuel Tank, Mounted Pump Panel | 60 | 1 | HME |
| 30-26-0410 | | -- Gauge, (1) Water Tank Level - FRC Tank Vision | 60 | 1 | HME |
| 30-26-1000 | > | -- Gauge, Add'l, (2) Water Tnk Gg, Whelen "PSTANK2" LED, Cab Side (CUSTOM CAB ONLY) | 60 | 1 | HME |
| 30-26-1025 | | -- Gauge, (1) Water Tank Gauge, Whelen "PSTANK2" LED, Rear | 61 | 1 | HME |
| | | Side Mount Pumps - STANDARD Height Crosslays | | 1 | HME |
| 20-21-0800 | | -- Pump, Midship, Hale "Q-Max", 1250-2000 GPM - (G Gearbox) | 61 | 1 | HME |
| 20-24-9010 | | -- Hale Pump Grey Metal Surcharge - QFlo QMax QTwo | 62 | 1 | HME |
| 20-26-1000 | | -- Pump Rating, Hale, 1500 GPM | 62 | 1 | HME |
| 20-27-0100 | | -- Altitude Requirements, 0' to 2000 Feet Above Sea Level | 63 | 1 | HME |
| 22-02-0400 | | -- Pump T-Case Cooling Line, 3/8" w/Class 1 Valve | 63 | 1 | HME |
| 22-06-0900 | > | -- Primer, Air Primer, Trident, On Hale Pump | 63 | 1 | HME |
| 22-06-0932 | | -- Auto Prime Control Valve | 64 | 1 | HME |
| 22-06-0970 | | -- Trident Warranty, 5 Year Parts | 64 | 1 | HME |
| 22-08-0200 | | -- Pump Shift, Pneumatic w/Label, Indicator Lgts, Mtd Cab/PPnl | 64 | 1 | HME |
| 22-10-0800 | | -- Mechanical Seal, Inboard Side, Spring Loaded, Self | 64 | 1 | HME |
| | | Adjusting | | | |
| 22-11-0200 | | -- Anode, Water Pump, Indicator Weep Hole | 64 | 1 | HME |
| 22-14-1010 | | -- Thermal Relief Valve, TRV-L, Automatic w/buzzer | 65 | 1 | HME |
| 22-14-1700 | | -- Intake Pressure Relief Valve, TFT | 65 | 1 | HME |
| 22-18-0400 | | -- Master Drain, Manual Mtd Pump Panel | 65 | 1 | HME |
| 22-20-0210 | | -- Third Party Test - TUV Rheinland, US/Territories, Completed | 66 | 1 | HME |
| | | Apparatus Certificat | | | |
| 22-24-0200 | | -- Pump Warranty, Hale, Five Year | 66 | 1 | HME |
| 22-30-0200 | | -- Electronic Manuals, Pump Service and Operation | 66 | 1 | HME |
| | | Steamer Inlets | | 1 | HME |
| 24-02-1000 | | -- Steamer Inlet, 6" NST Thread, L/S w/Strainer - Hale | 66 | 1 | HME |
| 24-08-0400 | | -- Power Intake Vlv, Hale MIV-E, L/S, Elec, Mtd L/S PPanel | 66 | 1 | HME |
| 22-14-1710 | | -- Intake Pressure Relief Valve, Manufacturers Choice | 66 | 1 | HME |
| 24-08-2010 | > | -- MIV Individual Bleeder - Left Side Pump Panel | 67 | 1 | HME |
| 30-40-1060 | | -- Cap, 6" Long Handle - HME Logo | 67 | 1 | HME |
| 30-40-2651 | | -- 6" NST F to 5" Storz - Rigid Handle - Rigid - Strt (Qty) | 67 | 1 | HME |
| 30-40-5012 | | -- (Qty) 5" Storz w/Cap & Lanyard | 67 | 1 | HME |
| 24-02-1200 | | -- Steamer Inlet, 6" NST Thread, R/S w/Strainer - Hale | 67 | 1 | HME |
| 24-08-1000 | | -- Power Intake Vlv, Hale MIV-E, R/S, Elec, Mtd R/S PPanel | 67 | 1 | HME |
| 22-14-1710 | | -- Intake Pressure Relief Valve, Manufacturers Choice | 67 | 1 | HME |
| 24-08-2020 | > | -- MIV Individual Bleeder - Right Side Pump Panel | 68 | 1 | HME |
| 30-40-1060 | | -- Cap, 6" Long Handle - HME Logo | 68 | 1 | HME |
| 30-40-2651 | | -- 6" NST F to 5" Storz - Rigid Handle - Rigid - Strt (Qty) | 68 | 1 | HME |
| 30-40-5012 | | -- (Qty) 5" Storz w/Cap & Lanyard | 68 | 1 | HME |
| 24-08-5030 | > | -- Primer / Bleeder Selector Valve, Gated Suctions | 68 | 1 | HME |
| 24-08-5040 | | -- Primer/Bleeder Selector Piped To L/S Gated Suction | 68 | 1 | HME |
| 24-08-5050 | | -- Primer/Bleeder Selector Piped To R/S Gated Suction | 68 | 1 | HME |
| 24-08-5070 | | -- Primer/Bleeder Selector Piped To Rear Gated Suction | 69 | 1 | HME |
| | | Tank Fill - Pump Panel Options | | 1 | HME |
| | | Rear Pump Inlets / Suctions | | 1 | HME |
| 24-16-0410 | > | -- Rear Suction, Gated, 6" NST M x 5" Btfly Vlv, Supply Side | 69 | 1 | HME |
| 24-14-0600 | | -- Valve, Hale MIV-E, Elec Operated w/Swtch/Lbl | 69 | 1 | HME |
| 22-14-1700 | | -- Intake Pressure Relief Valve, TFT | 70 | 1 | HME |
| 24-08-2010 | > | -- MIV Individual Bleeder - Left Side Pump Panel | 70 | 1 | HME |
| 30-24-0800 | > | -- Water Tank Sleeve, (1) 8", Rear Intake | 70 | 1 | HME |
| 30-40-1060 | | -- Cap, 6" Long Handle - HME Logo | 70 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|---|---|----|-----|-----|
| 30-40-2651 | | -- 6" NST F to 5" Storz - Rigid Handle - Rigid - Strt (Qty) | 71 | 1 | HME |
| 30-40-5012 | | -- (Qty) 5" Storz w/Cap & Lanyard | 71 | 1 | HME |
| | | Left Side Small Intake | | 1 | HME |
| 24-21-0030 | | -- Pump Side Intake, Left Side - Rear - Side Operated | 71 | 1 | HME |
| 24-21-0425 | | -- Suction Inlet, Side 2.5" - Side Operated Module | 71 | 1 | HME |
| 24-21-1025 | | -- Suction Valve Control, Push-Pull Type, Side, Adj To Valve | 71 | 1 | HME |
| 30-40-1125 | | -- Intake Plug, (Qty) 2.5" w/Cap & Chain | 71 | 1 | HME |
| 24-21-2000 | | -- No Left Forward Intake Required - Pump Side | | 1 | HME |
| | | Right Side Small Intake | | 1 | HME |
| 24-21-2004 | | -- No Right Rear Intake Required - Pump Side | | 1 | HME |
| | | Left Side Pump Panel Discharges | | 1 | HME |
| 26-03-0020 | | -- #1 Discharge, Left Side - Side Operated | 71 | 1 | HME |
| 26-03-0425 | | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control | 71 | 1 | HME |
| 30-41-5025 | | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug | 71 | 1 | HME |
| | | w/Chain | | | |
| 26-03-0030 | | -- #2 Discharge, Left Side - Side Operated | 72 | 1 | HME |
| 26-03-0425 | | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control | 72 | 1 | HME |
| 30-41-5025 | | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug | 72 | 1 | HME |
| | | w/Chain | | | |
| 26-03-0040 | | -- No Left Side #2R Discharge Required | 72 | 1 | HME |
| | | Right Side Pump Panel Discharges | | 1 | HME |
| 26-03-0220 | | -- #3 Discharge, Right Side - Side or Top Operated | 72 | 1 | HME |
| 26-03-0425 | | -- Discharge, Side, 2.5" - 30 degree Elbow - Manual Control | 72 | 1 | HME |
| 30-41-5025 | | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug | 72 | 1 | HME |
| | | w/Chain | | | |
| 26-03-0230 | | -- #4 Discharge, Right Side - Side or Top Operated | 72 | 1 | HME |
| 26-03-0430 | | -- Discharge, Side, 3" - 30 degree Elbow - Manual Control | 72 | 1 | HME |
| 30-40-2351 | | -- 3" NST F to 5" Storz - Rocker Lug - Rigid - Strt (Qty) | 73 | 1 | HME |
| 30-40-5012 | | -- (Qty) 5" Storz w/Cap & Lanyard | 73 | 1 | HME |
| 26-03-0240 | | -- No Right Side #4R Discharge Required | 73 | 1 | HME |
| | | Rear Discharges | | 1 | HME |
| 26-06-0400 | | -- Discharge, 2.5" R/S Rear w/1/4Trn, SwngOut Vlv & 30Deg | 73 | 1 | HME |
| | | Elbw | | | |
| 30-24-0400 | > | -- Water Tank Sleeve, (1) 4" Rear Intake/Discharge | 73 | 1 | HME |
| 30-41-5025 | | -- Discharge Cap, (Qty) 2.5" Chrome Vented Rocker Lug | 73 | 1 | HME |
| | | w/Chain | | | |
| | | Deluge (Deck Gun) Piping | | 1 | HME |
| 28-02-0400 | > | -- Piping, 3" Deluge Riser, AbvPmp w/ 3" 1/4Trn & S/S Pipe | 73 | 1 | HME |
| 26-12-0400 | | -- Drain Valve - Manual - Manual 1/4 Turn | 73 | 1 | HME |
| 28-02-0610 | > | -- Telescoping Waterway, TFT 18" "Extend-A-Gun" | 74 | 1 | HME |
| | | #XG18VL-PL | | | |
| 28-02-0800 | | -- Deck Gun Cntrl, 3" Manual Slow Close | 74 | 1 | HME |
| | | Crosslay Assemblies | | 1 | HME |
| 28-11-1452 | | -- Crosslay, (3) Beds, 1.5" NST Dbl / 2.5" NST Dbl / 1.5" NST | 74 | 1 | HME |
| | | Dbl - 47" Side | | | |
| 28-11-5110 | | -- #1 Crosslay, Dbl Stk 1-1/2" NST w/2" Piping and Valve | 74 | 1 | HME |
| 26-12-0400 | | -- Drain Valve - Manual - Manual 1/4 Turn | 74 | 1 | HME |
| 28-11-6200 | | -- #2 Crosslay, Dbl Stk, 2-1/2" NST w/2-1/2" Piping Valve | 75 | 1 | HME |
| 26-12-0400 | | -- Drain Valve - Manual - Manual 1/4 Turn | 75 | 1 | HME |
| 28-11-7110 | | -- #3 Crosslay, Dbl Stk 1-1/2" NST w/2" Piping and Valve | 75 | 1 | HME |
| 26-12-0400 | | -- Drain Valve - Manual - Manual 1/4 Turn | 76 | 1 | HME |
| 28-11-7810 | | -- Crosslay Hose Guides | 76 | 1 | HME |
| 28-12-2200 | | -- Cover, Crosslay, Vinyl w/End Flaps | 76 | 1 | HME |
| 28-14-0400 | | -- Cover Color, Crosslay, Vinyl, Midnight Black | 76 | 1 | HME |
| | | Speedlay Assemblies | | 1 | HME |
| | | Booster Reels | | 1 | HME |
| | | Hosebed Preconnects | | 1 | HME |
| 28-30-0600 | | -- Hosebed Preconnect, (1) L/S 2-1/2" NST, w/Cntrls | 76 | 1 | HME |
| | | Discharge Reducers | | 1 | HME |
| | | Ball Valves | | 1 | HME |
| 30-00-0300 | | -- Ball Valves, Elkhart, Brass | 76 | 1 | HME |
| | | Tank Plumbing and Indicators / Gauges | | 1 | HME |
| 30-20-0200 | | -- Piping, Tank To Pump, 3" w/3" Ball Vlv | 76 | 1 | HME |
| 30-22-0400 | | -- Tank Refill, 2" Line w/ 1/4 Trn Bil Vlv | 77 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|---|---|----|-----|-----|
| | | Foam Systems | | 1 | HME |
| 20-32-4700 | | > Foam System, Hale "FoamLogix" 2.1A | 77 | 1 | HME |
| 20-32-5052 | | -- Class 'A' Foam Operation Only | 79 | 1 | HME |
| 20-32-7075 | | -- Foam Tank Refill System, HME Ahrens-Fox System | 79 | 1 | HME |
| 20-34-0200 | | > -- Foam Syst Outlets - Max Four outlets | 80 | 1 | HME |
| 20-34-0511 | | > -- Foam Outlets, (2) 1-3/4" And (1) 2-1/2" Crosslays | 80 | 1 | HME |
| 20-34-0525 | | > -- Foam Outlet, Jumpline | 80 | 1 | HME |
| 20-36-0600 | | -- Controls, Foam System, Hale (FoamLogix Controller) - Pump | 80 | 1 | HME |
| | | Operators Panel | | | |
| 22-02-0800 | | > Heat Exchanger Line, Gated, CUSTOM Chassis | 81 | 1 | HME |
| | | Discharge Special Thread Adapters | | | |
| | | == Pumper Components & Equipment - 6.001 == | 81 | 1 | HME |
| 08-22-2001 | | Custom/Commercial Chassis PDI Designation | | 1 | HME |
| | | Water / Foam Tanks and Equipment | | 1 | HME |
| 30-02-0300 | | Water Tank Cnstrctn, Poly w/Tnk Lid, FillTwr, Ovrfw | 81 | 1 | HME |
| 30-14-3000 | | -- Foam Tank, (1) 30 Glns, Cls A, Poly, External, Frnt Hosebed | 82 | 1 | HME |
| 30-28-0210 | | -- Gauge, Foam Tank Level, FRC | 82 | 1 | HME |
| 34-04-0800 | | > -- Hosebed Bulkhead, (1), Stainless Steel | 83 | 1 | HME |
| 30-18-0200 | | -- Tank Mounting, Cradle Mtd, 8" x 8" x 4" x .250" | 83 | 1 | HME |
| 30-18-0700 | | -- Tank Cradle - Hot Dip Galvanized | 83 | 1 | HME |
| | | APPARATUS BODY DESIGN AND CONSTRUCTION | | 1 | HME |
| 32-02-0200 | | Body Design and Construction, Pumper, Stainless Steel | 83 | 1 | HME |
| 32-02-9000 | | -- Compartment Interior Finish | 85 | 1 | HME |
| 32-05-0100 | | -- Brushed Stainless Compartment Roof - Not a Stepping Surface | 86 | 1 | HME |
| 46-18-10WF | | -- Rear Tailboard, 12", LaserGrip Stainless Steel | 86 | 1 | HME |
| 46-18-1400 | | -- Rear Tailboard - Bright Finish | 86 | 1 | HME |
| | | EXTERIOR COMPARTMENTATION AND EQUIPMENT | | 1 | HME |
| 40-01-2110 | | Frame Extension, Rear | 86 | 1 | HME |
| 40-01-2210 | | -- Rear Frame Extension and Body Mounts Hot Dip Galvanized | 86 | 1 | HME |
| 40-01-2300 | | -- Fastner Finish - ArmorGalv® | 86 | 1 | HME |
| 40-02-0200 | | Ext Compartment Design and Construction, Modular, Bolted | 86 | 1 | HME |
| 40-02-0204 | | -- Compartment Ventilation w/Filtration | 87 | 1 | HME |
| 46-28-0710 | | -- No Exhaust Tailpipe Heatshield Required | | 1 | HME |
| 40-10-0200 | | Long Body Configs, Approx 600 - 1800 Gallon Capacities | | 1 | HME |
| 40-10-3100 | S | > -- 30) 82"/92", FH/FD Ext Cmpts w/ThruTnk, Rect, 928 Gls, 70" HB | 87 | 1 | HME |
| 30-04-1850 | S | < -- Water Tank Capacity, Rectangular, 928 US Gallons - TT - 30 | 87 | 1 | HME |
| | | 70" HB | | | |
| | | 928 Glns | | | |
| 30-02-1000 | | -- Tank Fill Tower, 10" x 14", w/4" Vent | 87 | 1 | HME |
| 30-12-0650 | | -- Cubic Ft, Body 270, 174" OAL | 88 | 1 | HME |
| 30-23-0100 | | > -- Direct Tank Fill, Left Rear | 88 | 1 | HME |
| 30-23-2100 | | -- 1/4 Turn Valve - 2-1/2" | 88 | 1 | HME |
| 30-23-3100 | | -- Direct Control - Self Locking on Valve | 88 | 1 | HME |
| 30-40-1125 | | -- Intake Plug, (Qty) 2.5" w/Cap & Chain | 88 | 1 | HME |
| | | HOSEBED | | 1 | HME |
| 34-02-0020 | | -- Hosebed, Double High Side Pumper Body - Ladders Thru & Beam | 88 | 1 | HME |
| 46-08-1710 | | -- Coffin Compartments - Double High Side Pumpers | 88 | 1 | HME |
| 46-08-1822 | | > -- L/S Full Length, Coffin Compartment - Pumper - 12" Wide | 88 | 1 | HME |
| | | x 24" Deep | | | |
| 46-08-1920 | | -- Grab Handles, Coffin Compartments, Front and Rear | 89 | 1 | HME |
| 46-08-2312 | | -- Coffin Compartment Doors, Lift Up Aluminum - Pair | 89 | 1 | HME |
| 46-08-2322 | | -- LED Coffin Compartment Lid Lighting | 89 | 1 | HME |
| 46-08-2324 | | -- Coffin Compartment Open Compartment Warning Light | 89 | 1 | HME |
| 46-08-2360 | | -- Coffin Compartment Doors - Bright Finish | 89 | 1 | HME |
| 46-08-2122 | | > -- R/S Full Length, Coffin Compartment - Pumper - 12" Wide | 89 | 1 | HME |
| | | x 24" Deep | | | |
| 46-08-2220 | | -- Grab Handles, Coffin Compartments, Front and Rear | 89 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|-----|--|----|-----|-------|
| 46-08-2312 | | -- Coffin Compartment Doors, Lift Up Aluminum - Pair | 90 | 1 | HME |
| 46-08-2322 | | -- LED Coffin Compartment Lid Lighting | 90 | 1 | HME |
| 46-08-2324 | | -- Coffin Compartment Open Compartment Warning Light | 90 | 1 | HME |
| 46-08-2360 | | -- Coffin Compartment Doors - Bright Finish | 90 | 1 | HME |
| 34-04-0600 | > | -- Dividers, (Qty) Hosebed, Adjustable, Smth Alum w/Radius | 90 | 2 | HME |
| | Crn | | | | |
| 34-06-0400 | | -- Hosebed Cover, Black | 90 | 1 | HME |
| LEFT SIDE EXTERIOR COMPARTMENT DIMENSIONS | | | | | 1 HME |
| 40-12-1050 | | -- 82"/92", Ext Compts, L/S, 56"/52"/61" W x 24" D, FH/FD | 91 | 1 | HME |
| 40-14-9004 | | -- Roll Up Doors, ROM | 91 | 1 | HME |
| 40-15-0180 | | -- Roll Up Doors, L/S, Satin Anodized Finish - XLg Bdy - LSL | 92 | 1 | HME |
| 40-16-0400 | | -- Door Latches, L/S, Non-Locking Lift Bar w/Door Ajar Switch | 92 | 1 | HME |
| FENDER CONFIGURATIONS | | | | | 1 HME |
| 41-00-0400 | | -- Wheel Area, Single Axle | 92 | 1 | HME |
| 46-02-0200 | | -- Fuel Fill, L/S Rr Fndr w/Door, Label, Vent Line | 92 | 1 | HME |
| 46-02-0500 | | -- Fuel Fill Door - Bright Finish | 92 | 1 | HME |
| 46-06-0400 | | -- Fenderettes and Wheel Well Liners - Stainless | 92 | 1 | HME |
| 46-06-0408 | | -- Fenderettes and Wheelwell Liners - Bright Finish | 92 | 1 | HME |
| 46-08-0200 | | -- Mud Flaps, Rear | 92 | 1 | HME |
| 46-28-0407 | | -- SCBA Tubes, (7) Rear Wheelwell, (3) L/S - (4) R/S, Sngl Axle | 93 | 1 | HME |
| 46-28-0660 | | -- SCBA Tube Doors - Bright Finish | 93 | 1 | HME |
| 46-28-0680 | | -- SCBA Bottle Retention Strap(s) | 93 | 1 | HME |
| RIGHT SIDE EXTERIOR COMPARTMENT DIMENSIONS | | | | | 1 HME |
| 42-02-1025 | | -- 82"/92", Ext Compts, R/S, 56"/52"/61" W x 24" D, FH/FD | 93 | 1 | HME |
| 42-07-0180 | | -- Roll Up Doors, R/S, Satin Anodized Finish - XLg Bdy - LSL | 93 | 1 | HME |
| 42-08-0400 | | -- Door Latches, R/S, Non-Locking Lift Bar w/Door Ajar Switch | 94 | 1 | HME |
| EXTERIOR BODY COMPONENTS | | | | | 1 HME |
| 46-05-0650 | | -- Rubrail, Body, LED Strip, Armor Guard, Warning/Ground - XLong Body | 94 | 1 | HME |
| 46-05-0700 | | -- Rubrail, Body - Bright Finish | 94 | 1 | HME |
| 46-06-0462 | | -- Painted Apparatus Body - Pumper | 94 | 1 | HME |
| 46-06-0602 | | -- Painted Apparatus Body, Wheel Well Fender Panels | 94 | 1 | HME |
| 46-06-0610 | > | -- Painted Hosebed / Coffin Cmpt Exterior Side Walls | 94 | 1 | HME |
| 46-06-0612 | > | -- Painted Hosebed / Coffin Cmpt Exterior Front Wall | 94 | 1 | HME |
| 46-06-0614 | > | -- Painted Coffin Cmpt Exterior Rear Wall | 94 | 1 | HME |
| 46-06-0616 | | -- Painted Apparatus Body, Between Doors | 94 | 1 | HME |
| 46-10-0700 | | -- Lights, Compartment, LED Strip, Armor Protected - White/Red | 94 | 1 | HME |
| 46-12-0250 | | -- Lights, Rear Body, LED Strip Intermediate Step, Activate w/Parking Brk | 95 | 1 | HME |
| 46-15-0410 | | -- Rear - Center - RR1 Half Height - 63" 69" 73" HB | 95 | 1 | HME |
| 42-12-0200 | | -- RR1, Ext Compt, Rear, 29" H x 48" W x 22" D, Half Height | 95 | 1 | HME |
| 42-25-0200 | | -- Hinged Doors, Flush Mount, Double Pan Stainless | 95 | 1 | HME |
| 42-08-0200 | | -- Door Latches, R/S, Hansen, Slam w/"D" Ring, Non-Locking | 95 | 1 | HME |
| 42-08-0550 | | -- Door Latches - Bright Finish | 95 | 1 | HME |
| 84-04-5010 | | -- Chevron, Diamond Grade Rear Body NFPA, 6" - Pumper Low Rear Door | 95 | 1 | HME |
| 84-04-8020 | | -- Chevron Color - Red and Florescent Green Reflective | 96 | 1 | HME |
| 42-14-0210 | > | -- RR2, Ladder Stg Compt, Rear - Thru Tank - Std w/Multi Opt | 96 | 1 | HME |
| 42-18-0410 | > | -- RR2a, Multipurpose Storage, Inside Tank Compt, Upper Rear | 96 | 1 | HME |
| 42-18-0520 | > | -- Second Compt - (3) 6" Suction and Long Handled Tools | 96 | 1 | HME |
| 42-28-0200 | | -- Hinged Door, Rear, Ladder Storage | 96 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|---|--|-----|-----|-----|
| 42-32-0710 | | -- Lighting, Rear Ladder Compartment | 96 | 1 | HME |
| 46-26-0810 | | -- Lighting, White Color | 96 | 1 | HME |
| 72-00-0010 | | -- Thru The Tank Ladder Group - 10-Fold, 14-Roof, 24-2 Sec | 97 | 1 | HME |
| 72-04-0400 | | -- Ladder, 14' Roof, Duo-Safety, Channel Rail, Aluminum | 97 | 1 | HME |
| 72-06-0400 | | -- Ladder, 10' Fldng Attic, Duo-Safety, Aluminum | 97 | 1 | HME |
| 72-08-0400 | | -- Ladder, 24' Two-Sect Ext, Duo-Safety, Solid Beam | 97 | 1 | HME |
| | | Aluminum | | | |
| 46-20-0100 | | -- Step, Intermediate, mid position, Laser Grip, 8" Deep x Full Width | 97 | 1 | HME |
| 46-12-0250 | | -- Lights, Rear Body, LED Strip Intermediate Step, Activate w/Parking Brk | 97 | 1 | HME |
| 46-26-0100 | | -- Handrail, Rear, 69" Horizontal Hosebed | 97 | 1 | HME |
| 46-26-0650 | | -- Handrails - Bright Finish | 97 | 1 | HME |
| 46-26-0710 | | -- Lighting, Rear Horizontal Handrails | 98 | 1 | HME |
| 46-26-0810 | | -- Lighting, White Color | 98 | 1 | HME |
| 46-15-0520 | | -- Rear - Left Side - Egress Ladder - 4 step | 98 | 1 | HME |
| 46-18-0600 | | -- Ahrens-Fox Ladder, Rear, Hosebed Access - Fold + 4 steps | 98 | 1 | HME |
| 46-15-0610 | | -- Rear - Right Side - Egress Steps - upper (1) folding step, lower (1) fixed step | 98 | 1 | HME |
| 46-16-0014 | | -- Step, Folding, (1) Mounted Right Rear Upper Position | 98 | 1 | HME |
| 46-16-0400 | | -- Folding Body Steps - Bright Finish | 98 | 1 | HME |
| 46-18-0700 | | -- Standard Folding Step | 99 | 1 | HME |
| 46-20-0112 | | -- Steps, Intermediate, (1) Lower, Right Corner, Laser Grip, 8" Deep | 99 | 1 | HME |
| 46-26-0120 | | -- Handrail, Rear Right Side, 24" Vertical | 99 | 1 | HME |
| 46-26-0650 | | -- Handrails - Bright Finish | 99 | 1 | HME |
| 46-16-0305 | | -- Steps, (4) Four, Folding, Mounted Front of Body, Per NFPA | 99 | 1 | HME |
| 46-16-0400 | | -- Folding Body Steps - Bright Finish | 99 | 4 | HME |
| 46-18-0710 | > | -- Upgraded Folding Step with LED light | 99 | 4 | HME |
| 46-16-0307 | | -- Steps, Folding, 2-Extra Mounted Front of Body | 99 | 1 | HME |
| 46-16-0400 | | -- Folding Body Steps - Bright Finish | 99 | 2 | HME |
| 46-18-0710 | > | -- Upgraded Folding Step with LED light | 100 | 2 | HME |
| | | Exterior Body Equipment / Mounting Devices | | 1 | HME |
| 58-02-0100 | | -- Floodlight, Maxxima, (1) MWL-36, 2100 Lumens, Mnt Frt R/S Hsbd | 100 | 1 | HME |
| | | SCENE LIGHTING - PUMPER / RESCUE | | 1 | HME |
| 58-09-3012 | | -- Body Side Scene Lights Required - Pumper / Rescue | 100 | 1 | HME |
| 58-09-5130 | | -- Scene Lights, Whelen - 900 Series LED | 100 | 4 | HME |
| 58-09-5810 | | -- Bright Finished Bezels | 100 | 4 | HME |
| 58-09-7002 | | -- Driver's Scene Light Switch | 100 | 1 | HME |
| 58-09-4012 | | -- Body Rear Scene Lights Required | 100 | 1 | HME |
| 58-09-5130 | | -- Scene Lights, Whelen - 900 Series LED | 100 | 2 | HME |
| 58-09-5810 | | -- Bright Finished Bezels | 100 | 2 | HME |
| 58-09-6030 | | -- Rear Scene Lt. Switch w/Pkg Brk Over-Ride & Cab Switch | 101 | 1 | HME |
| 58-09-7002 | | -- Driver's Scene Light Switch | 101 | 1 | HME |
| 58-10-8008 | > | -- One (1) Forward Cab LED / Quartz Light | 101 | 1 | HME |
| 58-10-8600 | > | -- Hi Output LED Forward Brow Light, HiViz 72" | 101 | 1 | HME |
| 58-10-8900 | | -- White Brow Light Housing | 101 | 1 | HME |
| 58-18-0304 | | -- Switching, Three Switches, 12 V, Driver Cab, HiViz 72" | 101 | 1 | HME |
| | | Brow Light | | | |
| 58-14-0100 | | -- FRC - LF Corner - High Side | 101 | 1 | HME |
| 58-15-0910 | | -- FRC, Spectra, Ultrabright LED, 20,000 Lumens, 12VDC | 101 | 1 | HME |
| 58-15-8004 | | -- Lamphed ON / OFF Switch | 102 | 1 | HME |
| 58-15-8010 | | -- FRC, Bottom Raise Pole - 530 | 102 | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|------------|---|---|-----|-----|-----|
| 58-14-0110 | | -- FRC - RF Corner - High Side | 102 | 1 | HME |
| 58-15-0910 | | -- FRC, Spectra, Ultrabright LED, 20,000 Lumens, 12VDC | 102 | 1 | HME |
| 58-15-8004 | | -- Lamphead ON / OFF Switch | 102 | 1 | HME |
| 58-15-8010 | | -- FRC, Bottom Raise Pole - 530 | 102 | 1 | HME |
| | | RECEIVER HITCH / PORTABLE WINCH | | 1 | HME |
| | | | | | |
| | | SHELVES | | 1 | HME |
| 48-02-0600 | | Shelves, Deep (Qty) Adjustable w/1.5" Flange, .190" Alum | 102 | 3 | HME |
| 48-02-1000 | S | -- Shelves Location, Specify Ext Compts | 103 | 3 | HME |
| 48-08-0600 | | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt | 103 | 3 | HME |
| 48-08-1000 | S | -- Dri-Dek Mat Locations, Deep adjustable shelves | 103 | 3 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 103 | 3 | HME |
| | | | | | |
| | | TRAYS | | 1 | HME |
| 48-04-1600 | | > Trays, (Qty), Pullout w/Slides & Gas Shck, .190" Alm 250# | 103 | 3 | HME |
| 48-04-2000 | S | -- Pullout Trays, Locations, Specify Ext Compts | 103 | 3 | HME |
| 48-08-0600 | | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt | 103 | 3 | HME |
| 48-08-1000 | S | -- Dri-Dek Mat Locations, 250 lb. pullout trays | 103 | 3 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 104 | 3 | HME |
| 48-04-2200 | | Tray, (Qty) HD, Pullout w/Slides & Gas Shck, .190" Alm, 500 | 104 | 2 | HME |
| 48-04-2210 | S | -- Heavy Duty Pullout Tray Location, Specify Ext Compt | 104 | 2 | HME |
| 48-08-0600 | | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt | 104 | 2 | HME |
| 48-08-1000 | S | -- Dri-Dek Mat Locations, 500 lb. pull out trays | 104 | 2 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 104 | 2 | HME |
| | | | | | |
| 48-04-2600 | | > Trays, (Qty), Adj, Pullout w/Slides & Gas Shck, 250# | 104 | 1 | HME |
| 48-04-2000 | S | -- Pullout Trays, Locations, Specify Ext Compts | 104 | 1 | HME |
| 48-08-0600 | | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt | 104 | 1 | HME |
| 48-08-1000 | S | -- Dri-Dek Mat Locations, on 250 lb. adj pullout tray | 105 | 1 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 105 | 1 | HME |
| | | OUT AND DOWN SHELVES | | 1 | HME |
| 48-06-0600 | | Trays, (Qty) Pull Out & Down w/Slides, .190" Alum, 250# | 105 | 1 | HME |
| 48-06-1000 | S | -- Pullout & Down Trays, Locations, Specify Ext Compts | 105 | 1 | HME |
| 48-08-0600 | | -- Dri-Dek Mat, Installed (Qty) Shelves/Trays, Ext Compt | 105 | 1 | HME |
| 48-08-1000 | S | -- Dri-Dek Mat Locations, Pull Out Drop Down Trays | 105 | 1 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 105 | 1 | HME |
| | | | | | |
| 48-10-0600 | | Dri-Dek Mats, Installed (Qty) Specify Ext Compt Floors | 105 | 2 | HME |
| 48-10-1000 | S | -- Dri-Dek Mat Locations, Specify Ext Compt Floors | 106 | 2 | HME |
| 48-10-1010 | | -- Dri-Dek Color - Black | 106 | 2 | HME |
| | | FOXTRAX | | 1 | HME |
| | | | | | |
| 48-14-0600 | | Toolboards, (Qty) FoxTrax, Alum, Mtd Rr Wall, Spcify Ext Com | 106 | 5 | HME |
| 48-14-1000 | S | -- Toolboard Locations, Specify Ext Compts | 106 | 5 | HME |
| | | VERTICAL DIVIDERS AND TOOLBOARDS | | 1 | HME |
| | | | | | |
| 48-18-0400 | | Vertical Toolboard, Swing-Out | 106 | 1 | HME |
| 48-18-1000 | | > -- FoxTrax, {qty} Alum Tool Mounting Extrusions, Mtd Tool Brds | 106 | 1 | HME |
| 48-18-1200 | S | -- Vertical Toolboard Location, Specify Ext Compt | 106 | 1 | HME |
| | | TOOL BOXES | | 1 | HME |
| | | | | | |
| | | 12 VOLT ELECTRICAL SYSTEM | | 1 | HME |
| 50-02-0200 | | Electrical System, 12V, Body, Multiplexed w/Circuit Brkr Pnl | 106 | 1 | HME |
| | | | | | |
| | | DIESEL AND GAS GENERATORS AND COMPONENTS | | 1 | HME |
| | | | | | |
| | | LIGHTING SELECTION | | 1 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|---|--|-----|-----|-----|
| 54-90-0100 | | MAKE ICC AND WARNING LIGHT SELECTIONS HERE | | 1 | HME |
| 55-01-0030 | | -- Custom Cab - Upper Headlight Position - Double Hi Side Body | | 1 | HME |
| 55-02-1002 | | -- Custom Cab - Cab - LED - ICC Lighting - Whelen OS Series | 107 | 1 | HME |
| 55-02-1120 | | -- Custom Cab - Cab - LED - ICC Lighting - Bright Finish | 107 | 1 | HME |
| 55-02-2000 | | -- Body - LED - ICC Lighting with Body Side Clearance LED & Reflector | 107 | 1 | HME |
| 55-02-2020 | | -- Body - LED - ICC Lighting - Bright Finish | 108 | 1 | HME |
| 55-03-0156 | | -- Headlights - HIVIZ LED - Daytime Running Halo Ring - W Cab Upper | 108 | 1 | HME |
| 55-03-0115 | | -- Headlights - Custom Cab - Bright Finish | 108 | 1 | HME |
| 55-04-0755 | | -- Frt Turn Signal - Whelen 600 LED - Outside Hdlts - CUSTOM Cab | 108 | 1 | HME |
| 55-04-0850 | | -- Lens Color - Amber | 108 | 1 | HME |
| 55-04-0905 | | -- Light Housing, Bright Finish | 108 | 1 | HME |
| 55-05-0132 | | -- Rear Stop/Tail/Turn - Whelen 600 Series LED 4 place housing | 108 | 1 | HME |
| 55-05-0135 | | -- Lens Color - Colored to match optics | 109 | 1 | HME |
| 55-05-0150 | | -- Light Housing, Bright Finish | 109 | 1 | HME |
| 55-05-0220 | > | -- Body Side Turn Signal, Whelen LED, Wheelwell Mounted, Req'd > 30' OAL | 109 | 1 | HME |
| 55-06-0480 | | -- Back Up Alarm | 109 | 1 | HME |
| 55-06-1000 | | -- License Plate Bracket w/LED Light | 109 | 1 | HME |
| 57-42-3305 | | -- Rear Warning - Zone C Lower, Whelen - 600 Series - Super LED | 109 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 109 | 1 | HME |
| 57-01-0332 | > | -- Whelen - LED - CUSTOM Pumper/Tanker/Rescue | | 1 | HME |
| 57-04-3350 | | -- Lightbar, Frt, Whelen - Freedom - LED Fully Populated, 16 mods | 110 | 1 | HME |
| 57-20-3105 | | -- (4) Cab, Lwr, Frt, Whelen - 600 Series - Super LED Below Headlights, QUADS | 110 | 1 | HME |
| 57-03-6000 | | -- Lens Color - All Red | 110 | 1 | HME |
| 57-20-3450 | | -- Cab, Lwr - Bright Finish | 110 | 1 | HME |
| 57-30-3350 | > | -- Bumper Side, Whelen - 600 Series - Super LED | 110 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 110 | 1 | HME |
| 57-30-4001 | | -- Bumper Side Warning Lights - Bright Finish | 110 | 1 | HME |
| 57-32-3305 | | -- Cab Side Over Wheel, Whelen -600 Series - Super LED | 111 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 111 | 1 | HME |
| 57-32-4001 | | -- Cab Side Warning Lights - Bright Finish | 111 | 1 | HME |
| 57-02-0334 | | -- Whelen - LED - Walk Around Rescue Body | | 1 | HME |
| 57-34-3305 | | -- Body, Side Over Wheel, Whelen - 600 Series - Super LED | 111 | 1 | HME |
| 57-03-1000 | | -- Lens Color - Both Red | 111 | 1 | HME |
| 57-34-5001 | | -- Body Side Warning Lights - Bright Finish | 111 | 1 | HME |
| 57-40-3311 | S | -- Upper Rear, Whelen - 900 Series - Super LED | 111 | 1 | HME |
| 57-03-6000 | | -- Lens Color - All Red | 112 | 1 | HME |
| 57-40-5001 | | -- Upper Rear Warning Lights - Bright Finish | 112 | 1 | HME |
| 57-44-3303 | | -- Whelen - LED - TAL85 Traffic Advisor | 112 | 1 | HME |
| COMMUNICATION, MISC EQUIPMENT, LADDERS | | | | 1 | HME |
| 70-02-0400 | | Labels, Identification & Safety, Mtd Drvr's Compt/Pump Panel | 112 | 1 | HME |
| 70-24-1000 | | Wheel Chocks, (2) Worden HWGY, Yellow Alum w/Sld-Out Brkt | 113 | 1 | HME |
| ELECTRIC CORD REELS AND COMPONENTS | | | | 1 | HME |
| HYDRAULIC HOSE REELS | | | | 1 | HME |
| UTILITY AIR REELS | | | | 1 | HME |
| HARD SUCTION HOSE | | | | 1 | HME |
| 76-02-6200 | | Hard Suction, 10' x 6", Lightweight PVC w/NH Cplng | 113 | 3 | HME |

| PART NO | S | DESCRIPTION | PG | QTY | ID |
|---|---|--|------------|----------|-----------|
| SUCTION STRAINERS | | | | 1 | HME |
| 76-06-1700 | | Strainer, (1) Kocheck, Barrel Type, Chrome Plated, 5" NST | 113 | 1 | HME |
| STRIPING | | | | 1 | HME |
| 84-02-2500 | | Striping, 1"x6"x1" Scotchlite, Reflective, Vhcl Prmtr | 113 | 1 | HME |
| 84-04-1224 | | -- Body Stripe Flare, "Ribbon" Pattern - Body Forward Door | 113 | 1 | HME |
| 84-04-3010 | | -- Base Stripe Color, White Reflective | 114 | 1 | HME |
| 84-04-3110 | | -- Accent Stripe Color, White Reflective | 114 | 1 | HME |
| MISC. ITEMS | | | | 1 | HME |
| WARRANTIES, MANUALS, MISCELLANEOUS DOCUMENTS | | | | 1 | HME |
| 90-03-1000 | | Water Tank Warranty - Service Life | 114 | 1 | HME |
| v6.006- RELEASE NOTES - 03/17/22 | | | | 1 | HME |
| == Limited Warranty - Use For Contracts - 4.001 == | | | 114 | 1 | HM |
| 10-00-0020 | | 3 Year Limited Sales Warranty | 114 | 1 | HM |
| 20-02-0030 | | -- General Warranty Period - 3 Years Total | 117 | 1 | HM |
| 40-00-0005 | | -- Cab & Body Paint Warranty Period - 5 Years | 117 | 1 | HM |
| v6.006 RELEASE NOTES: 03/24/22 | | | | 1 | HM |